Donor questionnaire

Thank you for coming to give blood today.

Your donation could save the life of someone or help them through an operation (surgical procedure). The Australian Red Cross Blood Service is committed to providing safe blood and blood products to those who need them.

The Donation Process

We are going to ask you to answer some questions about your general health to help us to decide firstly, if it is safe for you to give blood, and if so, how we can best use your blood. All of these questions are important though the reasons for some of the questions may be difficult to understand. Please discuss them with the member of staff who will be interviewing you. We are committed to keeping your answers and anything you tell us in the interview **CONFIDENTIAL** in so far as we are able.

Even though there are a lot of questions, you need to answer them honestly and to the best of your ability. Answering these questions honestly is important to ensure the safety of blood products. There are severe penalties including fines and/or imprisonment, for false or misleading information.

Blood is tested primarily to ensure recipient safety. Donors should never rely on this testing for their own personal health screening purposes.

Prior to release, all donations must be tested for the presence of hepatitis B, hepatitis C, HIV (AIDS virus), HTLV and syphilis. Should your blood test positive or show a significantly abnormal result, you will be notified. However, on some occasions laboratory testing cannot be performed and in these instances, your donation will not be used.

You have the option to change your mind about donating blood at any time. Please indicate to staff if at any time during the donation process you wish to leave.

Complete using ink – not pencil. If you make a mistake, cross it out and initial the correction. Do not use liquid paper as this will invalidate the form and you will need to complete a new form.

On the Day

- Be prepared by having plenty of liquid in the 24 hours before donation, especially in warm weather.
- Eat up. Make sure that you eat something in the 3 hours before donating.
- Drink up. Please drink at least 4 good-sized glasses of water/juice in the 3 hours prior to visiting the Blood Donor Centre.
- Plasma and Platelet (Apheresis) donors. Please drink at least 6 to 8 good-sized glasses of water/juice in the three hours prior to visiting the Blood Donor Centre.
- Provide identification: Have your photo ID handy.

You should fill in the declaration section but please don't sign until you have completed the interview!

Privacy statement

The personal information collected on this form allows the Blood Service to register and retain you as a blood donor. All information collected will be handled in the strictest confidence in accordance with the Privacy Act 1988 (Cth).

For more information, please ask for a Privacy brochure.



Stock No. 15340947

Blood donation is extremely safe

however, problems occasionally arise during or after a donation. These problems are not common but we are telling you about them so that if they ever occur, you will know some simple and appropriate steps to take.

Please note: All equipment used in blood collection is sterile, used once only and discarded.

How to avoid bruising

Try to limit use of the arm from which the blood was taken for the first 15 minutes after donating. If you develop a bruise that causes discomfort, a mild pain reliever (not aspirin) or an icepack may help.

Please phone us if a troublesome bruise occurs. Such bruises are not common and we want to hear about them as we may be able to give helpful advice.

Bleeding from the needle site

If this happens after a donation has been collected:

- Lift your arm above your shoulder, keep your elbow straight and press on the bleeding site.
- Sit down and ask a staff member for assistance.

You can avoid bleeding by:

- Limiting the use of the arm for about 15 minutes.
- Being careful when using your arm to eat or drink and when putting on a jacket after donating.

Feeling faint

Fainting is usually due to a nerve reflex which slows the pulse and lowers blood pressure for a short period.

If you feel dizzy, light headed, or unwell and are still on the donor couch, tell a staff member immediately.

- Rest for around 30 minutes or until you feel well again.
- · A drink of cold fluids is helpful.

If you feel faint after you have left the donor couch, sit or lie down as flat as possible rather than take the risk of falling.

If you have left the Blood Donor Centre, then follow the recommendations above and if you're driving, slow down and stop the car where it is safe to do so.

Reducing the chance of fainting

Make sure that you eat something in the 3 hours before donating and drink 4 glasses (6-8 for Plasma and Platelet donors) of water/juice prior to visiting the Blood Donor Centre. In warm weather, be prepared by having plenty of liquid in the 24 hours before donation.

- Avoid strenuous exercise and drink plenty of liquid (non-alcoholic) in the few hours after your donation.
- If you have a naturally low blood pressure and feel faint when you stand up suddenly, please tell us.
- Are you very anxious? Please let us know. We can help you feel at ease.

Rare events

Rarely, a donation needle may irritate a nerve under the skin. This may be painful but is normally only momentary. The needle may also accidentally puncture the artery. This would be obvious to the staff member and will be appropriately managed at the time.

Any inflammation at or around the site (characterised by redness, tenderness, swelling and heat) should be regarded as potentially serious as it can be associated with infection and/or a blockage of the vein with a blood clot (thrombosis).

If any pain persists following the insertion of the needle, or you have any concerns, please speak to a staff member or if after leaving the venue you require medical attention, please contact a doctor, and notify the Blood Service on 13 14 95.

Very rarely, donors may develop a fast pulse or a sensation of tightness in the chest. If this happens, tell a staff member immediately. If this occurs after leaving the Blood Donor Centre, contact a hospital or doctor so the problem can be assessed. Please contact us later on 13 14 95 and tell us what happened.

Keeping your blood healthy – iron stores

Whole blood is rich in iron, some of which is lost each time you donate. This is why we recommend 12 weeks between Whole Blood donations to allow your body's iron stores to be replaced.

We measure your haemoglobin each time you donate, but this is not a perfect indicator of iron levels.

As iron can be low and the haemoglobin test still acceptable, it is important that you have a diet containing plenty of iron, even if your haemoglobin is satisfactory. Please ask for our brochure titled "Why Iron And Haemoglobin Are Important"

After giving blood, please stay at least 15 minutes and have some refreshments.

Should you become aware of any reason why your blood should not be used for transfusion, please call us on 13 14 95. In particular, if you develop a cough, cold, diarrhoea or other infection within a week after donating, please report it immediately.



Please complete this section only if:

- you are a new donor, or
- you have not donated within the last 2 years.

Otherwise, proceed to section B.

Please respond by placing a cross or a tick in the relevant box. Do not circle.

Ha	ve you:	Comments (staff use only)		
1.	Ever volunteered to donate blood before? If yes — where?	Yes	No	NP
2.	Ever been advised not to give blood?	Yes	No	NP
3.	Ever suffered from anaemia or any blood disorder?	Yes	No	A4
4.	Ever had a serious illness, operation or been admitted to hospital?	Yes	No	A5
5.	Had a neurosurgical procedure involving the head, brain or spinal cord between 1972 and 1989?	Yes	No	A6
6.	Ever received a transplant or graft (organ, cornea, dura mater, bone, etc.)?	Yes	No	A7
7.	Received injections of human growth hormone for short stature or human pituitary hormone for infertility prior to 1986?	Yes	No	A8
8.	Ever suffered from a head injury, stroke or epilepsy?	Yes	No	А9
9.	Ever had a heart or blood pressure problem, chest pain, rheumatic fever or a heart murmur?	Yes	No	В0
10.	Ever had a bowel disease, stomach or duodenal problems or ulcers?	Yes	No	B1
11.	Ever had kidney, liver or lung problems including tuberculosis (TB)?	Yes	No	B2
12.	Ever had diabetes, a thyroid disorder or an autoimmune disease e.g. rheumatoid arthritis or lupus?	Yes	No	В3
13.	Ever had cancer of any kind including melanoma?	Yes	No	B4
14.	Ever had malaria, Ross River fever, Q fever, leptospirosis or Chagas' disease?	Yes	No	B5
15.	Ever had jaundice (yellow eyes/skin) or hepatitis?	Yes	No	В6
16.	Been outside Australia in the last 3 years?	Yes	No	B7
17.	What was your country of birth?			M1
18.	From 1 January 1980 through to 31 December 1996 inclusive, have you spent (visited or lived) a total time which adds up to 6 months or more in England, Scotland, Wales, Northern Ireland, the Channel Islands, the Isle of Man, or the Falkland Islands?	Yes	No	M8
19.	Have you ever had treatment with the medication TIGASON (Etretinate) or NEOTIGASON (Acitretin)?	Yes	No	В9

All donors please complete this section

Please respond by placing a cross or a tick in the relevant box. Do not circle.

To	day:	Comments (staff use only)		
1.	Are you feeling healthy and well?	Yes	No	CO
2.	Women only — Are you pregnant or breast-feeding or have you been pregnant in the past 9 months?	Yes	No	C1
Fo	r safety reasons:			
3.	In the next 3 days, do you intend to participate in any activity which would place you or others at risk of injury if you were to become unwell after donating, such as: • Driving public transport, operating heavy machinery, underwater diving, piloting a plane or other activities?	Yes	No	C2
In	the last week, have you:			
4.	Had dental work, cleaning, fillings or extractions?	Yes	No	C4
5.	Taken any aspirin, pain killers or anti-inflammatory preparations?	Yes	No	C5
6.	Had any cuts, abrasions, sores or rashes?	Yes	No	C6
7.	Had a gastric upset, diarrhoea, abdominal pain or vomiting?	Yes	No	C7
Sir	ice your last donation, have you – or if you are a new donor, have you in the	last 12 m	onths:	
8.	Been unwell, or seen a doctor or any other health care practitioner, had an operation (surgical procedure) or any tests/investigation?	Yes	No	C9
9.	Had chest pain/angina or an irregular heartbeat?	Yes	No	DO
10.	Taken tablets for acne or a skin condition?	Yes	No	D1
11.	Taken any other medication, including regular medication?	Yes	No	D2
12.	Worked in an abattoir?	Yes	No	D3
13.	Had a sexually transmitted disease e.g. gonorrhoea, syphilis or herpes?	Yes	No	D5
14.	Had any immunisations/vaccinations?	Yes	No	D6
15.	Had shingles or chickenpox?	Yes	No	D7
16.	Do you know of anyone in your family who had or has:			
	• Creutzfeldt-Jakob disease (CJD)?	Yes	No	D8
	• Gerstmann-Straussler-Scheinker syndrome (GSS)?	Yes	No	D8
	• Fatal familial insomnia (FFI)?	Yes	No	D8
Tra	evel history and overseas residence:			
17.	Have you ever been outside Australia (including being born outside Australia)?	Yes	No	M5
lf y	our answer to question 17 is 'No' (i.e. you have never been outside Australia)— go stra			
18.	Have you ever spent a continuous period of 6 months or more outside Australia?	Yes	No	G9
19.	Have you ever received a transfusion or injection of blood or blood products outside Australia?	Yes	No	M2
20.	Since your last donation have you been outside Australia?	Yes	No	M4
	Never donated t			

All donors please complete this section

There are some people who MUST NOT give blood as it may transmit infections to those who receive it. To determine if your blood or blood products will be safe to be given to people in need, we would like you to answer some questions. These questions are a vital part of our efforts to eliminate diseases from the blood supply. All of the questions are important to answer. Answer each question on the form as honestly as you can and to the best of your knowledge. THERE ARE PENALTIES INCLUDING FINES AND IMPRISONMENT FOR ANYONE PROVIDING FALSE OR MISLEADING INFORMATION.

All donations of blood are tested for the presence of hepatitis B and C, HIV (the AIDS virus), HTLV and syphilis. If your blood test proves positive for any of these conditions, or for any reason the test shows a significantly abnormal result, you will be informed.

Please respond by placing a cross or a tick in the relevant box. Do not circle.							
To	the best of your knowledge, have you:	Comments (staff use only)					
1.	In the last 12 months, had an illness with swollen glands and a rash, with or without a fever?	Yes	No	E1			
2.	Ever thought you could be infected with HIV or have AIDS?	Yes	No	E2			
3.	Ever "used drugs" by injection or been injected, even once , with drugs not prescribed by a doctor or dentist?	Yes	No	E3			
4.	Ever had treatment with clotting factors such as Factor VIII or Factor IX?	Yes	No	E4			
5.	Ever had a test which showed you had hepatitis B, hepatitis C, HIV or HTLV?	Yes	No	E5			
6.	In the last 12 months engaged in sexual activity with someone you might think would answer "yes" to any of questions (1-5)?	Yes	No	E6			
7.	Since your last donation or in the last 12 months, had sexual activity with a new partner who currently lives or has previously lived overseas?	Yes	No	E7			
Within the last 6 months have you:							
8.	Had a tattoo (including cosmetic tattooing), body and/or ear piercing, electrolysis or acupuncture?	Yes	No	F5			
W	thin the last 12 months have you:						
9.	Had male to male sex (that is, oral or anal sex) with or without a condom?	Yes	No	E9			
10	. Had sex (with or without a condom) with a man who you think may have had oral or anal sex with another man?	Yes	No	FO			
11	Been a male or female sex worker (e.g. received payment for sex in money, gifts or drugs)?	Yes	No	F1			
12	Engaged in sexual activity with a male or female sex worker?	Yes	No	F2			
13	Been injured with a used needle (needlestick)?	Yes	No	F3			
14	. Had a blood/body fluid splash to eyes, mouth, nose or to broken skin?	Yes	No	F4			
15	. Been imprisoned in a prison or lock-up?	Yes	No	F6			
16	. Had a blood transfusion?	Yes	No	F7			
17	. Had (yellow) jaundice or hepatitis or been in contact with someone who has?	Yes	No	F8			

This declaration is to be signed in the presence of a Blood Service **staff member** (Please read the following conditions)

Thank you for answering these questions. If you are uncertain about any of your answers, please discuss them with your interviewer.

We would like you to sign this declaration in the presence of your interviewer (a Blood Service staff member) to show that you have understood the information on this form and have answered the questions in the declaration to the best of your knowledge.

Your donation is a gift to the Blood Service to be used to treat patients. In some circumstances, your donation may be used by the Blood Service or other organisations for the purposes of research, teaching, quality assurance or the making of essential diagnostic reagents. A part of your donation may also be stored for future testing and research. Approval from an appropriate Human Research Ethics Committee is required before any research is undertaken on your donation or any part of it.

You may be asked by the Blood Service to undergo further testing.

cough, cold, diarrhoea or other infection within a week after donating, please report it immediately.

Should you become aware of any reason why your blood should not be used for transfusion, please call us on 13 14 95. In particular, if you develop a **Donor declaration** Office use only I agree to have blood taken from me under these conditions. I declare that Witness (please print) I have understood the information on this form and answered the questions in the declaration honestly and to the best of my knowledge. I understand that Donor identity verified Yes No there are penalties, including fines and imprisonment, for providing false or Checked spelling of name NA misleading information. I have been advised that there are some possible risks associated with donating blood and that I must follow the instructions of the Yes NA Supplementary questions answered Blood Service staff to minimise these risks. Surname/family name **Donor (please print)** Given name Surname/family name Signature Category D / M M / Y Y Date of birth Date Please ONLY sign in the presence of the interviewer Donation number D / M | M / Y | Y | Y | Date Office use only: Record here any additional information if required for data entry, including malaria information.

Malaria Resident – Status Malaria Resident Permanent Status I130 (identify previous malaria residency) Yes No Yes No Malaria Travel - Testing Previous Malaria Antibody testing performed? Most recent Antibody test result: Non-reactive (A150) Reactive - Resident (A154) Probable Parasitaemic (27PP) Reactive - Visitor / History (A155) Malarial antibody test result date (Start date of deferral) Yes No Has the donor returned to a malarial area since last antibody test? Yes No Is it >120 days since return from travel? Initials Haemoglobin - Testing Capillary Hb G/L **Donor Height** Initials cm **Blood Pressure Reading** mmHg Initials **Donor Weight** Initials kg Note: Initials are only required if performed outside Assessment.

AF2010-90