

AUSTRALIAN CAPITAL TERRITORY

POISONS AND DRUGS ACT 1978

INSTRUMENT NO. 254 OF 2001

MODIFICATION

Under Section 46 of the *Poisons and Drugs Act 1978*, I, **Michael John Moore**, Minister for Health, Housing and Community Services hereby modify the drugs and poisons standard current on 1 September 2001 by withdrawing the entries listed in the attachment to this instrument.

Dated 29th day of August 2001.

Michael Moore

Minister for Health, Housing and Community Services

**STANDARD
FOR THE
UNIFORM SCHEDULING
OF
DRUGS AND POISONS**

No. 16

AMENDMENT No. 1

WITHDRAWN ENTRIES

Effective Date – 1 September 2001

PART 4 - THE SCHEDULES

Schedule 2 – New entries

***DATURA TATULA** (stramonium) for oral use:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of stramonium when labelled with a dose of 0.025 mg or less of the alkaloids of stramonium and a recommended daily dose of 0.5 mg or less of the alkaloids of stramonium; or
- (b) in divided preparations containing 0.025 mg or less of the alkaloids of stramonium per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of stramonium;

except for smoking or burning.

Schedule 2 – Amendments

***ATROPINE** – amend entry to read:

ATROPINE (excluding atropine methonitrate):

- (a) for oral use:
 - (i) in undivided preparations containing 0.025 per cent or less of atropine when labelled with a dose of 0.025 mg or less of atropine and a recommended daily dose of 0.5 mg or less of atropine; or
 - (ii) in divided preparations containing 0.025 mg or less of atropine per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of atropine; or
- (b) in preparations containing atropine sulfate when packed and labelled for the treatment of organophosphorus poisoning:
 - (i) in tablets each containing 0.6 mg or less of atropine sulfate in packs of 20 tablets; or
 - (ii) in preparations for injection each containing 0.6 mg per ml or less of atropine sulfate in packs of 5.

***BELLADONNA** – amend entry to read:

ATROPA BELLADONNA (belladonna):

- (a) for external use in preparations containing 0.025 per cent or less of the alkaloids of belladonna; or
- (b) for oral use:
 - (i) in undivided preparations containing 0.025 per cent or less of the alkaloids of belladonna when labelled with a dose of 0.025 mg or less of the alkaloids of belladonna and a recommended daily dose of 0.5 mg or less of the alkaloids of belladonna; or
 - (ii) in divided preparations containing 0.025 mg or less of the alkaloids of belladonna per dosage unit, when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of belladonna.

*DATURA – amend entry to read:

DATURA spp. for oral use **except** when separately specified in these Schedules:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of datura when labelled with a dose of 0.3 mg or less of the alkaloids of datura and a recommended daily dose of 1 mg or less of the alkaloids of datura; or
- (b) in divided preparations containing 0.3 mg or less of the alkaloids of datura per dosage unit when labelled with a recommended daily dose of 1 mg or less of the alkaloids of datura.

*DUBOISIA LEICHARDTII – amend entry to read:

DUBOISIA LEICHARDTII for oral use:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of duboisia calculated as hyoscyamine when labelled with a dose of 0.025 mg or less of the alkaloids of duboisia calculated as hyoscyamine and a recommended daily dose of 0.5 mg or less of the alkaloids of duboisia calculated as hyoscyamine; or
- (b) in divided preparations containing 0.025 mg or less of the alkaloids of duboisia calculated as hyoscyamine per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of duboisia calculated as hyoscyamine.

*DUBOISIA MYOPOROIDES – amend entry to read:

DUBOISIA MYOPOROIDES for oral use:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of duboisia calculated as hyoscyamine when labelled with a dose of 0.025 mg or less of the alkaloids of duboisia calculated as hyoscyamine and a recommended daily dose of 0.5 mg or less of the alkaloids of duboisia calculated as hyoscyamine; or
- (b) in divided preparations containing 0.025 mg or less of the alkaloids of duboisia calculated as hyoscyamine per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of duboisia calculated as hyoscyamine.

*HYOSCINE – amend entry to read:

HYOSCINE (excluding hyoscine butylbromide):

- (a) for transdermal use in preparations containing 2 mg or less of hyoscine; or
- (b) for oral use:
 - (i) in undivided preparations containing 0.025 per cent or less of hyoscine, when labelled with a dose of 0.3 mg or less of hyoscine and a recommended daily dose of 1 mg or less of hyoscine; or
 - (ii) in divided preparations containing 0.3 mg or less of hyoscine per dosage unit when labelled with a recommended daily dose of 1 mg or less of hyoscine.

HYOSCYAMINE – amend entry to read:

HYOSCYAMINE:

- (a) for external use in preparations containing 0.025 per cent or less of hyoscyamine; or
- (b) for oral use:
 - (i) in undivided preparations containing 0.025 per cent or less of hyoscyamine, when labelled with a dose of 0.025 mg or less of hyoscyamine and a recommended daily dose of 0.5 milligrams or less of hyoscyamine; or
 - (ii) in divided preparations containing 0.025 mg or less of hyoscyamine per dosage unit when labelled with a recommended daily dose of 0.5 mg or less hyoscyamine.

HYOSCYAMUS – amend entry to read:

HYOSCYAMUS NIGER for oral use:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of hyoscyamus when labelled with a dose of 0.025 mg or less of the alkaloids of hyoscyamus and a recommended daily dose of 0.5 mg or less of the alkaloids of hyoscyamus; or
- (b) in divided preparations containing 0.025 mg of the alkaloids of hyoscyamus or less per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of hyoscyamus.

*STRAMONIUM – amend entry to read:

DATURA STRAMONIUM (stramonium) for oral use when:

- (a) in undivided preparations containing 0.025 per cent or less of the alkaloids of stramonium when labelled with a dose of 0.025 mg or less of the alkaloids of stramonium and a recommended daily dose of 0.5 mg or less of the alkaloids of stramonium; or
- (b) in divided preparations containing 0.025 mg or less of the alkaloids of stramonium per dosage unit when labelled with a recommended daily dose of 0.5 mg or less of the alkaloids of stramonium;

except for smoking or burning.

Schedule 4 – New entries

*DATURA TATULA (stramonium) **except**:

- (a) when included in Schedule 2; or
- (b) for smoking or burning.

Schedule 4 – Amendments

*BELLADONNA – amend entry to read:

ATROPA BELLADONNA (belladonna) **except** when included in Schedule 2.

*DUBOISIA LEICHARDTII – amend entry to read:

DUBOISIA LEICHARDTII **except** when included in Schedule 2.

*DUBOISIA MYOPOROIDES – amend entry to read:

DUBOISIA MYOPOROIDES **except** when included in Schedule 2.

*HYOSYCAMUS – amend entry to read:

HYOSCYAMUS NIGER **except** when included in Schedule 2.

*STRAMONIUM – amend entry to read:

DATURA STRAMONIUM (stramonium) **except:**

- (a) when included in Schedule 2; or
- (b) for smoking or burning.