AUSTRALIAN CAPITAL TERRITORY

WATER POLLUTION ACT 1984

DETERMINATION OF FEES 1992

DETERMINATION NO. 78 OF 1992

EXPLANATORY STATEMENT

Under section 39 of the Water Pollution Act 1984 the Minister may determine fees.

This determination sets fees for the grant of licences under the Act. The licences and fees are set out below, the amounts in brackets are the previous fees.

Storm water run-off laden with silt, soil, earth, mud, stones, clay, colloids, organic matter or other like material, being run-off caused by the disturbance of the land surface during the process of land development Where the area of the premises specified in the application is:

- (1) less than 1Ha 141.00 (83.00 or 281.00)
- (2) 1Ha or more but less than 2Ha - 339.00 (281.00)
- (3) 2Ha or more but less than 5Ha - 417.00 (281.00)
- (4) 5 Ha or more but less than 20 Ha - 661.00 (426.00)
- (5) 20 Ha or more 1,158.00 (848.00)

When the maximum quantity of waste to be discharged in one day is:

- (1) less than 100
 kilolitres 316.00
 (87.00 or 175.00)
- (2) 100 kilolitres or more
 but less than 1
 megalitre 583.00
 (175.00, 437.00 or
 873.00)

All other discharged waste

Authorised by the ACT Parliamentary Counsel-also accessible at www.legislation.act.gov.au

- (3) 1 megalitre or more but less than 10 megalitres -959.00 - (1,745.00)
- (4) 10 megalitres or more but less than 50 megalitres -3,539.00 (4,363.00)
- (5) 50 megalitres or more -4,775.00 (4,363.00)

Where the discharge of waste is to take place on less than three consecutive days and not more than two events in a licence year:

- (1) less than 100 kilolitres
 per day 215.00 (87.00
 or 175.00)
- (2) 100 kilolitres per day ormore but less than 1 megalitre per day -247.00 (175.00, 437.00 or 873.00)
- (3) 1 megalitre per day or more but less than 10 megalitres per day -288.00 (1,745.00)
- (4) 10 megalitres per day or more but less than 50 megalitres per day -531.00 (4,363.00)
- (5) 50 megalitres per day or more - 716.00 (4,363.00)

Blood

Minister for the Environment, Land and Planning