


Greenway Precinct Map and Code

includes
Tuggeranong Town Centre

Effective: 19 December 2014



Effective: 19 December 2014



Assessment Tracks

The following tables identify the additional prohibited development and additional merit track development for blocks and parcels shown in the Greenway Precinct Map (identified as PDn or MTn). Development that is exempt from requiring development approval, other prohibited development and the minimum assessment track applicable to each development proposal is set out in the relevant zone development table.

The following tables constitute part of the relevant zone development table.

Table 2 – Additional merit track development

Additional merit track development that may be approved subject to assessment		
Suburb precinct map label	Zone	Development
		group or organised camp
MT1	NUZ4	overnight camping area
		tourist facility
MT2	CZ1	produce market
MT3	CZ3	corrections facility

Greenway Precinct Code

Contents

Introduction		4
Additional rules	and criteria	6
RC1 – Murrumb	idgee River corridor	6
Element 1:	Use	
RC2 – Leisure a	nd accommodation area	7
Element 2:	Buildings and use	
Element 3:	Environment	
RC3 – Tuggerar	nong Town Centre	8
Element 4:	4.1 Ground floor use 4.2 SHOP – CZ2 – floor area limit 4.3 Development on nominated car parking areas 1	9 9 0
Element 5:	Buildings 1 5.1 Height of buildings 1 5.2 Active frontages 1 5.3 Setback to main streets and pedestrian areas and routes 1 5.4 Built form 1 5.5 Materials and finishes 1 5.6 Gateway buildings 1 5.7 Building setbacks 1 5.8 Landscape areas 1	4 5 5 5 6 6 6
RC4 – Lake side	e residential1	9
Element 5:	Built form	
Figures		
•	tages, car parking, restrictions on use and gateway buildings1	
Figure 2 – Build	ling heights – Lakefront Development Area1	2
Figure 3 – build	ing heights1	3
Figure 4 – setba	acks and landscape areas1	8

Effective: 19 December 2014

Figure 5 – building heights......20

Introduction

Name

The name of this code is **Greenway Precinct Code**.

Application

The code applies to the Division of Greenway.

Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain sub-parts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

Acronyms

ACTPLA Planning and Land Authority within the ACT Environment and

Sustainable Development Directorate

EPA ACT Environment Protection Authority

ESA ACT Emergency Services Agency

ESDD ACT Environment and Sustainable Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TAMS ACT Territory and Municipal Services Directorate

Additional rules and criteria

This part applies to blocks and parcels identified in the Greenway Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

RC1 - Murrumbidgee River corridor

This part applies to blocks and parcels identified in area RC1 shown on the Greenway Precinct Map.

Element 1: Use

Rules	Criteria
1.1 Campsite and tourist facility	
	C1
There is no applicable rule.	Development achieves all of the following:
	is of low intensity on large blocks permitting point source retention of stormwater runoff and opportunities for large scale landscaping
	a) stormwater runoff meets all the following requirements before entering the Murrumbidgee River:
	i) is intercepted by a pond or equivalent designed in accordance with the requirements for ponds or equivalent in the Water Sensitive Urban Design General Code
	ii) meets the stormwater quality requirements of the commercial zones development code.
	Note: This provision is in addition to the WSUD requirements of other applicable codes.
	C2
There is no applicable rule.	Development, including existing uses, incorporates measures to minimise impacts on the ecology and improve the visual character of the locality.

NI2008-27

RC2 – Leisure and accommodation area

This part applies to blocks and parcels identified in area RC2 shown on the Greenway Precinct Map.

Element 2: Buildings and use

Rules	Criteria	
2.1 Protection of visual character		
	C3	
There is no applicable rule.	Development achieves all of the following:	
	a) visual and functional compatibility with the Tuggeranong Town Centre	
	b) visual and functional compatibility with the Murrumbidgee River and Lake Tuggeranong environments	
	c) minimal servicing and structural demands.	

Element 3: Environment

Rules	Criteria
3.1 Protection of water quality	
	C4
There is no applicable rule.	Development achieves one of the following:
	a) stormwater runoff meets all the following requirements before entering the Murrumbidgee River:
	i) is intercepted by a pond or equivalent, designed in accordance with the requirements for ponds or equivalent in the Water Sensitive Urban Design General Code
	ii) meets the stormwater quality requirements of the commercial zones development code.
	b) diversion of stormwater runoff to Lake Tuggeranong.
	Note: Diversion of stormwater runoff to Lake Tuggeranong may be achieved using existing stormwater infrastructure or pump option.
	Note: Compliance with this criterion is demonstrated by a water sensitive urban design outcomes plan endorsed by a suitably qualified person.
	Note: This provision is in addition to the WSUD requirements of other applicable codes.

RC3 – Tuggeranong Town Centre

This part applies to blocks and parcels identified in area RC3 shown on the Greenway Precinct Map. RC3 includes the Tuggeranong Town Centre.

Desired Character

Settlement Pattern

The Tuggeranong town centre has a strong urban edge whilst maintaining extensive physical and visual connections to the surrounding landscape including the mountains, open space, the river corridor and the lake.

The town centre enjoys a high level of connectedness through a fine grain grid pattern network of roads and pedestrian and cycle thoroughfares.

There is a network of high quality open spaces throughout the urban area of the town centre with links to the lake foreshore, community gardens and other public spaces.

Land use

A substantial component of the town centre is given over to residential development, with a focus on a mix of retail, commercial and other activating uses primarily at ground level and on key frontages.

Built form

There is a modern approach to the pitched red roofs and cream buildings, with a variety of roof forms including roof gardens, flat and skillion roofs.

Precincts

The foreshore area including Anketell Street has the following character:

- Development that embraces the lake through physical and visual connections to the foreshore
- Development that provides vibrancy through activity at the street level and finer grain shop fronts along major pedestrian areas
- Development that provides a pedestrian friendly environment
- Built form that steps down toward the foreshore.

The area along Athllon Drive has the following character:

- Taller building elements to match the taller building elements fronting the lake shore.
- Office buildings which address Athllon Drive to create a continuous building line, without excessive blank walls.
- Framing of the views north along Athllon Drive to distant hills
- A mix of residential uses on the western side of Athllon Drive, located to maximize views of the mountains to the west and access to employment and services in the town centre
- · Pedestrian links to the town centre.

The Soward Way area has the following character:

- Taller building elements to create a pedestrian friendly boulevard on Soward Way
- Development frames the views to the mountains to the west
- Development provides a mix of uses with retail at ground level.

Element 4: Use

Rules	Criteria	
4.1 Ground floor use		
R5	C5	
This rule applies to buildings in area a fronting the hatched area shown on figure 1.	Buildings fronting main pedestrian areas and routes incorporate uses on the ground floor that	
Only the following uses are permitted on the ground floor level:	generate activity in the public space.	
a) business agency		
b) club		
c) community activity centre		
d) drink establishment		
e) financial establishment		
f) hotel		
g) indoor entertainment facility		
h) indoor recreation facility		
i) public agency		
j) restaurant		
k) SHOP.		
	C6	
There is no applicable rule.	This criterion applies to buildings in area b fronting the hatched area shown on figure 1.	
	Buildings incorporate uses on the ground floor that generate activity in the public space.	
4.2 SHOP – CZ2 – floor area limit		
R7	C7	
This rule applies to area b shown on figure 1.	SHOPS are limited to a scale appropriate to	
The maximum <i>gross floor</i> area of any <i>SHOP</i> is 200m ² .	providing convenient shopping and personal services for the local workforce and residents.	

Rules Criteria 4.3 Development on nominated car parking areas R8 This rule applies to the shaded area shown on Development achieves all of the following: figure 1. any additional parking provision Development complies with all of the following: requirements (under the Parking and Vehicular Access General Code) for the the existing number of car parking spaces development is retained on the site and made available for public use at all times b) makes a substantial contribution to the long term parking supply for the town centre as provides car parking that is generated by b) endorsed by the Territory the development on site in accordance with the Parking and Vehicular Access General Code in addition to the spaces required by item a)




Figure 1 – Frontages, car parking, restrictions on use and gateway buildings.




Figure 2 – Building heights – Lakefront Development Area




Figure 3 – building heights

Element 5: Buildings

Rules	Criteria
5.1 Height of buildings	
R9	
This rule applies to areas shown in figure 3. The maximum <i>height of buildings</i> in the areas shown on figure 3 are as follows:	This is a mandatory requirement. There is no applicable criterion.
 a) in area 'a' - 9.5 metres b) in area 'b' - 17 metres c) in area 'c' - 20.5 metres d) in area 'd' - 24 metres e) in area 'e' - 24metres. Area 'e' is measured as the area up to a maximum of 30 metres from the front boundary with Anketell Street or Reed Street South 	
f) in area 'f' - 31 metres. Area 'f' is measured as follows: i. the area a maximum of 30 metres from the front boundary for blocks adjoining the western side of Ankertell Street ii. the area a maximum of 30 metres from the front boundary of blocks adjoining Soward Way west of Ankertell Street iii. the area a maximum of 30 metres from the front boundary of blocks adjoining the eastern side of Athllon Drive iv. the area a maximum of 40 metres from the front boundary of blocks adjoining the western side of Athllon Drive.	
 g) in area 'g' – 38 metres with a maximum of 12 storeys. For this rule the building height excludes all of 	
the following:	
a) roof top plant	
b) lift overruns	
c) antennas	
d) photovoltaic panels	
e) air conditioning units	
f) chimneys, flues and vents	
Excluded items are setback from the building facade of the floor immediately below a minimum distance of 3m.	

Rules	Criteria
R9A	C9A
This rule applies to area c shown on figure 1.	Buildings achieve all of the following:
The maximum height of building is shown on	a) consistency with the desired character
figure 2.	b) scale appropriate to the function of the use
	c) minimal detrimental impacts including
	overshadowing and excessive scale.
5.2 Active frontages	
R10	C10
This rule applies to buildings fronting the hatched	Buildings achieve all of the following:
area shown in figure 1.	a) direct pedestrian access from main
Buildings incorporate display windows and shop	pedestrian areas
fronts with direct pedestrian access at ground floor level.	b) avoid extensive lengths of blank walls
noor level.	unrelieved by doors, display windows or the like
	C11
There is no applicable rule	
There is no applicable rule	This criterion applies to frontages to Lake Tuggeranong shown on figure 1.
	Buildings achieve all of the following:
	an attractive frontage to the waterfront
	b) pedestrian activity along the waterfront
5.3 Setback to main streets and pedestrian are	eas and routes
R12	C12
This rule applies to the area shown in figure 1.	Building alignment may include small spaces for
Buildings maintain a continuous building line	active uses.
along main streets and pedestrian areas and	
routes.	
5.4 Built form	
R13	C13
This rule applies to the area shown in figure 1.	Buildings achieve all of the following:
Buildings include pitched roofs and awnings	a) compatibility with existing development
consistent with surrounding development.	b) consistency with the desired character
	C13A
There is no applicable rule.	Built form in the town centre achieves all of the following:
	a) consistency with the desired character
	b) roofs are articulated to reduce the bulk and scale of the building form
	c) responds to the street hierarchy

Rules	Criteria
	d) minimizes blank walls
	e) creates attractive interfaces with the public domain.
R13B	C13B
This rule applies to area 'I' shown in figure 4.	Building achieve all of the following:
The minimum ground floor level, floor to ceiling	a) consistency with desired character
height is 3.6m	b) the ground floor level of buildings is adaptable for commercial uses.
5.5 Materials and finishes	
R14	C14
This rule applies to the area shown in figure 1.	Building colours, materials and finishes achieve
Buildings incorporate all of the following:	compatibility with adjacent development.
a) masonry materials of earth tones colours	
b) roofs are predominantly red	
 block paving in pedestrian areas consistent with existing paving 	
5.6 Gateway buildings	
R15	
This criterion applies to gateway buildings in locations shown on figure 1.	This is a mandatory provision. There is no applicable criterion.
Buildings address the intersection of Anketell Street and Soward Way.	
5.7 Building setbacks	
R16	C16
This rule applies to buildings in area 'a' shown in	Buildings achieve all of the following:
figure 4	a) are consistent with the desired character
Buildings have a zero setback to Athllon Drive.	b) maintain a continuous building line along Athllon Drive
	c) frame the views of hills along Athllon Drive.
R17	C17
This rule applies to the front setbacks for	Buildings achieve all of the following:
buildings (excluding basements) in the areas	a) are consistent with the desired character
shown on figure 4.	b) protect and enhance the views of hills,
The minimum front setbacks are as follows:	distant mountains and/or the Tuggeranong
a) in area 'b' - 12 metres	Town Park.
b) in area 'c' - 13 metresc) in area 'd' - 16 metres.	
c) in area 'd' - 16 metres.	

Rules Criteria 5.8 Landscape areas C18 **R18** This rule applies to landscape areas shown in Landscaped areas achieve the following: figure 4 are consistent with desired character Landscape areas are provided with the following b) protect and enhance views of hills, distant minimum dimensions: mountains and key open spaces in area 'e' 26 metres wide and 40 metres c) have no buildings or structures located within the area (excluding basements) in area 'f' 30 metres wide and 40 metres b) d) are publicly accessible e) are landscaped in area 'g' 52 metres deep from the north f) receive reasonable solar access western apex of the block. present a soft landscaped interface to the g) d) In area 'h' 25 metres wide and 30 metres street. deep.




Figure 4 – setbacks and landscape areas

RC4 - Lake side residential

This part applies to blocks and parcels identified in area RC4 shown on the Greenway Precinct Map. RC4 includes the lake side residential land.

Element 5: Built form

Rul	es	Criteria
5.1 Height of buildings		
R19		
This	rule applies to areas shown in figure 5.	This is a mandatory requirement. There is no
	maximum <i>height of buildings</i> in the areas wn on figure 5 are as follows:	applicable criterion.
a)	in area 'a' - 9.5 metres	
b)	in area 'b' - 13 metres. Area 'b' is measured as a maximum depth of 20 metres.	
	this rule the building height excludes all of following:	
a)	roof top plant	
b)	lift overruns	
c)	antennas	
d)	photovoltaic panels	
e)	air conditioning units	
f)	chimneys, flues and vents	
faca	luded items are setback from the building ade of the floor immediately below a minimum ance of 3m	




Figure 5 – building heights