

# **Inner North Precinct Code**

March 2008

# **Contents**

Introductioniii						
Pa	Part A - General Development Controls1					
	Element 1:	Restrictions on Use	. 1			
		1.1 Residential				
	Element 2:	Building and Site Controls				
		2.1 Subdivision				
		2.2 Height				
		<ul><li>2.3 Front Setbacks</li><li>2.4 Rear Setbacks</li></ul>				
		2.5 Building Envelope				
		2.6 Site Coverage				
	Element 3:	Built Form	. 5			
		3.1 Building Design				
		3.2 Interface	. 6			
	Element 4:	Parking and Site Access				
		4.1 Vehicle Access				
		4.2 Parking				
	Element 5:	Amenity				
		5.1 Neighbourhood Plans				
		5.2 Private Open Space				
_	( D. O()					
		Plans				
Pa	•	ecific Controls				
	Part C(1) - Br	addon	15			
	Element 2:	Building and Site Controls				
		2.1 Setbacks to Limestone Avenue, Braddon				
		2.2 Setbacks in Braddon Section 15, Block 10				
		<ul><li>2.3 Setbacks in Braddon Section 16, Block 6</li><li>2.4 Height in Braddon Section 4 Blocks 12-19, 23-36 and 39-55</li></ul>	16 16			
	Part C(2) - Di	ckson				
	Element 2:	Building and Site Controls				
	Element 2.	2.1 Setback to Wakefield Avenue, Dickson				
		2.2 Setbacks in Dickson Section 6 Blocks 18 and 19 and Section 8 Blocks 18, 1				
		26 and 27				
		2.3 Height in Dickson Section 4 Blocks 66-72	17			
	Part C(2) - Ly	neham	17			
	Element 2:	Building and Site Controls				
		2.1 Setbacks in Lyneham Section 49 Blocks 5-10				
		2.2 Setbacks in Lyncham Section 46, Block 1				
		<ul><li>2.3 Setbacks in Lyneham Section 46, Block 4</li><li>2.4 Setbacks in Lyneham Section 46, Block 5</li></ul>				
		2.5 Setbacks in Lyneham Section 46, Block 8				
		2.6 Setbacks in Lyneham Section 46, Block 17	19			
		2.7 Setbacks in Lyneham Section 46, Block 19	20			
		2.8 Setbacks in Lyneham Section 46, Block 20				
		2.9 Setbacks in Lyneham Section 46, Block 22				
		<ul><li>2.10 Setbacks in Lyneham Section 46, Block 24</li><li>2.11 Setbacks to Mouat Street, Lyneham</li></ul>				
		2.12 Height in Lyneham Section 52 Blocks 7-12				
	Part C(3) - O'	Connor				
	Element 4:	Building and Site Controls				
	Liciniciit 7.	4.1 Height in O'Connor Section 43 Blocks 23-28, 31-36 and 42-43	- <del>-</del> 24			
		- · · · · · · · · · · · · · · · · · · ·				

Part C(4) - T	urner		24
Element 1:	Rest	trictions on Use	24
	1.1	Residential	24
Element 2:	Buil	ding and Site Controls	24
		Height in Turner Section 44 Blocks 1-2, 6-8, 11-13 and 15	
	2.2	Setbacks in Turner Section 44	25
	2.3	Setbacks in Turner Section 48 Blocks 11-13 and 16-18	25
	24	Setbacks in Turner Section 62 Blocks 7-16 and 23-29	25

# Introduction

#### Application of this code

This Precinct Code applies to multi-unit housing in the RZ3 Urban Residential and RZ4 Medium Density Residential Zones of Inner North Canberra identified in the zones' development table as being within the code, merit and impact assessment tracks.

#### **Purpose of codes**

Codes provide additional planning, design and environmental controls to support the zone objectives and assessable uses in the development tables.

The Codes are used by the Authority to assess development applications. The Codes therefore also provide guidance to intending applicants in designing their developments and preparing their development applications.

Each Code's controls are expressed as either **rules**, which are generally quantitative, or as qualitative **criteria**.

- Proposals in the code track must comply with all rules relevant to the development.
- Proposals in the merit track and impact track have the option to comply with the rules or
  criteria, unless the rule is mandatory. Where it is proposed to meet the criteria, the onus is on
  the applicant to demonstrate, by supporting plans and written documentation, that the proposed
  development satisfies the criteria and therefore the intent of the element.
- Proposals in the impact track also have the option to justify any non-compliance with the rules and the criteria, unless the rule is mandatory. Where it is proposed to not meet the rules and the criteria, the onus is on the applicant to justify the non-compliance by demonstrating that the proposed development is consistent with the relevant principles of the Statement of Strategic Directions. Supporting plans and written documentation, providing consideration of the relevant Intents of the Code and the Zone objectives, are to accompany the development application.

#### Structure of codes

The Inner North Precinct Code is divided into three Parts:

- **Part A General Development Controls provides** the general controls that are applicable to multi-unit housing in the RZ3 and RZ4 Zones.
- **Part B Control Plans** illustrates some of the controls from Part A in graphical form, known as Control Plans. There are five Control Plans covering the suburbs of Braddon, Dickson, Lyneham, O'Connor/Turner North and Turner South.
- Part C Site Specific Controls provide any additional specific controls for particular areas or sites. [Care is needed to check whether any specific controls apply to individual sites]

Each Part is divided into sections referred to as **Elements**, although each Part may not include provisions for every Element. The Elements describe the various issues for consideration:

- 1. Restrictions on Use
- 2. Building and Site Controls
- 3. Built Form
- 4. Parking and Site Access
- 5. Amenity

Each Element consists of Intents and Items under which are Rules and Criteria.

**Intent** describes the purpose of the development controls

Rules provide the quantitative, or definitive, controls for development

Criteria provide the qualitative controls for development

In some instances, there are rules that are mandatory. For clarity of use, the mandatory rules are emphasised by the following words: "This is a mandatory requirement. There is no applicable criterion". Non-compliance with these provisions will result in the refusal of a development application. Conversely, the words "There is no applicable rule" is used when controls cannot be quantitative or definitive and only criteria exist.

Any application of a **General Code** to a development proposal is identified as part of the relevant rule or criteria.

Where more than one type of Code applies to a development, the order of precedence when there is inconsistency of provisions between Codes, as defined by the Act, is **Precinct Code**, then **Development Code**, and then **General Code**.

#### **Further information**

Please refer to the Development Application Guide, for more information on preparing applications under the Territory Plan, including the use of assessment codes.

#### **Abbreviations**

GFA = gross floor area

LFL = lower floor level

m<sup>2</sup> = metres squared

PBZ = primary building zone

UFL = upper floor level

# Part A - General Development Controls

### Objectives:

The objectives for the General Controls are to:

- a) Conserve the Garden City character of the area
- b) Optimise residential land use adjacent to the Northbourne Avenue corridor, the commercial area of the City Centre, the Sullivans Creek open space corridor and other areas of open space
- Retain and enhance a healthy and attractive residential environment for existing and new residents to the area
- d) Create a safer, more secure environment
- e) Promote non-car based movement
- f) Promote streets and open space as places for people
- g) Ensure orderly redevelopment of blocks within sections

### **Element 1: Restrictions on Use**

#### Intent:

 To provide for a range of residential forms whilst maintaining the residential character of the locality.

Rules	Criteria
1.1 Residential	
R1  Dual occupancy development is not permitted where the additional dwelling is located to the rear of the block behind an existing dwelling or a new dwelling.	This is a mandatory requirement. There is no applicable criterion.
R2 On a block greater than 3000m <sup>2</sup> , a variety of dwelling sizes must be provided i.e., 1, 2 and 3 bedroom dwellings are required.	This is a mandatory requirement. There is no applicable criterion.

## **Element 2: Building and Site Controls**

- a) To allow sufficient space for existing and future tree plantings at the front and rear of development blocks
- b) To ensure development sites can accommodate urban housing based on perimeter block development and efficient and effective site layout
- c) To maximise permeable surfaces

Rules	Criteria
2.1 Subdivision	
R3	
Required block amalgamations or integrated developments are specified in the Control Plans (Part B)	This is a mandatory requirement. There is no applicable criterion.
R4	
Block amalgamations and integrated redevelopment are required where:	This is a mandatory requirement. There is no applicable criterion.
a) Existing dwellings have shared walls, such as duplexes;	
b) Sites are less than 16 m wide; or	
c) Corner sites are too small to provide satisfactory open space.	
2.2 Height	
R5	
Development on corner blocks, identified in the Control Plans (Part B), must be built to the maximum height limit.	This is a mandatory requirement. There is no applicable criterion.
2.3 Front Setbacks	
R6	
Development must be built to the minimum front setback on corner blocks specified in Control Plans (Part B).	This is a mandatory requirement. There is no applicable criterion.
R7	
Basement car parking is not to project into the Front Zone.	This is a mandatory requirement. There is no applicable criterion.

Rules	Criteria
2.4 Rear Setbacks	
R8	C8
Rear setbacks are 7 m on blocks specified in the Control Plans (Part B). Where blocks specified are corner blocks, this is to be a 7 x 7 m minimum area in the rear corner.	Rear setbacks allow for a deep-root planting zone and ensure privacy on blocks.
2.5 Building Envelope	
	C9
There is no applicable rule.	Design promotes perimeter block development by building primarily across the frontage of the site (and not down the length of the site), so as to:
	provide space to the rear of the block to retain or introduce large-canopy trees and create a treed backdrop to development
	b) maximise street address as well as physical and visual access to the rear garden
	c) minimise privacy impacts between adjacent sites
	<ul> <li>d) optimise possibilities for private and communal open spaces to the rear of the block that can accommodate landscaping and large tree planting</li> </ul>
R10	
Dual frontage design (Figure 1) is required for development on blocks specified in the Control Plans (Part B).	This is a mandatory requirement. There is no applicable criterion.
	C11
There is no applicable rule.	Development:
	a) maximises building address to both the street and public space
	b) provides overlooking and casual surveillance of open space
	c) optimises views to open space from within developments
	d) promotes increased use of open spaces
	e) encourages walking and cycling opportunities for residents within developments.




Figure 1 Dual frontage design

Rules		Criteria
2.6 S	ite Coverage	
		C12
There is no applicable rule.		Maximum site coverage of 100% in the Primary Building Zone may be permitted subject to the agreement of adjoining lessees and lodging a plan for integrated development.
R13		
Maximum site coverage in the Rear Zone does not exceed 30%.		This is a mandatory requirement. There is no applicable criterion.
Note:	Basement car parks that project into the Rear Zone are included in the calculation.	

## **Element 3: Built Form**

- a) To model building faces to add variation to building alignment
- b) To protect the existing residential amenity of neighbouring lessees
- c) To provide for orderly redevelopment with minimal impact on remaining dwellings
- d) To ensure existing single dwellings are not isolated by redevelopment
- e) To provide overlooking opportunities within developments ensuring surveillance of public and communal areas

Rules	Criteria
3.1 Building Design	
R14	
Development is built to the minimum front setback. The front façade of the development is articulated to a depth of 2-3 m behind the front setback, for all storeys of the development (Figure 2).	This is a mandatory requirement. There is no applicable criterion.
R15	C15
The articulation of the front façade of a building	The front façade of a building is articulated to:
must exceed 40% of the width of the building, at every storey level.	a) prevent continuous walls of development
every elerey level.	b) provide visual interest to building alignment
	C16
There is no applicable rule.	The articulation responds to:
	a) architectural design
	b) local character
	c) access
	d) environmental conditions
	e) landscape features
	C17
There is no applicable rule.	Development adjacent to pedestrian paths and laneways provide casual surveillance and overlooking of these spaces.




Figure 2 Articulation zones

### 3.2 Interface

R18

Redevelopment in the RZ4 Zone (and the RZ3 Zones in Turner) is not permitted where it adjoins an existing single dwelling that has an existing or approved redevelopment on one side boundary, unless the single dwelling site is one or more of the following:

- a) included in the amalgamation
- b) developed at the same time as part of an integrated plan
- c) located in Turner Sections 38, 39, 44, 60 and 61 where the lessee of the single dwelling supports the proposed development occurring independently.

This is a mandatory requirement. There is no applicable criterion.

## **Element 4: Parking and Site Access**

### Intent:

- a) To restrict the parking provision
- b) To reduce the visual impact of parking facilities

Rules	Criteria		
4.1 Vehicle Access			
R19	C19		
A maximum of one basement entry per two blocks or per 40 m of street frontage, whichever is greater.	Basement entries across the nature strip are limited to reduce visual impact.		
4.2 Parking			
	C20		
There is no applicable rule.	Car parking provision rates identified in the Parking and Vehicular Access General Code are the maximum rates for development.		

## **Element 5: Amenity**


- a) To provide for private open space as part of urban dwellings that is useable, compliments the desired urban characteristics of the area as well as the garden city character
- b) To provide for a mature canopy and treed backdrop to development
- c) To reduce the impact of utilities on the amenity of the area


Rules	Criteria	
5.1 Neighbourhood Plans		
	C21	
There is no applicable rule.	Where a Neighbourhood Plan exists, development demonstrates response to the key strategies and actions of the relevant Neighbourhood Plan.	
5.2 Private Open Space		
R22		
Dwellings with three bedrooms or more have direct access to ground floor private open space.	This is a mandatory requirement. There is no applicable criterion.	


Rules	Criteria
5.3 Utilities	
R23	C23
Overhead powerlines, telephone and data cables are undergrounded in coordination with the relevant utility provider.	Powerlines, telephone and data cables are progressively undergrounded within sections to reduce visual impact, improve residential amenity and provide clearance for deep root planting zones.


# Part B - Control Plans


Part B illustrates some of the controls from Part A in Control Plans. There are five Control Plans covering the suburbs of Braddon, Dickson, Lyneham, O'Connor/Turner North and Turner South.











# Part C - Site Specific Controls

Part C provides additional specific controls for particular areas or sites.

# Part C(1) - Braddon

## **Element 2: Building and Site Controls**

- a) To protect the amenity of neighbouring lessees
- b) To maintain the residential character of the locality

Rules	Criteria
2.1 Setbacks to Limestone Avenue, Braddon	
R24	
Minimum front setback is 8m to Limestone Avenue.	This is a mandatory requirement. There is no applicable criterion.
2.2 Setbacks in Braddon Section 15, Block 10	
R25	
Subject to the requirements of C(3) R3.3.7 of the Residential Zones – Multi-unit Housing Development Code, minimum side boundary setbacks for Braddon Section 15, Block 10 are:	This is a mandatory requirement. There is no applicable criterion.
a) 0m to a party wall on the northern boundary for both the Upper Floor Level (UFL) and Lower Floor Levels (LFL)	
b) 1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone	
c) 5.5m to the UFL behind the Primary Building Zone	

Rules		Criteria
2.3	Setbacks in Braddon Section 16, Block 6	
R26	3	
Subject to the requirements of C(3) R3.3.7 of the Residential Zones – Multi-unit Housing Development Code, minimum side boundary setbacks for Braddon Section 16, Block 6 are:		This is a mandatory requirement. There is no applicable criterion.
a)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the southern boundary	
b)	6.3m to the UFL on the southern boundary	
2.4	Height in Braddon Section 4 Blocks 12-19,	23-36 and 39-55
R27		
Maximum building heights are 2 storeys for Braddon Section 4 Blocks 12-19, 23-36 and 39-55.		This is a mandatory requirement. There is no applicable criterion.

# Part C(2) - Dickson

## **Element 2: Building and Site Controls**

### Intent:

a) To maintain the residential character of the locality

Rules	Criteria
2.1 Setback to Wakefield Avenue, Dickson	
R28	
Minimum front setback is 8m to Wakefield Avenue, Dickson.	This is a mandatory requirement. There is no applicable criterion.
2.2 Setbacks in Dickson Section 6 Blocks 18 and 19 and Section 8 Blocks 18, 19, 26 and 27	
R29	
Minimum setback from boundary adjoining the public pathway is 5 m for Dickson Section 6 Blocks 18 and 19 and Section 8 Blocks 18, 19, 26 and 27.	This is a mandatory requirement. There is no applicable criterion.

Rules	Criteria
2.3 Height in Dickson Section 4 Blocks 66-72	
R30	
Maximum building heights are 2 storeys for Dickson Section 4 Blocks 66-72.	This is a mandatory requirement. There is no applicable criterion.

# Part C(2) - Lyneham

## **Element 2: Building and Site Controls**

- a) To protect the existing residential amenity of neighbouring lessees
- b) To maintain the residential character of the locality

Rules	Criteria
2.1 Setbacks in Lyneham Section 49 Blocks	i-10
R31	
Minimum front setback is 5 m for Lyneham Section 49 Blocks 5-10.	This is a mandatory requirement. There is no applicable criterion.
2.2 Setbacks in Lyneham Section 46, Block 1	
R32	
Subject to the requirements of C(3) R3.3.7 of the Residential Zones – Multi-unit Housing Development Code, minimum side setbacks for Lyneham Section 46, Block 1 are:	This is a mandatory requirement. There is no applicable criterion.
a) 1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the northern boundary	
b) 2.5m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL on the northern boundary	

Rul	es	Criteria
2.3	Setbacks in Lyneham Section 46, Block 4	
R33		
Res Dev	ject to the requirements of C(3) R3.3.7 of the idential Zones – Multi-unit Housing elopment Code, minimum side setbacks for eham Section 46, Block 4 are:	This is a mandatory requirement. There is no applicable criterion.
a)	Om to a party wall on the southern boundary for both the UFL and LFL	
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone	
c)	5.5m to the UFL behind the Primary Building Zone	
2.4	Setbacks in Lyneham Section 46, Block 5	
R34		
Res Dev	ject to the requirements of C(3) R3.3.7 of the idential Zones – Multi-unit Housing elopment Code, minimum side setbacks for eham Section 46, Block 5 are:	This is a mandatory requirement. There is no applicable criterion.
a)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the northern boundary	
b)	2.5m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL on the northern boundary	

Rul	es	Criteria
2.5	Setbacks in Lyneham Section 46, Block 8	
R35		
Res Dev	ject to the requirements of C(3) R3.3.7 of the idential Zones – Multi-unit Housing elopment Code, minimum side setbacks for eham Section 46, Block 8 are:	This is a mandatory requirement. There is no applicable criterion.
a)	Om to a party wall on the southern boundary for both the Upper Floor Level (UFL) and Lower Floor Levels (LFL)	
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the northern boundary	
c)	6.2m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL on the northern boundary	
2.6	Setbacks in Lyneham Section 46, Block 17	
R36		
Res Dev	ject to the requirements of C(3) R3.3.7 of the idential Zones – Multi-unit Housing elopment Code, minimum side boundary eacks for Lyneham Section 46, Block 17 are:	This is a mandatory requirement. There is no applicable criterion.
a)	0m to a party wall on the southern boundary for both the Upper Floor Level (UFL) and Lower Floor Levels (LFL)	
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone	
c)	6.2m to the UFL behind the Primary Building Zone on the southern boundary	

Rul	es	Criteria	
2.7	2.7 Setbacks in Lyneham Section 46, Block 19		
R37	,		
Res	eject to the requirements of C(3) R3.3.7 of the sidential Zones – Multi-unit Housing relopment Code, minimum side boundary backs for Lyneham Section 46, Block 19 are:	This is a mandatory requirement. There is no applicable criterion.	
a)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the northern boundary		
a)	2.5m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL on the northern boundary		
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone		
c)	4m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL behind the Primary Building Zone on the northern boundary		

Rul	es	Criteria
2.8	Setbacks in Lyneham Section 46, Block 20	
R38		
Res Dev	ject to the requirements of C(3) R3.3.7 of the idential Zones – Multi-unit Housing elopment Code, minimum side boundary tacks for Lyneham Section 46, Block 20 are:	This is a mandatory requirement. There is no applicable criterion.
a)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the southern boundary	
b)	4m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL on the southern boundary	
c)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone	
d)	6.2m to the UFL behind the Primary Building Zone on the southern boundary	

Rul	es	Criteria	
2.9	2.9 Setbacks in Lyneham Section 46, Block 22		
R39			
Res Dev	elopment Code, minimum side boundary backs for Lyneham Section 46, Block 22 are:	This is a mandatory requirement. There is no applicable criterion.	
a)	Om to a party wall on the northern boundary for both the UFL and LFL		
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the southern boundary		
c)	6.2 m to the UFL on the southern boundary		
d)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone		
e)	2.5m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL behind the Primary Building Zone on the northern boundary		
f)	6.2m to the UFL behind the Primary Building Zone on the southern boundary		

Rul	es	Criteria
2.10	Setbacks in Lyneham Section 46, Block 24	
R40		
Subject to the requirements of C(3) R3.3.7 of the Residential Zones – Multi-unit Housing Development Code, minimum side boundary setbacks for Lyneham Section 46, Block 24 are:		This is a mandatory requirement. There is no applicable criterion.
a)	0m to a party wall on the northern boundary for both the UFL and LFL	
b)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL on the southern boundary	
c)	6.2 m to the UFL on the southern boundary	
d)	1m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the LFL behind the Primary Building Zone	
e)	2.5m to blank walls or windows with high sills, fixed obscure glazing, or screen walls (all to a minimum height of 1.7m above the finished floor level) on the UFL behind the Primary Building Zone on the northern boundary	
f)	6.2m to the UFL behind the Primary Building Zone on the southern boundary	
2.11	Setbacks to Mouat Street, Lyneham	
R41		
	mum front setback is 8m to Mouat Street, eham	This is a mandatory requirement. There is no applicable criterion.
2.12	Height in Lyneham Section 52 Blocks 7-12	
R42		
	imum building heights are 2 storeys for eham Section 52 Blocks 7-12.	This is a mandatory requirement. There is no applicable criterion.

# Part C(3) - O'Connor

## **Element 4: Building and Site Controls**

### Intent:

a) To maintain the residential character of the locality

Rules	Criteria
4.1 Height in O'Connor Section 43 Blocks 23-28, 31-36 and 42-43	
R43	
Maximum building heights are 2 storeys for O'Connor Section 43 Blocks 23-28, 31-36 and 42-43.	This is a mandatory requirement. There is no applicable criterion.

# Part C(4) - Turner

### **Element 1: Restrictions on Use**

#### Intent:

a) To protect the existing residential amenity of neighbouring lessees

Rules	Criteria
1.1 Residential	
R44	C44
Redevelopment is not permitted on Turner Section 47 and Section 63 Blocks 12-21.	Minor additions or alterations, which do not result in a significant change to the scale and/or character of the dwelling may be permitted.

## **Element 2: Building and Site Controls**

### Intent:

a) To maintain the residential character of the locality

Rules	Criteria
2.1 Height in Turner Section 44 Blocks 1-2, 6-8	, 11-13 and 15.
R45	
Maximum building heights are 2 storeys for Turner Section 44 Blocks 1-2, 6-8, 11-13 and 15.	This is a mandatory requirement. There is no applicable criterion.

Rules	Criteria
2.2 Setbacks in Turner Section 44	
R46	
Minimum front setbacks in Turner Section 44 are:	This is a mandatory requirement. There is no
4 m to Watson and Gould Streets	applicable criterion.
6 m from the kerb to McKay Lane.	
2.3 Setbacks in Turner Section 48 Blocks 11-13 and 16-18	
R47	
Minimum front setback is 8m from the boundary	This is a mandatory requirement. There is no
Turner Section 48 Blocks 11-13 and 16-18	applicable criterion.
2.4 Setbacks in Turner Section 62 Blocks 7-16 and 23-29.	
R48	
Minimum front setback is 10 m from the boundary	This is a mandatory requirement. There is no
for Turner Section 62 Blocks 7-16 and 23-29	applicable criterion.