Gaming Machine Approval 2010 (No 21)

Notifiable instrument NI2010-238

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 21).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

13 May 2010

Game Name		Year of the Tiger (2 iSAP levels) (bugfix)			
Specification Number			44.BF052		
Manufacturer			Ainsworth Game Technology Ltd		
Gamii	ng Machine Type	e	iSAP		
Game			Spinnin		
Submi	ssion Standards		NS10.0	+ NSW Appendix (da	ited 14/01/09)
			NSW C	PTS 2.2	
			TITO T	echnical Standard V4.	18
			NSW Ja	ackpot Technical Stand	dards Rev 1.1
Techni	ical Standards		NS10.0	+ NSW Appendix (da	ited 14/01/09)
			NSW C	PTS 2.2	
			TITO T	echnical Standard V4.	18
			NSW Ja	ackpot Technical Stand	dards Rev 1.1
Progr	essive levels supp	orted	iSAP -	yes	
			Type - s	standard	
			Levels -	- 2	
Maxir	num Bet Value		\$10.00		
Base (Credit Value		1c, 2c, 5c, 10c		
Percentage Return to Player (
Percei	ntage Return to I	Player ((PRTP)		
Percei Var	ntage Return to I Min/Max		(PRTP) PRTP	Progressive RTP	Min/Max PRTP
				Progressive RTP	Min/Max PRTP
Var 51	Min/Max	Game		Progressive RTP 3.528684	Min/Max PRTP 91.61
Var	Min/Max Game PRTP	Game 88	PRTP	Ö	
Var 51	Min/Max Game PRTP 1c, 2c, 5c	88 88	PRTP 3.08	3.528684	91.61
51 52	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c	88 88 88	3.08 3.79	3.528684 3.621111	91.61 92.41
51 52 53	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c	88 88 86	8.08 8.79 5.91	3.528684 3.621111 3.614509	91.61 92.41 90.52
51 52 53 61	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c	88 88 86 86	8.08 8.79 5.91	3.528684 3.621111 3.614509 4.839921	91.61 92.41 90.52 91.75
51 52 53 61 62	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c	88 88 86 86 88	8.08 8.79 5.91 5.91 8.09	3.528684 3.621111 3.614509 4.839921 4.674872	91.61 92.41 90.52 91.75 92.76
51 52 53 61 62 71 72	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c	88 88 86 86 88	8.08 8.79 5.91 5.91 8.09 5.91	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215	91.61 92.41 90.52 91.75 92.76 91.14 92.18
51 52 53 61 62 71 72	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c 10c	88 88 86 86 88	8.08 8.79 5.91 5.91 8.09 5.91 8.08 Ambass	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215 4.101778	91.61 92.41 90.52 91.75 92.76 91.14 92.18
51 52 53 61 62 71 72 Platfo	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c 10c	88 88 86 86 88	8.08 8.79 5.91 5.91 8.09 5.91 8.08 Ambass	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215 4.101778 sador Excell - Bench T	91.61 92.41 90.52 91.75 92.76 91.14 92.18
51 52 53 61 62 71 72 Platfo	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c 10c rm/Cabinet	88 88 86 86 88 88	8.08 8.79 5.91 5.91 8.09 5.91 8.08 Ambass Ambass	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215 4.101778 sador Excell - Bench T	91.61 92.41 90.52 91.75 92.76 91.14 92.18
51 52 53 61 62 71 72 Platfo	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c 10c rm/Cabinet ational Condition The "Ticket In" an	88 86 86 88 88 88 88 88 88	8.08 8.79 5.91 5.91 8.09 5.91 8.08 Ambass Anbass	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215 4.101778 sador Excell - Bench T	91.61 92.41 90.52 91.75 92.76 91.14 92.18 Top
51 52 53 61 62 71 72 Platfo Opera 1. T 2. T	Min/Max Game PRTP 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 5c 5c 10c 10c rm/Cabinet ational Condition The "Ticket In" an	88 86 86 88 88 88 88 88 88 88 88	8.08 8.79 5.91 5.91 8.09 5.91 8.08 Ambass Anbass	3.528684 3.621111 3.614509 4.839921 4.674872 4.227215 4.101778 sador Excell - Bench T sador SL	91.61 92.41 90.52 91.75 92.76 91.14 92.18 Top

Game Name	Jaws Night Hunter	
Specification Number	1.HF007	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS - Ante Bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	,
	TITO Technical Standar	rd V4.18
	NSW Jackpot Technical	Standards Rev 1.1
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standar	rd V4.18
	NSW Jackpot Technical	Standards Rev 1.1
Progressive levels supported	Linked - yes	
	Type - standard	
	Levels - 4	
Maximum Bet Value	\$7.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player	Variation Number	Min/Max PRTP
(PRTP)	99	73.50-76.52
Platform/Cabinet	Gen7 Viridian – Casino	Top (with in-machine LCD for
	Hyperlink only) and JAWS	
	either a ticket printer or hopper option)	
Operational Conditions		
1. The "Ticket In" and "Cash	<u>-</u>	-
2. The above-mentioned game must operate in conjunction with the Standard		
Linked Progressive Jackpot System, Specification Number 1.YA002, with the		

approved settings.

Application Reference No. 01-A1158/S01

Game Name	Lucky Count	
Specification Number	1.F0055	
Manufacturer	Aristocrat Technologies	Australia Pty Ltd
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standar	rd V4.18
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Percentage Return to Player	Variation Number	Min/Max PRTP
(PRTP)	99	87.99
	01	90.03
	07	88.68

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for mystery link) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper).

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 01-A1155/S01

Game Name	Lucky Count (Bonus Link)	
Specification Number	1.HF008	
Manufacturer	Aristocrat Technologies	Australia Pty Ltd
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standar	rd V4.18
	NSW Jackpot Technical	l Standards Rev 1.1
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
	NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - yes	
	Type - standard	
	Levels - 3	
Maximum Bet Value	\$4.00	
Base Credit Value	1c	
Percentage Return to Player	Variation Number	Min/Max PRTP
(PRTP)	06 85.64	

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper).

Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).

 $Gen 7\ Upgrade\ XCite\ -\ Lowboy\ (with\ /\ without\ external\ LCD\ for\ Hyperlink)\ (Configured\ with\ either\ ticket\ printer\ and/or\ hopper).$

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus link' settings.

Application Reference No.	01-A1155/S01
ADDITCATION INCICIONE TO.	01-71133/301

Device Name	Thermal Ticket Printer (Nanoptix Paycheck4)	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Component	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Platform/Cabinet Details		

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper).

Application Reference No. 01-A1161/S01

Game Name Specification Number	Age of Shogun		
Sbeenicauon rumber	18.B0553		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Technical Standards	NSW Jackpot Technical Standards Rev 1.1 NS10.0 + NSW Appendix (dated 14/01/09)		
1 ecinicai Standarus	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Day and the state of the state	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - yes		
	Type - standard		
	Levels - 3		
Maximum Bet Value	\$10.00		
Base Credit Value	50c, \$1.00		
Percentage Return to Player (l	(PRTP)		
Var BCV Setti	ting Game RTP iSAP RTP Min/Max		
Combin	ination PRTP		
03 50c SC	CO 74.85 17.146908 92.00		
\$1.00 SC	C1		
Platform/Cabinet	AVP BC20 – Video Top		
	AVP ST22 – Video Slant Top		
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	18-A5006/S01		

Game Name	Ancient Troy		
Specification Number	18.A0582		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
Technical Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	d V4.18	
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	(PRTP)		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	99	87.50	
	02	90.87	
	03	92.00	
	05	88.54	
	07	89.94	
Platform/Cabinet	AVP BC20 – Video Top		
	AVP ST22 – Video Slant Top		
Operational Conditions			
The "Ticket In" and "Cashless"	s" facilities are not approved in the ACT.		
Application Reference No.	18-A5024/S01		

Game Name	Multistar Jackpots (bugf	Multistar Jackpots (bugfix)		
Specification Number	18.D0015	15		
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	MGGM			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Append	dix (dated	14/01/09)	
	NSW CPTS 2.2			
	TITO Technical Standa	rd V4.18		
	NSW Jackpot Technica	1 Standard	s Rev 1.1	
Technical Standards	NS10.0 + NSW Append	dix (dated	14/01/09)	
	NSW CPTS 2.2			
	TITO Technical Standa	rd V4.18		
	NSW Jackpot Technica	l Standard	s Rev 1.1	
Progressive levels suppor	ted iSAP - yes			
	Type - random	Type - random		
	Levels - 2	Levels - 2		
Maximum Bet Value	\$10.00	\$10.00		
Base Credit Value	1c, 2c	1c, 2c		
Percentage Return to Pla	ver (PRTP)			
MGC CRP	Game Number/Name	Var	SDB PRTP	
01 91.99 01 Ma	jor Money in the Arctic	03	91.99	
02 Do	uble Mania Deluxe 2	03	91.99	
03 Qu	03 Queen of Atlantis		91.99	
Platform/Cabinet	AVP BC20 – Video To	AVP BC20 – Video Top		
	AVP ST22 – Video Sla	AVP ST22 – Video Slant Top		
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			CT.	
Application Reference No	. 18-A5053/S01			

Game Name	5 Fortunes	
Specification Number	35.F0185	
Manufacturer	Shuffle Master Australa	cio Dty I td
		sia i ty Ltu
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standar	rd V4.18
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)
	NSW CPTS 2.2	
	TITO Technical Standar	rd V4.18
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c	
Percentage Return to Player	Return to Player (PRTP)	
Percentage Return to Player	Variation Number	Min/Max PRTP
(PRTP)	99	90.31-90.36
	01	85.25-85.33
	02	87.16-87.28
	03	88.27-88.33
	07	86.17-86.23
	15	91.47-91.51
Platform/Cabinet	eStar PC4 – Round Top	, Square Top, Low Top
	eStar PC4 – Round Top	(with in-machine 17" LCD)
	PC4 Mojo ST – Slant Top	

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation numbers 01 & 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. When operating on the Round Top platform (with in-machine17" LCD), the above-mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box to DVI2 port on the EGM's Backplane Board.
- 4. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons)

decessione via the on screen buttons)		
Application Reference No.	35-A0645/S01,/S02	

Game Name	Seven Seas - Pink Panther (2 fixed/2 iSAP)	
Specification Number	35.BF052	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Gaming Machine Type	iSAP	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
	NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
	NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	iSAP - yes	
	Type - standard	
	Levels - 2	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)		

Var	Game PRTP	Progressive RTP	Min/Max PRTP
21	86.49	5.650000	92.14
22	89.03	4.225000	93.26
24	88.49	4.125000	92.62
27	86.19	4.925000	91.11
Platform/Cabinet e		Star PC4 – Round Top	

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. When the above-mentioned game operates on the eStar PC4 Round Top platform with a display controller driving the in-machine LCD in the top box, the display controller must operate with the 'Pink Panther' (PPLNWI01) display theme.
- 3. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons)

Application	Reference No.	35-0652/S01
ADDIICALIOH	Reference No.	1 .).) = (/().) \(/ \(\) () [