

Australian Capital Territory

Gaming Machine Approval 2010 (No 28)

Notifiable instrument NI2010–356

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2010 (No 28)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

1 July 2010

Game Name	Tokyo Rose	
Specification Number	6.F0013	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	01	85.07
	02	87.92
	03	89.03
	04	89.97
	05	92.02
	06	93.93
	07	98.02
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions	<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 	
Application Reference No.	06-A0278/S01	

Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Manufacturer	IGT Australia Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Platform/Cabinet Details	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Games recommended for use with this version of Base software		
Game Name	Specification Number	Program Id
100 Pandas	18.A0571	X37800GA, RA
Savanna	18.A0574	X40500GA, RA
Flower of Mexico	18.A0575	X40400GA, RA
Wild Girls	18.A0576	X42400GA, RA
Apache Chief	18.A0579	X44400GA, RA
Triple Pot of Gold	18.B0539	X41100GA, RA
Gold Fever Apache Chief	18.B0545	X42100GA, RA
Treasures of the East	18.B0546	X41600GA, RA
Royal Heart	18.B0549	X43100GA, RA
Isis	18-A0570	X39600GA, RA
Celtic Riches	18-B0538	X40900GA, RA
Operational Conditions		
The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	18-A5042/S01	

Game Name		Diamond Club VIP			
Specification Number		18.B0557			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter -Yes			
Maximum Bet Value		\$10.00			
Base Credit Value		50c, \$1.00			
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total PRTP
02	50c	SC0	76.10%	14.203842%	90.30%
	\$1.00	SC3			
03	50c	SC1	76.10%	15.828375%	91.92%
	\$1.00	SC4			
07	50c	SC2	76.10%	13.120820%	89.22%
	\$1.00	SC5			
Platform/Cabinet		AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.		18-A5043/S01			

Device Name	Kernal/Bios
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Supporting Function
Supporting Function Type	System Software
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Game Details:	
Game Name	Drifting Sands 4
Specification Number	35.BF043
Platform/Cabinet Details	eStar PC4 – Low Top, Round Top, Square Top, Round Top (With in-machine 17” LCD Display) PC4 – MOJO Slant Top PC4 - Equinox
Operational Conditions	
<p>1. The “Ticket In” and “Cashless” facilities are not approved in the ACT.</p> <p>The following conditions apply to the eStar PC4 platforms only:</p> <p>2. When operating on the Round Top platform (with in-machine 17” LCD Display), the above mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N:ASY-0175) and a ‘DVI to VGA’ cable that connects the Top Box LCD to DVI2 port on the EGM’s Backplane Board.</p> <p>3. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).</p>	
Application Reference No.	35-A0649/S01; 35-A0650/S01

Game Name	Tiki Totems		
Specification Number	35.BF054		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter -Yes		
Maximum Bet Value	\$8.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
99	90.00%	3.000000%	93.00%
01	85.14%	3.000000%	88.14%
02	87.15%	3.000000%	90.15%
03	88.13%	3.000000%	91.13%
07	86.17%	3.000000%	89.17%
Device Name			
	Kernal/Bios		
Category			
	Supporting Function		
Supporting Function Type			
	System Software		
Submission Standards			
	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards			
	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Platform/Cabinet			
	eStar PC4 – Round Top, Square Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top		
Operational Conditions			
	<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. When operating on the Round Top platform (with in-machine 17" LCD Display), the above mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N:ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. 3. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 		
Application Reference No.			
	35-A0655/S01; 35-A0659/S01		