Gaming Machine Approval 2012 (No 4)

Notifiable instrument NI2012-43

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2012 (No 4).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

25 January 2012

New Gaming Machine Game Name	Jaguar Mist			
	-			
Specification Number	1.A0826			
Manufacturer	Aristocrat Technologies Austra	alia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	30298811			
Technical Standards	NS10.0 + NSW Appendix (dat	ed 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.2	TITO Technical Standard V4.20		
Maximum Bet Value	\$4.00	\$4.00		
Base Credit Value	1c, 2c			
Variation Details	Variation Number	Min/Max PRTP%		
	99	87.75		
	1	90.09		
	2	91.90		
	3			
Platform/Cabinet	1			
	no Top (Configured with either ticket p	rinter and/or hopper ontion)		
WIRO (MITA) - Low Doy, Cash				
Mk6 (XCeed) - Low Boy, Cas	sino Top, Slant Top (Configured with	eitner ticket printer or nopper		
Mk6 (XCeed) – Low Boy, Casoption)	sino Top, Slant Top (Configured with ino Top (Configured with either ticket p			

wiko (Affenie) – Casino Top (with in-machine ECD for Mystery Elink) (Configured with clinic fleket
printer and/or hopper option)
Slant Mk6 – Round Top (Configured with ticket printer only)
Operational Conditions
The "Tielest In" and "Cookless" facilities are not engroved in the ACT

operational conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	01-A1299/S01		

Alternative Compliance Plate	
Device Name	Alternative Compliance Plate
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NSW CPTS 2.2
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-
	machine LCD) (Configured with either ticket printer and/or hopper
	option)
Application Reference No.	01-A1313/S01

Nteractive Button Midtrim Deck Kit		
Device Name	Nteractive Button Midtrim Deck Kit	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Component	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2	
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-	
	machine LCD) (Configured with either ticket printer and/or hopper option)	
	Gen7 Vii Slant – Chop Top, Casino Top (with in-machine	
	LCD) (Configured with ticket printer option)	

Specific Approval Conditions

The Nteractive Button Midtrim Deck Kit for Gen7 Viridian Widescreen and Gen7 Vii Slant electronic gaming machines shall only be used with the minimum software version as indicated below:

• Boot Loader: 0403

• Linux Operating System: 3054

• Platform: 35802080

Application Reference No. 01-A1297/S01

Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.				
Manufacturer Category Gaming Machine Category Type Hardware Component Submission Standards NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 PCBA Mk7i Carrier Board FPGA Version 2.3 FIGH Standards ATA P/N: 494077_02 Issue B FPGA Version 2.02.1 ATA P/N: 596612_2_3 FIGH STANDARD FOR ATA P/N: 590422_2_02_1 Software Details Firmware Flash/EEPROM Program ID BIOS Flash FPGA Configuration EEPROM FPGA Configuration EEPROM FPGA Configuration EEPROM Gen7 Viridian Widescreen - Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Viri Slant - Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Updated Mk7i Carrier Board Assembly and FPGA Firmware			
Category Gaming Machine Category Type Hardware Component Submission Standards NS 10.0 + NSW Appendix (dated 14/01/09) Technical Standards NSW CPTS 2.2 PCBA Mk7i Carrier Board ATA P/N: 494077_02 Issue B • FPGA Version 2.3 ATA P/N: 596612_2_3 • BIOS Version 2.02.1 ATA P/N: 590422_2_02_1 Software Details Flash/EEPROM Program ID BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen − Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Device Name	Mk7i Carrier Board Assembly		
Category TypeHardware ComponentSubmission StandardsNS 10.0 + NSW Appendix (dated 14/01/09)Technical StandardsNSW CPTS 2.2PCBA Mk7i Carrier BoardATA P/N: 494077_02 Issue B• FPGA Version 2.3ATA P/N: 596612_2_3• BIOS Version 2.02.1ATA P/N: 590422_2_02_1Software DetailsFlash/EEPROM Program IDBIOS Flash590422_2_02_1 BIOS 2.02.1.binFPGA Configuration EEPROM596612_2_3 596612_2_3.binPlatform/Cabinet DetailsGen7 Viridian Widescreen − Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant − Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option)Specific Approval ConditionsThe use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved.Operational ConditionsThe updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGAFirmware version 2.3) must be used together with the Linux OS version 3054 / MBR /Boot Loader version 0403 / System Software version 35802080 and above.	Manufacturer	Aristocrat Technologies Australia Pty Ltd		
NS 10.0 + NSW Appendix (dated 14/01/09) Technical Standards	Category	Gaming Machine		
Technical StandardsNSW CPTS 2.2PCBA Mk7i Carrier BoardATA P/N: 494077_02 Issue B• FPGA Version 2.3ATA P/N: 596612_2_3• BIOS Version 2.02.1ATA P/N: 590422_2_02_1Software DetailsFlash/EEPROM Program IDBIOS Flash590422_2_02_1 BIOS 2.02.1.binFPGA Configuration EEPROM596612_2_3 596612_2_3.binPlatform/Cabinet DetailsGen7 Viridian Widescreen − Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) (Configured with ticket printer option)Specific Approval ConditionsGen7 Vii Slant − Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option)Specific Approval ConditionsThe use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved.Operational ConditionsThe updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.				
PCBA Mk7i Carrier Board ■ FPGA Version 2.3 ■ BIOS Version 2.02.1 Software Details Firmware Flash/EEPROM Program ID BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen - Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant - Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
• FPGA Version 2.3 ATA P/N: 596612_2_3 • BIOS Version 2.02.1 ATA P/N: 590422_2_02_1 Software Details Firmware Flash/EEPROM Program ID BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Technical Standards	NSW CPTS 2.2		
Software Details Firmware Flash/EEPROM Program ID BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM Flatform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	PCBA Mk7i Carrier Board	ATA P/N: 494077_02 Issue B		
Firmware Flash/EEPROM Program ID BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	• FPGA Version 2.3	ATA P/N: 596612_2_3		
Firmware BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	• BIOS Version 2.02.1	ATA P/N: 590422_2_02_1		
BIOS Flash 590422_2_02_1 BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Software Details			
BIOS 2.02.1.bin FPGA Configuration EEPROM 596612_2_3	Firmware	Flash/EEPROM Program ID		
FPGA Configuration EEPROM 596612_2_3.bin Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	BIOS Flash	590422_2_02_1		
Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		BIOS 2.02.1.bin		
Platform/Cabinet Details Gen7 Viridian Widescreen – Chop Top, Casino Top (with inmachine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with inmachine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	FPGA Configuration EEPROM	596612_2_3		
machine LCD) (Configured with either ticket printer and/or hopper option) Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		596612_2_3.bin		
option) Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Platform/Cabinet Details			
Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		, , ,		
(Configured with ticket printer option) Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		1		
Specific Approval Conditions The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.				
The use of a BIOS EEPROM (U3 on the Carrier Board inside the Logic Cage) in the field is not approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		(Configured with ticket printer option)		
approved. Operational Conditions The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.		and a Contine December 1 and 1 and 1 and 2 and 2 and 3		
The updated Mk7i Carrier Board Assembly (including the BIOS version 2.02.1 and FPGA Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	,			
Firmware version 2.3) must be used together with the Linux OS version 3054 / MBR / Boot Loader version 0403 / System Software version 35802080 and above.	Operational Conditions			
Boot Loader version 0403 / System Software version 35802080 and above.	The updated Mk7i Carrier Board A	Assembly (including the BIOS version 2.02.1 and FPGA		
	•			
A 1	· · · · · · · · · · · · · · · · · · ·			
Application Reference No. 01-A1293/S01	Application Reference No.	01-A1293/S01		

Updated Gaming Machine Game Software and Updated Hardware Assemblies					
Game Name		W	Wheel of Pharaoh		
Specifi	Specification Number 6.BF016				
Manuf	nufacturer Aruze Gaming Australia Pty Ltd			d	
Gamin	g Machine Type	iSAP			
Game '	Гуре	S	pinning Reels		
Game 1	Identifier	09	PLPHMG2		
Techni	cal Standards	N	S10.0 + NSW Appendix (date	d 14/01/09)	
Submis	ssion Standards	N	SW CPTS 2.2		
		TITO Technical Standard V4.20			
		N	SW Jackpot Technical Standards Rev 1.2		
Progre	ssive levels supported	ı	SAP - yes		
			ype - standard		
			evels - 1		
			ins transferred to 'Total Wins	' - yes	
	um Bet Value		9.00		
	redit Value	10	e, 2c, 5c		
	ion Details				
Var	Game RTP%		iSAP RTP%	Min/Max Total PRTP%	
1	88.50		1.500000	90.00	
2	89.50		1.500000	91.00	
3	90.50		1.500000	92.00	
4	91.50		1.500000	93.00	
Platform/Cabinet GENEX – G-Deluxe		ENEX – G-Deluxe			
_	tional Conditions	. :1:	41		
		CIII	ties are not approved in the AC	∠1.	
	d Hardware Assemblies	GENEX G-Deluxe			
Device					
Catego		Gaming Machine			
	ry Type cal Standards		Hardware Platform		
		NS 8.0 + NSW Appendix (dated 28/04/05)			
Submission Standards NS 10.0 + NSW Appendix (dated 14/01/09) Hardware details					
Description			P	art Number	
GENEX G-Deluxe Cabinet				Iodel GWK-B0000	
Wheel of Pharaoh Mega Top Box As		As		ET007100	
Mega Topper Sub Control PCB		•	Z4012-SUB2		
GM-MT-CTR PCB			509018-0202YK		
M2IO PCB				EK0B6900	
Wheel of Pharaoh Assy Ca		ahi		ET014500	
•	Wheel of Pharaoh Assy Pl		•	ET015200	
Platfor	Platform/Cabinet GENEX – G-Deluxe			21010200	
	Application Reference No. 06-A0369/S01				
Application Reference 110.					

List of Regression Tested Games			
Device Name	AVP BC20 Shell (Shell, O	OS & BIOS)	
Manufacturer	IGT (Australia) Pty Ltd		
Category	Supporting Function		
Category Type	System Software		
Submission Standards	NS 10.0 + NSW Appendi	x (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2; TITO tec		
	NSW Jackpot Technical S		
Program Identifier	AP010702		
Platform/Cabinet Details	AVP BC20 – Video Top,	Portrait Top	
	AVP ST22 – Video Slant		
List of previously Approved games	suitable for operation with	this shell version	
Game Name		Specification Number	
Pamplona		18.A0577	
Dolphin Dreams		18.A0578	
Taipan Xtra Choice†		18.A0580	
Empress of the East Xtra Choice		18.A0581	
Jack's Back		18.A0585	
Red Lions		18.A0588	
King of the Castle 2		18.A0591	
Spartan		18.A0540	
Clovers and Gold		18.A0541	
Cooee Country		18.A0542	
Gold Fever 100 Pandas		18.A0543	
Gold Fever Flower of Mexico		18.A0544	
EC Major Jackpots in Australia		18.A0547	
Gold Fever Dolphin Dreams		18.A0548	
Tiger Dragon		18.A0554	
Diamond Club		18.A0555	
Marie Antoinette		18.A0556	
Diamond Club VIP		18.A0557	
EC Cash Climb		18.A0558	
Aztec Jewels		18.A0559	
Duelling Progressives Dolphin Drea	ims	18.A0560	
Tiki Queen		18.A0563	
Gold Fever Red Lions		18.A0567	
Hellenic Princess		18.A0570	
Golden Clovers		18.A0575	
King of Sparta		18.A0577	
Phoenix Dragon		18.A0580	
Gold Fever Turtle Bay		18.A0581	
Pacific Pearl		18.A0585	
Jousting Jackpots – Polynesian Sunset		18.A0589	
Multistar Dynamic		18.C0025	
Multistar Wishes and Dreams		18.C0027	
Russian Riches Link±		18.H0109 18.H0110	
	Jade dynasty Link±		
†\$2 BCV not available with this shell; ± Change in iSAP levels returned in PDB data blocks			
Application Reference No.18-A5164/S01			

New Gaming Machine Game Name	Tiger Power		
Specification Number	35.F0190	Y . 1	
Manufacturer	Shuffle Master Australasia Pty	y Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	TIPNSW1A		
Technical Standards	NS10.0 + NSW Appendix (da	ted 14/01/09)	
Submission Standards	NSW CPTS 2.2	* *	
	TITO Technical Standard V4.	20	
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c, 10c, 20c		
Variation Details	Variation Number	Min/Max PRTP%	
	99	90.22	
	1	85.18	
	1 2	85.18 87.11	
		87.11	
	3	87.11 88.21	
		87.11 88.21 89.19	
	3 5 7	87.11 88.21 89.19 86.19	
	3 5	87.11 88.21 89.19	
Platform/Cabinet	3 5 7 15	87.11 88.21 89.19 86.19 91.53 93.62	
Platform/Cabinet	3 5 7 15 16 eStar PC4 – Round Top, Low	87.11 88.21 89.19 86.19 91.53 93.62	
Platform/Cabinet	3 5 7 15 16	87.11 88.21 89.19 86.19 91.53 93.62	

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation numbers 1 and 7 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 35-A0755/S01

New Gaming Machine			
Game Name	Yellow Emperor		
Specification Number	35.BF084		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	YEENSW1B		
Technical Standards	NS10.0 + NSW Appendix (dated	d 14/01/09)	
Submission Standards	NSW CPTS 2.2		
	TITO Technical Standard V4.20		
	NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported	iSAP - yes		
	Type - standard		
	Levels - 2		
	Wins transferred to 'Total Wins' – yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Variation Details			
Var Game RTP%	Progressive RTP%	Min/Max Total PRTP%	
99 84.26	5.886647	90.15	
03 82.30	5.886647	88.19	
05 83.27	5.886647	89.16	
15 85.71	5.886647	91.60	
16 87.71	5.886647	93.60	
49 84.26	5.896647	90.16	
55 83.27	5.896647	89.17	
65 85.71	5.896647 91.61		
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD)		
	PC4 Mojo ST – Slant Top		
	PC4 – Equinox, Equinox Low Boy		
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	35-A0752/S01		

New Gaming Machine				
Game Name	Mr Jackpot Travels Thru Time			
Specification Number	74.F0007	74.F0007		
Manufacturer	Voyager Gaming Technologies	Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	GAME00A7			
Technical Standards	NS10.0 + NSW Appendix (date	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2	**		
	TITO Technical Standard V4.2	TITO Technical Standard V4.20		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details	Variation Number Min/Max PRTP%			
	1	85.00		
	2	2 87.00		
	3	3 89.00		
	4	4 90.06		
	5	92.00		
Platform/Cabinet	Explorer VX1c – Casino Top			
Operational Conditions				
1 The "Ticket In" and "Cach	less" facilities are not approved in th	A ACT		

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 1 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 74-A0012/S01

New Gaming Machine			
Game Name	Wild North		
Specification Number	74.F0008		
Manufacturer	Voyager Gaming Technologies	s Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	GAME00A8		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2		
	TITO Technical Standard V4.20		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details	Variation Number	Min/Max PRTP%	
	1	85.00	
	2 87.00		
	3 89.00		
	4 90.06		
	5	92.00	
Platform/Cabinet	Explorer VX1c – Casino Top		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 1 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No.	74-A0013/S01
---------------------------	--------------