Gaming Machine Approval 2013 (No 35)

Notifiable instrument NI2013-519

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 35).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

12 November 2013

New Gaming Machine	
Game Name	888 Red Dragon
Specification Number	44.HF157
Manufacturer	Ainsworth Game Technology Limited
Gaming Machine Type	SFS-iSAP
Game Type	Spinning Reels
Game Identifier	GDNS8R1E
LPJS	44.YA007
Technical Standards	NS Rev 10.3 +NSW Appendix Rev 10.3
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive Levels Supported	
iSAP / Type / Levels / Wins transferred	Yes / Standard / 4 / Yes
to 'Total Wins' meter:	
Linked / Type / Levels	Yes / Standard / 1
Maximum Bet Value	\$10.00
Base Credit Value	1c, 2c

55	1c, 2c
JJ	10, 20

BCV

Configured with either Ticket Printer and/or Hopper option)

Variation Details

Var

Platform/Cabinet Details
A560-H — High Boy (with Primary LCD, Secondary LCD, optional 19" LCD Topper, optional Oval Topper,

iSAP RTP%

42.898761

Min / Max PRTP%

90.18

Game RTP%

47.28

A560-L — Low Boy (with Primary LCD, 19" LCD Topper and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST — Slant Top (with Primary LCD, Secondary LCD, and 24" LCD Topper, Configured with Ticket Printer)

Specific Approval Conditions

- The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive System, Specification Number 44.YA007, with the approved 'Treasure Storm' jackpot settings.
- 2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Operational Conditions

New Gaming Machine and Updated Top			per			
	Game Name		888 Yellow Dragon			
Specificati	on Number		44.HF15	44.HF156		
Manufacti	urer		Ainswoi	th Game Technology	Limited	
Gaming M	achine Type		SFS-iSAI	SFS-iSAP		
Game Typ	е		Spinning	g Reels		
Game Identifier		GDNS8\	/1D			
LPJS		44.YA00	44.YA007			
Technical Standards		NS Rev	NS Rev 10.3 +NSW Appendix Rev 10.3			
Submission Standards		NSW CPTS Rev 2.3; TITO Technical Standards V4.20				
		NSW Jackpot Technical Standard Rev 1.2				
Progressive Levels Supported						
iSAP / Type / Levels / Wins transferred		Yes / Sta	Yes / Standard / 4 / Yes			
to 'Total Wins' meter:						
Linked / Type / Levels		Yes / Standard / 1				
Maximum Bet Value		\$10.00				
Base Credit Value		1c, 2c				
Variation	Details					
Var	BCV	Game	RTP%	iSAP RTP%	Min / Max PRTP%	
55	1c, 2c	49.35		40.730801	90.07	

Platform/Cabinet Details

A560-H — High Boy (with Primary LCD, Secondary LCD, optional 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L — Low Boy (with Primary LCD, 19" LCD Topper and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST — Slant Top (with Primary LCD, Secondary LCD, and 24" LCD Topper, Configured with Ticket Printer)

Device Name	Topper / Player Tracking Panel Artwork
Category	Gaming Machine
Туре	Other
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)

Platform/Cabinet Details

A560-H - High Boy (with/without A560 Topper)

A560-L – Low Boy (with/without A560 Topper)

A560-L — Low Boy (with 32" LCD Topper)

Specific Approval Conditions

- The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive System, Specification Number 44.YA007, with the approved 'Treasure Storm' jackpot settings.
- 2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Operational Conditions

1.1	
Application Reference No.	44-A0806/S01

New Gaming Machine	
Game Name Double Dragons Oriental Fortune (5c – 1 Link, 2 i	
Specification Number	44.HF154
Manufacturer	Ainsworth Game Technology Limited
Gaming Machine Type	SFS-iSAP
Game Type	Spinning Reels
Game Identifier	GDNSDJ1D
LPJS	44.YA007
Technical Standards	NS Rev 10.3 +NSW Appendix Rev 10.3
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive Levels Supported	
iSAP / Type / Levels / Wins transferred	Yes / Standard / 2 / Yes
to 'Total Wins' meter:	
Linked / Type / Levels	Yes / Standard / 1
Maximum Bet Value	\$10.00
Base Credit Value	5c

Variation Details

Var	BCV	Game RTP%	iSAP RTP%	Min / Max PRTP%
51	5c	86.17	4.171664	90.34
52	5c	87.05	4.224480	91.27
53	5c	85.58	4.171664	89.75

Platform/Cabinet Details

A560-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, optional A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L — Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST — Slant Top(with Primary LCD, Secondary LCD, 24" LCD Topper and optional Media Player, Configured with Ticket Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.
- 2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Operational Conditions

Application Reference No.	44-A0811/S01

New Gaming Machine	
Game Name	Double Dragons Oriental Fortune (10c – 1 Link, 2 iSAP)
Specification Number	44.HF155
Manufacturer	Ainsworth Game Technology Limited
Gaming Machine Type	SFS-iSAP
Game Type	Spinning Reels
Game Identifier	GDNSDJ2D
LPJS	44.YA007
Technical Standards	NS Rev 10.3 +NSW Appendix Rev 10.3
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive Levels Supported	
iSAP / Type / Levels / Wins transferred	Yes / Standard / 2 / Yes
to 'Total Wins' meter:	
Linked / Type / Levels	Yes / Standard / 1
Maximum Bet Value	\$10.00
Base Credit Value	10c

Variation Details

Var	BCV	Game RTP%	iSAP RTP%	Min / Max PRTP%
51	10c	86.17	4.171664	90.34
52	10c	87.05	4.224480	91.27
53	10c	85.58	4.171664	89.75

Platform/Cabinet Details

A560-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L — Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST — Slant Top (with Primary LCD, Secondary LCD, 24" LCD Topper and optional Media Player, Configured with Ticket Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.
- 2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Operational Conditions

• • • • • • • • • • • • • • • • • • •	
Application Reference No.	44-A0811/S01

New Gaming Machine and Updated Supporting Software Technical Standards			
Game Name	Dragon Charm		
Specification Number	44.BF161		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	GDNSOA1F		
Technical Standards	NS Rev 10.3 +NSW Appendix Rev 10.3		
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20		
	NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported			
iSAP / Type / Levels / Wins transferred to	Yes / Standard / 4 / Yes		
'Total Wins' meter:			
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		

Variation Details

Var	BCV	Game RTP%	iSAP RTP%	Min / Max PRTP%
51	1c, 2c	49.28	42.045920	91.33
53	1c, 2c	48.15	41.922841	90.07
54	1c, 2c	48.08	41.133717	89.21

Platform/Cabinet Details

A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L — Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST – Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

Device Name	Game Shell / BIOS		
Category	Supporting Function		
Туре	System Software		
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)		
	NSW CPTS Rev 2.3; TITO Technical Standards V4.20		
	NSW Jackpot Technical Standard Rev 1.2		
Software Details	Firmware PSD Label ID		
	Base Compact Flash Card	NX1F2G9L	
	BIOS Flash ROM	A003E002	

Platform/Cabinet Details

A560-H - High Boy (with/without A560 Topper)

A560-L – Low Boy (with/without A560 Topper)

A560-L - Low Boy (with 32" LCD Topper)

A560 ST - Slant Top

Specific Approval Conditions

- 1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Operational Conditions

· · · · · · · · · · · · · · · · · · ·		
Application Reference No.	44-A0820/S01	

Updated Ticket Printer Firmware			
Device Name	Ticket Printer		
Manufacturer	Ainsworth Game Technology Limited		
Category	Gaming Machine		
Туре	Hardware Component		
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
Hardware Details			
Description	Part Number		
Nanoptix PayCheck4 Ticket Printer	AGT P/N: 025015		
Printer Firmware V5_55C	AGT P/N: F025015-1		
Software Details			
Description	Version		
Ticket Printer Firmware	V5_55C		
Platform/Cabinet Details			
A560-H – High Boy (with / without A560 Topper)			
A560-L – Low Boy (with / without A560 1	A560-L – Low Boy (with / without A560 Topper)		
A560-L – Low Boy (with 32" LCD Topper)	A560-L – Low Boy (with 32" LCD Topper)		
A560-ST – Slant Top			
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	44-A0819/S01		

New Gaming Machine				
Game Name	Ultra Stack Panda Jackpot			
Specification Number	6.F0081	6.F0081		
Manufacturer	Aruze Gaming	Australia Pty Ltd	k	
Gaming Machine Type	Conventional			
Game Type	Spinning Reels	5		
Game Identifier	UPJMG001			
Technical Standards	NS 10.3 + NSV	V Appendix (date	ed 24/04/13)	
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Variation Details	Variation	BCV	Min / Max PRTP%	
	1	1c	90.99	
	2	10	91.75	
	3	1c, 2c	92.78	
	4	10, 20	95.54	
Platform/Cabinet Details				
G-ENEX-WD00 – Midway				
GENX-WD00 (G-ENEX II) – Midway				
G-Comfort				
G-Comfort II				
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				

Additional Pro Topper Media Content				
Device Name	Alpha Pro Topper	Alpha Pro Topper		
Manufacturer	BGI Australia Pty Limited			
Category	Gaming Machine			
Туре	Hardware Component			
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)			
	NSW CPTS 2.3			
Media Content Details	Content Name Program ID			
	Hot New Games 193894			
Platform/Cabinet Details				
ALPHA II – Alpha Pro Upright AP-1 (V22/22 & V32)				
ALPHA II – Alpha Pro Slant Top AS-1 (22/26)				
Application Reference No.	42-A0070/S01			

06-A0465/S01

Application Reference No.

New Gaming Machine and Updated Su	pporting Software			
Game Name	Fire Queen			
Specification Number	50.F0068			
Manufacturer	eBet Gaming Systems	eBet Gaming Systems		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	FireQueenDMB-S9FC-000	0-1000		
Technical Standards	NS 10.3 + NSW Appendix	(dated 24/04/13)		
Submission Standards	NSW CPTS Rev 2.3; TITO	Technical Standards V4.20		
Maximum Bet Value	\$10.00			
Base Credit Value	1c			
Variation Details	Var	Min / Max PRTP%		
	1	88.49		
	2	89.97		
	3	92.08		
Platform/Cabinet Details				
Bluebird II				
BBxD (Slant Top)				
BBxD (Slant Top) – 32" Topscreen				
Device Name	Supporting Software			
Category	Supporting Function			
Туре	OS, BIOS, SPI, SAS2X			
Technical Standards	NS 10.3 + NSW Appendix	•		
	NSW CPTS Rev 2.3; TITO Technical Standards V4.20			
Platform / Cabinet Details				
Bluebird II				
BBxD (Slant Top)				
	BBxD (Slant Top) – 32" Topscreen			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	50-A0195/S01			

New Gaming Machine				
Game Name	Great Owl			
Specification Number	50.F0069	50.F0069		
Manufacturer	eBet Gaming Systems			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	GreatOwIDMB-SA5B-000	-1010		
Technical Standards	NS 10.3 + NSW Appendix	(dated 24/04/13)		
Submission Standards	NSW CPTS Rev 2.3; TITO	NSW CPTS Rev 2.3; TITO Technical Standards V4.20		
Maximum Bet Value	\$5.00			
Base Credit Value	1c			
Variation Details	Var Min / Max PRTP%			
	1	88.46		
	2	90.00		
	3 91.92			
Platform/Cabinet Details				
Bluebird II				
BBxD (Slant Top)				
BBxD (Slant Top) – 32" Topscreen				
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	50-A0196/S01			

New Gaming Machine				
Game Name	Sun Warrior			
Specification Number	50.F0071	50.F0071		
Manufacturer	eBet Gaming Systems			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	SunWarriorGPD-S9FE-00	0-1010		
Technical Standards	NS 10.3 + NSW Appendix	(dated 24/04/13)		
Submission Standards	NSW CPTS Rev 2.3; TITO	NSW CPTS Rev 2.3; TITO Technical Standards V4.20		
Maximum Bet Value	\$8.00	\$8.00		
Base Credit Value	1c, 2c, 5c			
· ·				
Variation Details	Var	Min / Max PRTP%		
Variation Details	Var 1	Min / Max PRTP% 88.10		
Variation Details				
Variation Details	1	88.10		
Variation Details	1 2	88.10 89.13		
Variation Details Platform/Cabinet Details	1 2 3	88.10 89.13 90.13		
	1 2 3	88.10 89.13 90.13		
Platform/Cabinet Details	1 2 3	88.10 89.13 90.13		
Platform/Cabinet Details Bluebird II	1 2 3	88.10 89.13 90.13		
Platform/Cabinet Details Bluebird II BBxD (Slant Top)	1 2 3	88.10 89.13 90.13		

50-A0197/S01

Application Reference No.

New Gaming Machine				
Game Name	Towers Of The Temple			
Specification Number	50.F0070	50.F0070		
Manufacturer	eBet Gami	ng Systems		
Gaming Machine Type	Conventio	nal		
Game Type	Spinning R	eels		
Game Identifier	TOTT-S9FA	A-000-1010		
Technical Standards	NS 10.3 + I	NSW Appendix (dated	24/04/13)	
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20			
Maximum Bet Value	\$8.00			
Base Credit Value	1c, 2c			
Variation Details	Var	Min PRTP%	Max PRTP%	
	1	88.62	88.68	
	2	89.91	90.11	
	3	91.97	91.99	
Platform/Cabinet Details				
Bluebird II				
BBxD (Slant Top)				
BBxD (Slant Top) – 32" Topscreen				
Operational Conditions				

50-A0198/S01

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.

Updated Game Software			
Game Name	Ghostbusters		
Specification Number	18.80673		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	X74910GA		
	X74910RA		
Technical Standards	NS 10.1 + NSW Appendi	x (dated 24/11/11)	
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20		
	NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported			
iSAP / Type / Levels / Wins transferred	Yes / Standard / 3 / Yes		
to 'Total Wins' meter:			
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c		
Variation Details			
Var Game RTP%	iSAP RTP%	Min / Max Total PRTP%	
2 84.58	5.376093	89.95	
3 86.63	5.357443	91.99	
5 84.58	4.929893	89.50	
Platform/Cabinet Details			
AVP BC20 – Portrait Top			
Specific Approval Conditions			
1. The above-mentioned game must operate with the 'Multi Layer Display' as the primary			
screen when operating on the AVP BC20 – Portrait Top platform.			

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Operational Conditions

Application Reference No.

18-A5334/S01