Gaming Machine Approval 2015 (No 25)

Notifiable instrument NI2015-443

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2015 (No 25).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

27 July 2015

| New Gaming Machine Game San Xing Bao Xi Imperial Dragon (3 iSAP Levels) Specification Number 18.80718 | | N. O M. I O I | | | | | | |
|---|---------------------|---------------|---------------------------------------|---------------|----------------|---------------|-----------------------|--|
| Specification Number 18.80718 Manufacturer IGT (Australia) Pty Limited | | | | | | | | |
| Manufacturer IGT (Australia) Pty Limited | | | · · · · · · · · · · · · · · · · · · · | | | | | |
| Gaming Machine Type iSAP – Ante Bet Game Type Spinning Re⊌ Game Identifier GAME_SXBXImperialDragon_X0A15_0_010.vhd Technical Standards NS Rev 10.3 + NSW Appendix Rev 2015; NSW CPTS Rev 2.4; NSW Jackpot Technical Standard Rev 1.3 TITO Technical Standard V x.20 Progressive Levels ISAP Type Levels Wins Transferred to Total Wins meter Supported Set Value \$9.60 Base Credit Value \$1c, 2c, 4c, 5c Wins Transferred to Total Wins meter Ves Standard 3 Yes Maximum Bet Value \$9.60 Base Credit Value \$1c, 2c, 4c, 5c Wins Transferred to Total Wins meter Ves Setting Combination iSAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SCO201 7.644506 85.99-90.99 4 1c 73.6-82.36 SCO5001 7.644506 <th< td=""><td></td><td></td><td></td><td colspan="5">18.B0718</td></th<> | | | | 18.B0718 | | | | |
| Game Type Spinning Re⊎ Game Identifier GAME_SXBXImperialDragon_X0A15_0_010.vhd Technical Standards NS Rev 10.3 + NSW Appendix Rev 2015; NSW CPTS Rev 2.4; NSW Jackpot Technical Standard Rev 1.3 TITO Technical Standard V-20 Progressive Levels Supported ISAP Type Levels Wins Transferred to Total Wins meter Yes Standard 3 Yes Maximum Bet Value \$9.60 Yes Min - Max PRTP% A | | | · · | | ed | | | |
| Game Identifier GAME_SXBXImperialDragon_XOA15_0_010.vhd Technical Standards NS Rev 10.3 + NSW Appendix Rev 2015; NSW CPTS Rev 2.4; NSW Jackpot Technical Standard Rev 1.3 TITO Technical Standard Rev 1.3 Progressive Levels Supported ISAP Type Levels Wins Transferred to Total Wins meter Yes Standard 3 Yes Maximum Bet Value \$9.60 Base Credit Value \$9.60 Variation Details Variation Details Value Setting Combination ISAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SC0201 7.644506 87.00-92.00 2 1c 77.36-82.36 SC0501 7.644506 86.00-91.00 5 1c 7.634506 86.98-91.98 6 50.00-90 7.634506 86.98-91.99 1 c | Gaming Machine Type | | | iSAP – Ant | e Bet | | | |
| NS Rev 10.3 + NSW Appendix Rev 2015; NSW CPTS Rev 2.4; NSW Jackpot Technical Standard Rev 1.3 | Game Type | | | Spinning R | eel | | | |
| NSW Jack | Game Identifier | | GAME_SXI | BXImperialDra | agon_X0A15_ | 0_010.vhd | | |
| TITO Tech=I Standard V.20 Progressive Levels Supported ISAP Type Levels Wins Transferred to Total Wins meter Yes Standard 3 Yes Max wr Yes Standard 3 Yes Max wr Yes Standard 3 Yes Max wr Yes Standard 3 Yes Base value Sp.60 Sec wr Sec wr Min wr | Tech | nical Sta | ındards | NS Rev 10. | .3 + NSW App | endix Rev 201 | L5; NSW CPTS Rev 2.4; | |
| Progressive Levels Supported iSAP Type Levels Date of Total Wins meter Total Wins meter Yes Standard 3 Yes Maxim Bet Value \$9.60 Post Varion Details 16, 2c, 4c, 5c Varion Details Secting Combination iSAP RTP% Min - Max PRTP% BCV Game RTP% Setting Combination iSAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SCOUL 7.654506 87.00-92.00 2 1c 78.35-83.35 SCOUL 7.644506 85.99-90.99 4 1c 78.35-83.35 SCOUL 7.644506 86.00-91.00 5 1c 77.36-82.36 SCOUL 7.644506 85.00-90.00 6 2c 5COUL 7.634506 86.98-91.98 7 1c 77.35-84.35 SCOUL 7.634506 85.01-90.01 8 5c SCOUL 7.634506 85.01-90.01 9 70.20 7.634506 86.9 | Subr | nission S | Standards | NSW Jackp | oot Technical | Standard Rev | 1.3 | |
| Supported (a) Total Wins meter (b) Yes Standard 3 Yes Maxim Bet Value \$9.60 Base Credit Value 1c, 2c, 4c, 5c Variation Details Var BCV Game RTP% Setting Combination is AP RTP% Min - Max PRTP% Var BCV Game RTP% Setting Combination is AP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SC00101 7.654506 87.00-92.00 2 1c 78.35-83.35 SC0202 7.644506 86.00-91.00 3 1c 77.36-82.36 SC0500 7.644506 85.00-90.00 4 1c 77.36-82.36 SC0604 7.634506 86.98-91.98 4 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 5 5c SC0800 7.644506 86.99-91.99 7 1c 79.35-84.35 SC0900 7.644506 86.99-91.99 | | | | TITO Techi | nical Standard | d V4.20 | | |
| Yes Standard 3 Yes Maximum Bet Value \$9.60 Base Credit Value 1c, 2c, 4c, 5c Variation Details Var BCV Game RTP% Setting Combination SAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SC0101 7.654506 87.00-92.00 2 1c 78.35-83.35 SC0201 7.644506 85.99-90.99 4 1c 78.35-83.35 SC0501 7.654506 86.00-91.00 5 1c 30.00-90.00 7.644506 85.00-90.00 6 2c 79.35-84.35 SC0601 70.644506 86.98-91.98 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-83.35 SC0901 7.634506 86.99-91.99 | Prog | ressive L | .evels | iSAP | Type | Levels | Wins Transferred to | |
| Maximum Bet Value \$9.60 Base Credit Value 1c, 2c, 4c, 5c Variation Details Var BCV Game RTP% Setting Combination iSAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 \$C0101 7.654506 87.00-92.00 2 1c 78.35-83.35 \$C0201 7.644506 85.99-90.99 4 1c 78.35-83.35 \$C0401 7.654506 86.00-91.00 5 1c 77.36-82.36 \$C0501 7.644506 85.00-90.00 6 2c 79.35-84.35 \$C0601 7.634506 86.98-91.98 7 1c 77.36-82.36 \$C0602 7.634506 85.01-90.01 8 1c 79.35-84.35 \$C0801 7.644506 85.01-90.01 8 1c 79.35-84.35 \$C0801 7.644506 86.99-91.99 9 2c 78.35-83.35 \$C0901 7.644506 86.99-91.99 | Supp | orted | | | | | Total Wins meter | |
| Base Credit Value 1c, 2c, 4c, 5c Variation Details BCV Game RTP% Setting Combination iSAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SC0101 7.654506 87.00-92.00 2 1c 78.35-83.35 SC0201 7.644506 85.99-90.99 4 1c 78.35-83.35 SC0401 7.654506 86.00-91.00 5 1c 77.36-82.36 SC0501 7.644506 85.00-90.00 6 1c 79.35-84.35 SC0601 7.634506 86.98-91.98 7 1c 77.36-82.36 SC0602 7.634506 86.98-91.98 8 1c 79.35-84.35 SC0801 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-83.35 SC0901 7.634506 85.98-90.98 | | | | Yes | Standard | 3 | Yes | |
| Variation Details BCV Game RTP% Setting Combination iSAP RTP% Min - Max PRTP% 1 1c 79.35-84.35 SC0101 7.654506 87.00-92.00 2 1c 78.35-83.35 SC0201 7.644506 85.99-90.99 4 1c 78.35-83.35 SC0401 7.654506 86.00-91.00 5 1c 5C0501 7.644506 85.00-90.00 6 2c 77.36-82.36 SC0502 7.634506 86.98-91.98 6 2c 79.35-84.35 SC0602 7.634506 86.98-91.98 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-84.35 SC0802 7.644506 86.99-91.99 9 2c 78.35-83.35 SC0901 7.634506 85.98-90.98 | Maxi | imum Be | t Value | \$9.60 | | | | |
| $ \begin{array}{ c c c c c c } \hline \text{Var} & \text{BCV} & \text{Game RTP\%} & \text{Setting Combination} & \text{iSAP RTP\%} & \text{Min - Max PRTP\%} \\ \hline 1 & 1c & 79.35-84.35 & SC0101 & 7.654506 & 87.00-92.00 \\ \hline 2 & 1c & 78.35-83.35 & SC0202 & 7.644506 & 85.99-90.99 \\ \hline 4 & 1c & 78.35-83.35 & SC0401 & 7.654506 & 86.00-91.00 \\ \hline 5 & 1c & 77.36-82.36 & SC0501 & 7.644506 & 85.00-90.00 \\ \hline 2 c & 5C0502 & 79.35-84.35 & SC0601 & 7.634506 & 86.98-91.98 \\ \hline 4 c & 5c & SC0602 & 7.634506 & 86.98-91.98 \\ \hline 7 & 1c & 77.36-82.36 & SC0701 & 7.654506 & 85.01-90.01 \\ \hline 8 & 1c & 79.35-84.35 & SC0801 & 7.644506 & 85.99-91.99 \\ \hline 2 c & 78.35-83.35 & SC0902 & 7.634506 & 86.99-91.99 \\ \hline 4 c & 5C0904 & 5C0904 & 7.634506 & 86.99-91.99 \\ \hline \end{array} $ | Base | Credit V | /alue | 1c, 2c, 4c, | 5c | | | |
| 1 1c 79.35-84.35 SC0101 7.654506 87.00-92.00 2 1c 78.35-83.35 SC0201 7.644506 85.99-90.99 4 1c 78.35-83.35 SC0401 7.654506 86.00-91.00 5 1c 5C0501 7.644506 85.00-90.00 6 2c 79.35-84.35 SC0601 86.98-91.98 7 1c 77.36-82.36 SC0605 7.634506 86.98-91.98 8 1c 79.35-84.35 SC0801 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-84.35 SC0901 7.634506 86.99-91.99 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | Varia | ation De | tails | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Var | BCV | Game RTP% | Setting Co | ombination | iSAP RTP% | Min - Max PRTP% | |
| 2 78.35-83.35 SC0202 7.644506 85.99-90.99 4 1c 78.35-83.35 SC0401 7.654506 86.00-91.00 5 1c 77.36-82.36 SC0501 7.644506 85.00-90.00 6 2c 79.35-84.35 SC0601 7.634506 86.98-91.98 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-84.35 SC0901 7.634506 85.98-90.98 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | 1 | 1c | 79.35-84.35 | SC | 0101 | 7.654506 | 87.00-92.00 | |
| 2c SC0202 4 1c 78.35-83.35 SC0401 7.654506 86.00-91.00 5 1c SC0501 7.644506 85.00-90.00 6 2c 79.35-84.35 SC0601 86.98-91.98 7 1c 77.36-82.36 SC0605 7.634506 86.98-91.98 8 1c 79.35-84.35 SC0801 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 2c 78.35-83.35 SC0901 7.634506 85.98-90.98 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | 2 | 1c | 70 25 02 25 | SC | 0201 | 7.644506 | 95 00 00 00 | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 2c | /6.55-65.55 | SC | 0202 | 7.044500 | 65.99-90.99 | |
| 5 77.36-82.36 SC0502 7.644506 85.00-90.00 1c SC0601 SC0602 7.634506 86.98-91.98 4c 5c SC0604 7.634506 86.98-91.98 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c SC0801 7.644506 86.99-91.99 9 2c 78.35-84.35 SC0901 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | 4 | 1c | 78.35-83.35 | SC | 0401 | 7.654506 | 86.00-91.00 | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Е | 1c | 77 26 92 26 | SC | 0501 | 7.644506 | 95 00 00 00 | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 5 | 2c | //.30-62.30 | SC | 0502 | 7.044300 | 65.00-90.00 | |
| 6 4c 79.35-84.35 SC0604 7.634506 86.98-91.98 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 9 1c SC0901 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | | 1c | | SC | 0601 | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 6 | 2c | 70 25 8/ 25 | SC | 0602 | 7 624506 | 96 09 01 09 | |
| 7 1c 77.36-82.36 SC0701 7.654506 85.01-90.01 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 1c SC0901 SC0901 SC0902 7.634506 85.98-90.98 | O | 4c | 75.55 64.55 | SC | 0604 | 7.034300 | 00.90-91.90 | |
| 8 1c 79.35-84.35 SC0801 7.644506 86.99-91.99 1c SC0901 2c SC0902 7.634506 85.98-90.98 | | 5c | | SC | 0605 | | | |
| 8 2c 79.35-84.35 \$C0802 7.644506 86.99-91.99 1c \$C0901 2c \$C0902 \$C0902 7.634506 85.98-90.98 | 7 | 1c | 77.36-82.36 | SC | 0701 | 7.654506 | 85.01-90.01 | |
| 2c SC0802 1c SC0901 2c SC0902 3c SC0902 4c 78.35-83.35 3c SC0904 7c 7.634506 85.98-90.98 | 0 | 1c | 70.25.04.25 | SC | 0801 | 7.644506 | 96 00 01 00 | |
| 9 2c 78.35-83.35 SC0902 7.634506 85.98-90.98 | | 2c | /3.33-84.35 | SC | 0802 | 7.044506 | 00.33-31.33 | |
| 9 4c 78.35-83.35 SC0904 7.634506 85.98-90.98 | | 1c | | SC | 0901 | | | |
| 4c SC0904 | | 2c | 70 25 02 25 | SC | 0902 | 7.624506 | 05 00 00 00 | |
| 5c SC0905 | 9 | 4c | 78.35-83.35 | SC | 0904 | 7.034506 | 85.98-90.98 | |
| | | 5c | | SC | 0905 | | | |

Platform/Cabinet Details

Crystal Core Australia — (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper Option)

Operational Conditions

Machine variation's 2, 5, 6, 7, 8, and 9 are only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.

| Device Details | | | | |
|---|--|-----------------------|--|--|
| Device Name | Supporting Software (Platform, OS, BIOS) | | | |
| Category | Supporting Function | | | |
| Category Type | System Software | | | |
| Submission Standards | NS Rev 2015 + NSW Appendix Rev 2015; | | | |
| Technical Standards | NSW CPTS Rev 2.4; NSW Jackpot TS Rev 1.3; | | | |
| | TITO TS V4.20 | | | |
| Software Details | Function | Identifier | | |
| | Platform | PLATFORM_00000046.vhd | | |
| Platform/Cabinet Details | | | | |
| Crystal Core Australia (with Prima | Crystal Core Australia (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured | | | |
| with either Ticket Printer and/or/ Hopp | th either Ticket Printer and/or/ Hopper option) | | | |
| Application Reference No. | 18-A5408/S01 | | | |

| New Gaming Machine Platform | | | | |
|---|--|--|--|--|
| Device Name 'Crystal Core Australia' Platform | | | | |
| Manufacturer | IGT (Australia) Pty Limited | | | |
| Category | Gaming Machine | | | |
| Category Type Hardware Platform | | | | |
| Submission Standards | NS Rev 2015 + NSW Appendix Rev 2015; | | | |
| Technical Standards | NSW CPTS Rev 2.4; TITO TS V4.20 | | | |
| Platform/Cabinet Details | | | | |
| Crystal Core Australia (with Prima | Crystal Core Australia (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured | | | |
| with either Ticket Printer and/or Hoppe | with either Ticket Printer and/or Hopper option) | | | |
| Application Reference No. | 18-A1274/S01 | | | |

| Now | New Gaming Machine Game & Updated Overhead Sign | | | | | | |
|----------------------|---|--------------------|--|--------------------|-------------------|----------------------------|--|
| Game Name | | | Reels of Wheels Horsepower (4 iSAP Levels) | | | | |
| Specification Number | | 44.BF208 | rileeis Horsepo | WEI (4 ISAF L | eveisj | | |
| • | | | Cama Tashnal | agu Limitad | _ | | |
| Manufacturer | | | | Game Technol | ogy Limited | | |
| Gaming Machine Type | | | iSAP | | | | |
| Game Type | | | Spinning R | | | _ | |
| | e Identifie | | GDNSPR20 | | | | |
| | nical Stan | | | .3 + NSW Appe | | • | |
| Subm | nission Sta | andards | | Rev 2.3; NSW | Jackpot TS Re | ≥v 1.3 | |
| | | | TITO TS V | 1.20 | 1 | T | |
| _ | essive Le | vels | iSAP | Туре | Levels | Wins Transferred to | |
| Supp | orted | | | | | Total Wins meter | |
| | | | Yes | Standard | 4 | Yes | |
| Maxii | Maximum Bet Value | | \$8.00 | | | | |
| Base | Credit Va | lue | 1c, 2c | | | | |
| Varia | tion Deta | ils | | | | | |
| Var | BCV | Game RTP% | Setting | Combination | iSAP RTP% | Min - Max PRTP% | |
| 1 | 1c | 63.29 | S | C1-1c | 26.816465 | 90.11 | |
| 2 | 1c | 64.98 | S | C2-1c | 27.181441 | 92.16 | |
| 11 | 1 c | 64.06 | S | C11-1c | 26.881081 | 90.94 | |
| 31 | 2c | 63.29 | S | C31-2c | 26.840141 | 90.13 | |
| 32 | 2 c | 64.98 | S | C32-2c | 27.353048 | 92.34 | |
| 41 | 2 c | 64.06 | S | C41-2c | 26.759785 | 90.82 | |
| Platfo | orm / Cab | inet Details: | | | | · | |
| A560 | -H – High | Boy (with Primar | y 22" LCD, Se | condary 22" LCD, o | optional A560 1 | 9" LCD Topper, optional | |
| Oval T | opper, Conf | figured with eithe | r Ticket Printe | r and/or Hopper o | option) | | |
| | | Boy (with Primary | LCD, 32" Wid | le Boy Topper, Cor | nfigured with ei | ther Ticket Printer and/or | |
| | er option) | | | | | | |
| | | • • | ary 24" LCD, S | econdary 27" LCD | , optional 24" Lo | CD Topper, Configured | |
| | icket Printe | r only) | | | | | |
| Device Details | | | | | | | |

Gaming Machine

Hardware Component

'Reels Of Wheels Horsepower' Overhead Sign

NS 10.3 + NSW Appendix (dated 24/04/13)

Part Number

220651-07 Rev A

Device Name

Hardware Details

'Reels of Wheels Horsepower' Overhead Sign

Category

GM Type

Description

Platform / Cabinet Details:

A560-L — Low Boy (with Primary LCD, 32" Wide Boy Topper, Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions:

- 1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel).
- 2. The 'Reels of Wheels Horsepower' Overhead sign must be used in conjunction with the A560 Low Boy with 32 inch LCD Wide Boy Topper platform.
- 3. The above-mentioned game can operate with or without the optional 24" LCD Topper when installed in the A560 Slant Top platform.
- 4. The above-mentioned game can operate with or without the optional 19" LCD topper when installed in the A560 High Boy platform

Application Reference No. 44-A0934/S01

| New Gaming M | lachine Game | | | | | |
|------------------------|--------------|--|-----------------|---------------|-------------------------|--|
| Game Name | 1 | Western T | reasures (2 iSA | P I evels) | | |
| | | Western Treasures (2 iSAP Levels) 44.BF212 | | | | |
| Specification Number | | | Carra Taraharah | | | |
| Manufacturer | + | | Game Technol | ogy Limited | | |
| Gaming Machir | ne Type | iSAP | | | | |
| Game Type | | Spinning R | eel | | | |
| Game Identifie | r | GDNSN11E | <u> </u> | | | |
| Technical Stand | dards | NS Rev 10. | 3 + NSW Appe | ndix Rev 10.3 | ; | |
| Submission Sta | ndards | NSW CPTS | Rev 2.4; NSW . | Jackpot TS Re | ev 1.3; | |
| | | TITO TS V4 | • | • | , | |
| Progressive Lev | /els | iSAP | Туре | Levels | Wins Transferred to | |
| Supported | | | | | Total Wins meter | |
| | | Yes | Standard | 2 | Yes | |
| Maximum Bet \ | /alue | \$10.00 | | | | |
| Base Credit Val | ue | 5c, 10c | | | | |
| Variation Detai | ils | | | | | |
| Var BCV | Game RTP% | Setting (| Combination | iSAP RTP% | Min - Max PRTP% | |
| 51 5c | 86.02 | SC | C51-5c | 5.425138 | 91.45 | |
| 53 5c | 84.74 | SC | C53-5c | 5.451545 | 90.19 | |
| 54 5c | 84.08 | SC | C54-5c | 5.319506 | 89.40 | |
| 61 10c | 86.02 | SC | 61-10c | 5.188342 | 91.21 | |
| 63 10c | 84.74 | SC | 63-10c | 5.280769 | 90.02 | |
| 64 10c | 84.08 | SC | 64-10c | 5.165235 | 89.24 | |

Platform / Cabinet Details:

A560X-H — High Boy (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L — Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST — Slant Top (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)

Specific Approval Conditions:

- 1. The A560 Topper must be installed on the A560X-L platform when operating the above-mentioned game.
- 2. The above-mentioned game can be operated with the optional A560 topper when operating on the A560X-H platform.
- 3. The above-mentioned game can be operated with the optional 24" LCD Topper on the A560X-ST platform.

| Application Reference No. | 44-A0938/S01 |
|-----------------------------|----------------|
| ADDIICALIDII NEIELEIICE NO. | 1 44-MUJJO/JUL |

| New | Gaming N | lachine Game | | | | | |
|----------------------|--------------------|--------------|--------------------------|----------------|---------------|-------------------------|--|
| Game Name | | | King Cat (2 iSAP Levels) | | | | |
| Specification Number | | 44.BF207 | | | | | |
| Manufacturer | | | Ainsworth | Game Technol | ogy Limited | | |
| Gaming Machine Type | | ne Type | iSAP | | | | |
| Gam | е Туре | | Spinning R | eel | | | |
| Gam | e Identifie | er | GDNSKA1 |) | | | |
| Tech | nical Stan | dards | NS Rev 10. | .3 + NSW Appe | ndix Rev 10.3 | ; | |
| Subn | nission Sta | andards | NSW CPTS | Rev 2.3; NSW . | Jackpot TS Re | ev 1.3; | |
| | | | TITO TS V4 | 1.20 | | | |
| Prog | Progressive Levels | | iSAP | Туре | Levels | Wins Transferred to | |
| Supp | orted | | | | | Total Wins meter | |
| | | | Yes | Random | 2 | Yes | |
| Maxi | imum Bet | Value | \$10.00 | | | | |
| Base | Credit Va | lue | 1c | | | | |
| Varia | ation Deta | ils | | | | | |
| Var | BCV | Game RTP% | Setting (| Combination | iSAP RTP% | Min - Max PRTP% | |
| 36 | 1c | 86.30 | | SC1 | 4.020000 | 90.32 | |
| 37 | 1c | 85.25 | | SC1 | 4.020000 | 89.27 | |
| 38 | 1c | 87.29 | | SC1 | 4.020000 | 91.31 | |
| 39 | 1c | 88.31 | | SC1 | 4.020000 | 92.33 | |
| 46 | 1c | 86.33 | | SC1 | 4.020000 | 90.35 | |
| 47 | 1c | 85.26 | | SC1 | 4.020000 | 89.28 | |
| 48 | 1c | 87.30 | | SC1 | 4.020000 | 91.32 | |
| 49 | 1c | 88.34 | | SC1 | 4.020000 | 92.36 | |
| | | | | | | | |

Platform / Cabinet Details:

A560X-S32 — (with Primary 32" LCD, optional Secondary A560 LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions:

- 1. The A560 Topper must be installed on the A560X-S32 platform when operating the above-mentioned game.
- 2. The above-mentioned game must only be configured with either the 15 button standard panel or the OLED panel.

Application Reference No. 44-A0924/S01, /S02

| Now Caming Machine Came | | | | | | | |
|--|--|---|-------------|---|--|--|--|
| New Gaming Machine Game | Game Name MultiDeluxe Extra | | | | | | |
| | | e extra | | | | | |
| Specification Number | 35.DG008 | andraina ANZ Div | . I : : L | | | | |
| Manufacturer Tour | | nologies ANZ Pty | | | | | |
| Gaming Machine Type | 1 | /ulti Denom - iS | AP | | | | |
| Game Type | Spinning R | | | | | | |
| Game Identifier | AMDXNS1D | | | | | | |
| Technical Standards | NS 10.3 + NSW Appendix (dated 24/04/13); | | | | | | |
| Submission Standards | NSW CPTS 2.4; TITO Technical Standard V4.20; | | | | | | |
| | · | ot Technical Sta | | | | | |
| Progressive Levels | iSAP | Туре | Levels | Wins Transferred to | | | |
| Supported | | | | Total Wins meter | | | |
| | Yes | Standard | 3 | Yes | | | |
| Maximum Bet Value | \$10.00 | | | | | | |
| Base Credit Value | 1c, 2c, 5c, | 10c, 20c, 50c, \$1 | 00 (Selecta | able by player) | | | |
| Software Details 1 | | | | | | | |
| Game | Kernel BIOS | | S | | | | |
| AMDXNS1D | A2NWX06 | Ε | SBA | L2004 & SBAL2105 | | | |
| Platform/Cabinet Details | | | | | | | |
| ALPHA II – Alpha Pro Upright | AP-1 (V32 wit | th / without ALPHA | PRO TOPPER) | | | | |
| Software Details 2 | | | | | | | |
| Game | Kernel | | BIOS | 5 | | | |
| AMDXNS1D | A2NWX06 | <u>E</u> | SBA | SBAL2105 | | | |
| Platform/Cabinet Details | | | | | | | |
| Alpha Pro Hybrid AH-1 (V40 w | ith/ without Al | PHA PRO TOPPER) | | | | | |
| Component Game Set Detail | s | | | | | | |
| Game Number | _ | | | | | | |
| | G | ame Name | E | ase Credit Value | | | |
| 1 | | ame Name ts, Hats and | E | ase Credit Value | | | |
| 2 | | | E | | | | |
| | Car | ts, Hats and Bats | E | 1c | | | |
| 2 | Car | ts, Hats and | E | 1c 2c | | | |
| 2 3 | Ca ⁻ 5 | ts, Hats and Bats Treasures | E | 1c 2c 1c | | | |
| 2 3 4 | Ca ⁻ 5 | ts, Hats and Bats | E | 1c 2c 1c 2c | | | |
| 2 3 4 5 | | ts, Hats and Bats Treasures murai Spirit | E | 1c 2c 1c 2c 5c | | | |
| 2 3 4 5 6 | | ts, Hats and Bats Treasures | E | 1c 2c 1c 2c 5c 10c | | | |
| 2 3 4 5 6 7 | | ts, Hats and Bats Treasures murai Spirit | E | 1c 2c 1c 2c 5c 10c 5c | | | |
| 2 3 4 5 6 7 8 | Car | ts, Hats and Bats Treasures murai Spirit | E | 1c 2c 1c 2c 5c 10c 5c 10c | | | |
| 2 3 4 5 6 7 8 9 | Car | ts, Hats and Bats Treasures murai Spirit lystic Gold | E | 1c 2c 1c 2c 5c 10c 5c 10c 2c 5c 5c | | | |
| 2 3 4 5 6 7 8 9 | Car | ts, Hats and Bats Treasures murai Spirit lystic Gold | | 1c 2c 1c 2c 5c 10c 5c 10c 20c | | | |
| 2 3 4 5 6 7 8 9 10 | Car Sal | ts, Hats and Bats Treasures murai Spirit lystic Gold | | 1c 2c 1c 2c 5c 10c 5c 10c 5c 20c 50c \$1.00 | | | |

| Multi-Game Com MGC | CRP% | Game Number | Variation | SDB PRTP% |
|--------------------|-----------|---------------|---------------|----------------|
| IVIGC | CRF/0 | 1 | Variation | 90.02 |
| | | 2 | | |
| | | 3 | <u>-</u> - | 90.14 |
| | | | | 90.18 |
| | | 4 | | 90.25 |
| | | 5 | | 90.66 |
| | | 6 | | 90.67 |
| 1 | 90.99 | 7 | 99 | 90.58 |
| | | 8 | | 90.70 |
| | | 9 | | 91.94 |
| | | 10 | | 91.93 |
| | | 11 | | 91.95 |
| | | 12 | | 91.96 |
| | | 13 | | 91.92 |
| | | 14 | | 91.90 |
| MGC | CRP% | Game Number | Variation | SDB PRTP% |
| | | 1 | | 90.04 |
| | | 2 | | 90.18 |
| | | 3 | | 90.19 |
| | | 4 | | 90.26 |
| | | 5 | | 90.71 |
| | | 6 | | 90.72 |
| 2 | 04.20 | 7 | 04 | 90.61 |
| 2 | 91.39 | 8 | 91 | 90.73 |
| | | 9 | | 92.57 |
| | | 10 | | 92.52 |
| | | 11 | | 92.53 |
| | | 12 | | 92.66 |
| | | 13 | | 92.64 |
| | | 14 | | 92.73 |
| MGC | CRP% | Game Number | Variation | SDB PRTP% |
| _ | 22.22 / 2 | 1 | | 90.08 |
| | | 2 | | 90.23 |
| | | 3 | | 90.20 |
| | | 4 | | 90.27 |
| | | 5 | | 90.75 |
| | | 6 | | 90.74 |
| | | 7 | | 90.64 |
| | 91.57 | 8 | 92 | 90.76 |
| 3 | | | | 30.70 |
| 3 | | | | 92 98 |
| 3 | | 9 | | 92.98 |
| 3 | | 9 10 | | 92.99 |
| 3 | | 9 10 11 | | 92.99 92.94 |
| 3 | | 9 10 | | 92.99 |

| MGC | CRP% | Game Number | Variation | SDB PRTP% |
|-------|--------|---|-----------|---|
| | | 1 | | 90.13 |
| | | 2 | | 90.28 |
| | | 3 | | 90.15 |
| | | 4 | | 90.22 |
| | | 5 | | 90.73 |
| | | 6 | | 90.81 |
| 4 | 91.89 | 7 | 93 | 90.60 |
| 4 | 91.09 | 8 | 95 | 90.72 |
| | | 9 | | 93.64 |
| | | 10 | | 93.47 |
| | | 11 | | 93.44 |
| | | 12 | | 93.53 |
| | | 13 | | 93.56 |
| | | 14 | | 93.65 |
| MGC | CD DO/ | 0 11 1 | | CDD DDTD0/ |
| IVIOC | CRP% | Game Number | Variation | SDB PRTP% |
| IVIGC | CRP% | Game Number | Variation | 90.18 |
| IVIGC | CRP% | | Variation | |
| IVIGC | CRP% | 1 | Variation | 90.18 |
| IVIGC | CRP% | 1 2 | Variation | 90.18 90.33 |
| IVIGC | CRP% | 1 2 3 | Variation | 90.18 90.33 90.17 |
| IVIGC | CRP% | 1 2 3 4 | Variation | 90.18 90.33 90.17 90.24 |
| | | 1 2 3 4 5 | | 90.18 90.33 90.17 90.24 90.69 |
| 5 | 92.16 | 1 2 3 4 5 6 | Variation | 90.18 90.33 90.17 90.24 90.69 90.70 |
| | | 1 2 3 4 5 6 7 | | 90.18 90.33 90.17 90.24 90.69 90.70 90.59 |
| | | 1 2 3 4 5 6 7 | | 90.18 90.33 90.17 90.24 90.69 90.70 90.59 90.71 |
| | | 1 2 3 4 5 6 7 8 | | 90.18 90.33 90.17 90.24 90.69 90.70 90.59 90.71 94.03 |
| | | 1 2 3 4 5 6 7 8 9 | | 90.18 90.33 90.17 90.24 90.69 90.70 90.59 90.71 94.03 93.93 |
| | | 1 2 3 4 5 6 7 8 9 | | 90.18 90.33 90.17 90.24 90.69 90.70 90.59 90.71 94.03 93.93 94.09 |

Specific Approval Conditions

This multi-game requires installation of 8GB RAM in the gaming machine in order to operate satisfactorily.

| Application Reference No. | 35-A1022/S01 |
|---------------------------|--------------|

| Regression Tested Games | | | | |
|-------------------------|------------------------------------|---|--|--|
| Device Name | Gen7 / Gen8 BASE Software BIOS) | Gen7 / Gen8 BASE Software (System Software, Linux OS, BIOS) | | |
| Manufacturer | Aristocrat Technologies Aus | ralia Pty Ltd | | |
| Category | Supporting Function | | | |
| Category Type | System Software | System Software | | |
| Technical Standards | NS 10.3 + NSW Appendix (da | NS 10.3 + NSW Appendix (dated 24/04/13) | | |
| | NSW CPTS 2.3; TITO Technic | NSW CPTS 2.3; TITO Technical Standard V4.20 | | |
| | NSW Jackpot Technical Stan | NSW Jackpot Technical Standards Rev 1.3 | | |
| Software Details 1 | | | | |
| System | BIOS | BIOS | | |
| 50002040 | 590176 1.00.0 | 590176_01 1.00.7 | | |

Platform/Cabinet Details

Gen7 Viridian — Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only)

Gen7 Upgrade XCite – Lowboy (Configured with either ticket printer and/or hopper option)

Gen7 Upgrade XTreme — Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Software Details 2

| System | BIOS | BIOS |
|----------|------|------|
| 50002040 | 2020 | 2021 |

Platform/Cabinet Details

Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option)

Software Details 3

| System | BIOS | BIOS |
|----------|------|------|
| 50002040 | 6040 | 6110 |

Platform/Cabinet Details

Gen8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen8 Helix Slant – Casino Top (S23/23), Low Boy (S23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

Regression Tested Games

Game 1

| Game Name | Pure Gold (4 iSAP Levels) | |
|----------------------|--|--|
| Specification Number | 1.BF064 | |
| Туре | iSAP | |
| | NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.3; | |
| Technical Details | NSW Jackpot Technical Standard Rev 1.3; | |
| | TITO Technical Standard V4.20 | |

| Continued | | | | |
|--|--|--|--|--|
| Software Details 1 | | | | |
| Game | System Software | | | |
| 10162844 | 40602030 | 40602030 | | |
| ticket printer and/or hopper opt Gen7 Vii Slant – Casino Top | ion) | D; Stand-alone) (Configured with either) (Configured with ticket printer option) | | |
| Software Details 2 | <u> </u> | | | |
| Game | System Software | BIOS | | |
| 10162844 | 50002030 | 6040 & 6110 | | |
| Platform/Cabinet Details | 30002030 | 0040 Ø 0110 | | |
| Gen 8 Helix Slant – Casino | | no printer) Low Boy with Super Screen Top for CCCE only – no BNA & no printer) | | |
| Game Name | Micc Liberty Super Whee | al Plact (2 iSAR Lovels) | | |
| | • | Miss Liberty – Super Wheel Blast (2 iSAP Levels) | | |
| Specification Number | | 1.BF078 | | |
| Туре | | iSAP | | |
| Technical Details | NSW Jackpot Technical Sta | NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.3; NSW Jackpot Technical Standard Rev 1.3; TITO Technical Standard V4.20 | | |
| Software Details | <u> </u> | | | |
| Game | System Software | BIOS | | |
| 10262876 | 50002040 | 6040 & 6110 | | |
| option) or (Configured for CCCE of Gen 8 Helix Slant – Casino | o Top (U23/23) (Configured with only – no coin, no hopper, no BNA & Top (S23/23), Low Boy with Sunly) or (Configured for CCCE only – r | iper Screen Top Box (S23/32) | | |
| Game 3 | <u> </u> | | | |
| Game Name | Lion of Venice – Super Wh | Lion of Venice – Super Wheel Blast (2 iSAP Levels) | | |
| Specification Number | 1.BF079 | | | |
| Туре | iSAP | iSAP | | |
| Technical Details | NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.3; NSW Jackpot Technical Standard Rev 1.3; | | | |

TITO Technical Standard V4.20

| Continuea | | | | |
|-----------------------------------|--|--|--|--|
| Software Details | | | | |
| Game | System Software | BIOS | | |
| 10263107 | 50002040 | 6040 & 6110 | | |
| Platform/Cabinet Details | | · | | |
| | | with either ticket printer and/or hopper | | |
| option) or (Configured for CCCE | | | | |
| | | h Super Screen Top Box (S23/32) | | |
| (Configured with ticket printer o | nly) or (Configured for CCCE only | y – no BNA & no printer) | | |
| Game 4 | | | | |
| Game Name | Hot Chocolate (4 iSAP L | Levels) | | |
| Specification Number | 1.BF086 | 1.BF086 | | |
| Туре | iSAP | ISAP | | |
| | NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.3; | | | |
| Technical Details | NSW Jackpot Technical | Standard Rev 1.3 | | |
| | TITO Technical Standar | TITO Technical Standard V4.20 | | |
| Software Details | | | | |
| Game | System Software | BIOS | | |
| 10163124 | 50002040 | 6040 & 6110 | | |
| Platform/Cabinet Details | | • | | |
| Gen 8 Helix Upright – Casin | o Top (U23/23) (Configured v | with either ticket printer and/or hopper | | |
| option) or (Configured for CCCE | | | | |
| | | h Super Screen Top Box (S23/32) | | |
| (Configured with ticket printer o | nly) or (Configured for CCCE only | y – no BNA & no printer) | | |
| Game 5 | | | | |
| Game Name | Player's Choice High Lir | Player's Choice High Limits | | |
| Specification Number | 1.CG004 | 1.CG004 | | |
| Туре | MGGM – Multi Denom | MGGM – Multi Denomination | | |
| Technical Details | NS 10.3 + NSW Append | lix (dated 24/04/13); NSW CPTS 2.3; | | |
| TITO Technical Standard V4.20 | | d V4.20 | | |
| 0.6 | | | | |

Software Details 1

| Game | System Software | BIOS |
|----------|-----------------|-------------|
| 10362737 | 50002040 | 2020 & 2021 |

Platform/Cabinet Details

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)

Gen7 Vii Slant — Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)

'Player's Choice' Optional Topper Kit (Gen7 Viridian Widescreen Casino Top only): ATA P/N: 150070 08

| BIOS 6040 & 6110 | | |
|---|--|--|
| 6040 & 6110 | | |
| - | | |
| rith either ticket printer and/or hopper A & no printer) Super Screen Top Box (S23/32) y – no BNA & no printer) | | |
| Casino Top only): ATA P/N: 150070_08 | | |
| d Edition | | |
| a Edition | | |
| nation iSAD | | |
| MGGM – Multi Denomination - iSAP NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; NSW Jackpot Technical Standards Rev 1.3; TITO Technical Standard V4.20 | | |
| | | |
| BIOS | | |
| 6040 & 6110 | | |
| onfigured with either ticket printer and/or , no BNA & no printer) | | |
| Edition | | |
| Player's Choice Sapphire Edition 1.DG002 | | |
| | | |
| nation - iSAP | | |
| nation - iSAP x (dated 24/04/13); NSW CPTS 2.3; Standards Rev 1.3; I V4.20 | | |
| x (dated 24/04/13); NSW CPTS 2.3; Standards Rev 1.3; | | |
| x (dated 24/04/13); NSW CPTS 2.3; Standards Rev 1.3; | | |
| x (dated 24/04/13); NSW CPTS 2.3; Standards Rev 1.3; I V4.20 | | |
| > | | |

| Software Details 2 | | | |
|--|--|---|--|
| Game | System Software | BIOS | |
| 10163193 | 50002040 | 6040 & 6110 | |
| Platform/Cabinet Details Gen 8 Helix Upright – Casino option) or (Configured for CCCE onlogen 8 Helix Slant – Casino To (Configured with ticket printer only | y – no coin, no hopper, no BNA & r p (S23/23), Low Boy with Sup | no printer) per Screen Top Box (S23/32) | |
| Game 8 | | | |
| Game Name | Magic Pearl – Lightning Ca\$h | | |
| Specification Number | 1.DG003 | | |
| Game Type | MGGM – Multi Denominati | on - iSAP | |
| Technical Details | NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; NSW Jackpot Technical Standards Rev 1.3; TITO Technical Standard V4.20 | | |
| Software Details 1 | | | |
| Game | System Software | BIOS | |
| 10162714 | 50002040 | 2020 & 2021 | |
| Platform/Cabinet Details Gen7 Viridian Widescreen – C ticket printer and/or hopper option 'Lightning Ca\$h' Optional Hop Software Details 2 |) | Stand-alone) (Configured with either | |
| Game | System Software | BIOS | |
| 10162714 | 50002040 | 6040 & 6110 | |
| Platform/Cabinet Details Gen 8 Helix Upright – Casino option) or (Configured for CCCE onlogen 8 Helix Slant – Casino To (Configured with ticket printer only 'Lightning Ca\$h' Optional Hop | Top (U23/23) (Configured with e y – no coin, no hopper, no BNA & r p (S23/23), Low Boy with Sup) or (Configured for CCCE only – no | either ticket printer and/or hopper no printer) Der Screen Top Box (S23/32) DBNA & no printer) | |
| Game 9 | | | |
| Game Name | Sahara Gold – Lightning Ca\$h | | |
| Specification Number | 1.DG004 | | |
| Туре | MGGM – Multi Denominati | on - iSAP | |
| Technical Details | NS 10.3 + NSW Appendix (d NSW Jackpot Technical Star TITO Technical Standard V4 | | |

| Software Details 1 | | | | |
|--|----------------------------------|--|--|--|
| Game | System Software | BIOS | | |
| 10162715 | 50002040 | 2020 & 2021 | | |
| ticket printer and/or hopper op | tion) | e LCD; Stand-alone) (Configured with either | | |
| <u> </u> | Hopper: ATA P/N 150070_1 | 4 | | |
| Software Details 2 | | | | |
| Game | System Software | BIOS | | |
| 10162715 | 50002040 | 6040 & 6110 | | |
| option) or (Configured for CCCE Gen 8 Helix Slant – Casino (Configured with ticket printer | only – no coin, no hopper, no Bi | h Super Screen Top Box (S23/32) y – no BNA & no printer) | | |
| Game Name | High Stakes – Lightning | High Stakes – Lightning Ca\$h | | |
| Specification Number | 1.DG005 | 1.DG005 | | |
| Туре | MGGM – Multi Denom | MGGM – Multi Denomination - iSAP | | |
| Technical Details | NSW Jackpot Technical | NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; NSW Jackpot Technical Standards Rev 1.3; TITO Technical Standard V4.20; | | |
| Software Details 1 | | | | |
| Game | System Software | BIOS | | |
| 10162716 | 50002040 | 2020 & 2021 | | |
| ticket printer and/or hopper op | tion) | e LCD; Stand-alone) (Configured with either | | |
| 'Lightning Ca\$h' Optional | Hopper: ATA P/N 150070_1 | 4 | | |
| Software Details 2 | | | | |
| | i | 1 | | |

| Game | System Software | BIOS |
|----------|-----------------|-------------|
| 10162716 | 50002040 | 6040 & 6110 |

Platform/Cabinet Details

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen 8 Helix Slant — Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

'Lightning Ca\$h' Optional Hopper (Gen 8 Helix Upright only): ATA P/N 150070_14

| Game Name | Happy Lantern – Lightr | Happy Lantern – Lightning Ca\$h | |
|---|---|---|--|
| Specification Number | 1.DG006 | 1.DG006 | |
| Туре | MGGM – Multi Denom | MGGM – Multi Denomination - iSAP | |
| | NS 10.3 + NSW Append | NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; | |
| Technical Details | NSW Jackpot Technical Standards Rev 1.3; | | |
| | TITO Technical Standar | TITO Technical Standard V4.20; | |
| Software Details 1 | | | |
| Game | System Software | BIOS | |
| 10162717 | 50002040 | 2020 & 2021 | |
| Platform/Cabinet Details Gen7 Viridian Widescreen ticket printer and/or hopper op Software Details 2 | | e LCD; Stand-alone) (Configured with either | |
| Game | System Software | BIOS | |
| 10162717 | 50002040 | 6040 & 6110 | |
| option) or (Configured for CCCE Gen 8 Helix Slant – Casino | only – no coin, no hopper, no B | h Super Screen Top Box (S23/32) | |
| Specification Number | Punter's Choice – Light 1.DG007 | | |
| Game Name Specification Number Type | 1.DG007 MGGM – Multi Denom | nination - iSAP | |
| Specification Number | 1.DG007 MGGM – Multi Denom | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; | |
| Specification Number Type Technical Details | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; | |
| Specification Number Type | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; | |
| Specification Number Type Technical Details Software Details 1 | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica TITO Technical Standar | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; rd V4.20; | |
| Specification Number Type Technical Details Software Details 1 Game 10163117 Platform/Cabinet Details Gen7 Viridian Widescreen ticket printer and/or hopper op 'Lightning Ca\$h' Optional | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica TITO Technical Standar System Software 50002040 – Casino Top (with in-machin | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; rd V4.20; BIOS 2020 & 2021 e LCD; Stand-alone) (Configured with either | |
| Specification Number Type Technical Details Software Details 1 Game 10163117 Platform/Cabinet Details Gen7 Viridian Widescreen ticket printer and/or hopper op 'Lightning Ca\$h' Optional is Software Details 2 | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica TITO Technical Standar System Software 50002040 – Casino Top (with in-machination) Hopper: ATA P/N 150070_1 | hination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; rd V4.20; BIOS 2020 & 2021 e LCD; Stand-alone) (Configured with either | |
| Type Technical Details Software Details 1 Game 10163117 Platform/Cabinet Details Gen7 Viridian Widescreen ticket printer and/or hopper op 'Lightning Ca\$h' Optional | 1.DG007 MGGM – Multi Denom NS 10.3 + NSW Append NSW Jackpot Technica TITO Technical Standar System Software 50002040 – Casino Top (with in-machination) | nination - iSAP dix (dated 24/04/13); NSW CPTS 2.3; I Standards Rev 1.3; rd V4.20; BIOS 2020 & 2021 e LCD; Stand-alone) (Configured with either | |

| Р | latform/ | Cabinet | Details |
|---|----------|---------|---------|
| | | | |

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

'Lightning Ca\$h' Optional Hopper (Gen 8 Helix Upright only): ATA P/N 150070 14

Game 13

| Game Name | Moon Race – Lightning Ca\$h | | |
|-----------------------------|--|--|--|
| Specification Number | 1.DG008 | | |
| Туре | MGGM – Multi Denomination - iSAP | | |
| | NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; | | |
| Technical Details | NSW Jackpot Technical Standards Rev 1.3; | | |
| | TITO Technical Standard V4.20; | | |

Software Details 1

| Game | System Software | BIOS |
|----------|-----------------|-------------|
| 10163109 | 50002040 | 2020 & 2021 |

Platform/Cabinet Details

Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)

'Lightning Ca\$h' Optional Hopper: ATA P/N 150070 14

Software Details 2

| Game | System Software | BIOS |
|----------|-----------------|-------------|
| 10163109 | 50002040 | 6040 & 6110 |

Platform/Cabinet Details

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen 8 Helix Slant — Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

'Lightning Ca\$h' Optional Hopper (Gen 8 Helix Upright only): ATA P/N 150070 14

Specific Approval Conditions

Please refer to the conditions in the original approvals for the above mentioned games which are still valid.

Application Reference No. 01-A1574/S01

| System | BIOS | BIOS | | |
|--------------------------------|-------------------------------|---|--|--|
| Software Details 1 | | | | |
| | NSW Jackpot Technical Stand | NSW Jackpot Technical Standards Rev 1.3 | | |
| | NSW CPTS 2.4; TITO Technica | NSW CPTS 2.4; TITO Technical Standard V4.20 | | |
| Technical Standards | NS 10.3 + NSW Appendix (da | NS 10.3 + NSW Appendix (dated 24/04/13) | | |
| Category Type | System Software | System Software | | |
| Category | Supporting Function | Supporting Function | | |
| Manufacturer | Aristocrat Technologies Aust | Aristocrat Technologies Australia Pty Ltd | | |
| | BIOS) | | | |
| Device Name | Gen7 / Gen8 BASE Software | Gen7 / Gen8 BASE Software (System Software, Linux OS, | | |
| Updated Supporting Soft | ware & Regression Tested Game | | | |

| System | BIOS | BIOS |
|----------|---------------|------------------|
| 50202003 | 590176 1.00.0 | 590176_01 1.00.7 |

Platform/Cabinet Details

Gen7 Viridian — Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only)

Gen7 Upgrade XCite – Lowboy (Configured with either ticket printer and/or hopper option)

Gen7 Upgrade XTreme — Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Software Details 2

| System | BIOS | BIOS |
|----------|------|------|
| 50202003 | 2020 | 2021 |

Platform/Cabinet Details

Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)

Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option)

Software Details 3

| System | BIOS | BIOS |
|----------|------|------|
| 50202003 | 6040 | 6110 |

Platform/Cabinet Details

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy (S23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

Regression Tested Game

| Game Name | Moon Race – Lightning Ca\$h |
|----------------------|--|
| Specification Number | 1.DG008 |
| Туре | MGGM – Multi Denomination - iSAP |
| | NS 10.3 + NSW Appendix (dated 24/04/13); NSW CPTS 2.3; |
| Technical Details | NSW Jackpot Technical Standard Rev 1.3 |
| | TITO Technical Standard V4.20 |

| Component Ga | me Set Details | S | | | | |
|---------------------|----------------|-----------|-----------------------------|-------------------|----------|-----------|
| Game Number | | Game Name | | Base Credit Value | | |
| 1 | | Mod | Moon Race – Lightning Ca\$h | | 1c | |
| 2 | | Mod | on Race – Lightning | Ca\$h | 2c | |
| 3 | | Mod | on Race – Lightning | Ca\$h | | 5c |
| 4 | | Mod | on Race – Lightning | Ca\$h | 10c | |
| Multi-Game Cor | mbinations | | | | | |
| MGC | CRP% | | Game Number | V | ariation | SDB PRTP% |
| | | | 1 | | 99 | 90.30 |
| 99 | 90.87 | | 2 | | 99 | 90.68 |
| 33 | 30.67 | | 3 | | 99 | 91.07 |
| | | | 4 | | 99 | 91.45 |
| | | | 1 | | 1 | 90.46 |
| 1 | 91.04 | | 2 | | 1 | 90.84 |
| 1 | 91.04 | | 3 | | 1 | 91.23 |
| | | | 4 | | 1 | 91.61 |
| | | 1 | | 2 | 90.73 | |
| 2 | 2 91.31 | | 2 | | 2 | 91.11 |
| 2 | | | 3 | | 2 | 91.50 |
| | | | 4 | | 2 | 91.88 |
| | | | 1 | | 3 | 90.98 |
| 2 | 01.50 | | 2 | | 3 | 91.36 |
| 3 | 91.56 | | 3 | | 3 | 91.75 |
| | | | 4 | 3 | | 92.13 |
| | | | 1 | | 4 | 91.16 |
| 4 | 01 74 | | 2 | | 4 | 91.54 |
| | 91.74 | | 3 | | 4 | 91.93 |
| | | | 4 | 4 | | 92.31 |
| | | | 1 | 5 | | 91.50 |
| _ | 02.07 | | 2 | | 5 | 91.88 |
| 5 | 92.07 | | 3 | | 5 | 92.27 |
| | | | 4 | | 5 | 92.65 |

| Software Details 1 | | | | |
|--------------------|-----------------|-------------|--|--|
| Game | System Software | BIOS | | |
| 10163109 | 50202003 | 2020 & 2021 | | |

Platform/Cabinet Details

Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)

'Lightning Ca\$h' Optional Topper: ATA P/N 150070 14

Software Details 2

| Game | System Software | BIOS |
|----------|-----------------|-------------|
| 10163109 | 50202003 | 6040 & 6110 |

Platform/Cabinet Details

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (Configured for CCCE only – no coin, no hopper, no BNA & no printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy (S23), Low Boy with Super Screen Top Box (S23/32) (Configured with ticket printer only) or (Configured for CCCE only – no BNA & no printer)

'Lightning Ca\$h' Optional Topper: ATA P/N 150070 14

Specific Approval Conditions

The above regression tested MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference Number 01-A1543/S01