Gaming Machine Approval 2015 (No 28)

Notifiable instrument NI2015-473

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2015 (No 28).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

10 August 2015

New Standard	Linked Multi-	Game Gaming Machine Ga	me			
Game Name		Happy Lantern – Lightning I				
Manufacturer		Aristocrat Technologies Australia Pty Ltd				
Specification N		1.HDG02	Strana Fty Ltu			
LPJS Spec Num		1.YA002				
Gaming Machi		MGGM – SFS – Multi Denoi	mination — iSAB)		
Game Type			IIIIation – ISAF			
Technical Stan		Spinning Reels NS 10.3 + NSW Appendix (dated 24/04/13)				
Submission Sta		NSW CPTS 2.4; TITO TS V4.2		•		
Progressive Le		·	20, 11317 131	/EV 1.3		
_		transferred to 'Total Wins'	motor: Voc / St	tandard / 1 / Vos		
Linked / Type /			illeter. 165 / 3	tanuaru / 1 / 165		
Maximum Bet		\$10.00				
Base Credit Va		1c, 2c, 5c, 10c (selectable b	v plavor)			
Component Ga		•	y piayei j			
Game Nu		Game Name		Base Credit Value		
Game No.	umber					
2		Happy Lantern – Light		1c 2c		
			Happy Lantern – Lightning Link			
3 4			Happy Lantern – Lightning Link			
•		Happy Lantern – Ligh	tning Link	10c		
Multi-Game Co	I	Company or have	34-3-13-	CDD DDTD0/		
MGC	CRP%	Game Number	Variatio			
		1	6	89.43		
6	90.01	2	6	89.81		
		3	6	90.20		
		4	6	90.58		
		1	7	89.44		
7	90.02	2	7	89.82		
		3	7	90.21		
		4	7	90.59		
		1	8	89.45		
8	90.03	2	8	89.83		
		3	8	90.22		
		4	8	90.60		
Software Deta				BIOS		
	ame	-	System Software			
	62690	50202003		2020 or 2021		
Platform/Cabi						
		Casino Top (with in-machine L	CD; Stand-alone),	(Configured with either Ticket		
Printer and/or Ho						
C-C	·I - ^					
Software Deta				2100		
Ga	ils 2 ame 62690	System Software 50202003	•	BIOS 6040 or 6110		

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No. 01-A1529/S01

New Standard	Linked Multi-	Game Gaming Machine Gar	me				
Game Name		High Stakes – Lightning Link					
Manufacturer		Aristocrat Technologies Australia Pty Ltd					
Specification N		1.HDG03					
LPJS Spec Num		1.YA002					
•		MGGM – SFS – Multi Denoi	mination – iSAP				
Game Type		Spinning Reels					
Technical Stan	+	NS 10.3 + NSW Appendix (dated 24/04/13)					
Submission Sta		• • • • • • • • • • • • • • • • • • • •	NSW CPTS 2.4; TITO TS V4.20; NSW JP TS Rev 1.3				
Progressive Lev		,	20, 11311 131				
		transferred to 'Total Wins'	meter: Yes / St	andard / 1 / Yes			
Linked / Type	_		meter. res / s	diladia / 1 / 165			
Maximum Bet		\$10.00					
Base Credit Va		1c, 2c, 5c, 10c (selectable b	v nlaver)				
Component Ga		•	ypidyery				
Game Nu		Game Name	<u> </u>	Base Credit Value			
1	anibei	High Stakes – Lightn		1c			
2			_	1c 2c			
3		_	High Stakes – Lightning Link High Stakes – Lightning Link				
4		High Stakes – Lightn		5c 10c			
Multi-Game Co	mhinations	High Stakes – Lighth	iiig Liiik	100			
MGC	CRP%	Game Number	Variatio	n SDB PRTP%			
IVIGC	CRP%		6	89.43			
		1 2	6	89.81			
6	90.01		()	03.01			
	90.01	2					
	90.01	3	6	90.20			
0	90.01	4	6	90.20 90.58			
	90.01	4 1	6 6 7	90.20 90.58 89.44			
7	90.01	4 1 2	6 6 7 7	90.20 90.58 89.44 89.82			
		4 1 2 3	6 6 7 7 7	90.20 90.58 89.44 89.82 90.21			
		4 1 2 3 4	6 6 7 7 7 7	90.20 90.58 89.44 89.82 90.21 90.59			
		4 1 2 3 4 1	6 6 7 7 7 7 7 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45			
		4 1 2 3 4 1 2	6 6 7 7 7 7 7 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83			
7	90.02	4 1 2 3 4 1 2 3	6 6 7 7 7 7 7 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22			
7	90.02	4 1 2 3 4 1 2	6 6 7 7 7 7 7 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83			
7 8 Software Deta	90.02 90.03	4 1 2 3 4 1 2 3 4	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60			
7 8 Software Deta	90.02 90.03 ils 1	4 1 2 3 4 1 2 3 4 1 2 3 4 5 5ystem Software	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60			
7 8 Software Deta	90.02 90.03 ils 1 ame 52689	4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60			
7 8 Software Deta Ga 1016 Platform/Cabin	90.02 90.03 ils 1 ame 52689 net Details - 3	4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021			
7 8 Software Deta Ga 1016 Platform/Cabin Gen7 Viridian V	90.02 90.03 ils 1 ame 52689 net Details - 3 Videscreen -	4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021			
8 Software Deta Ga 1016 Platform/Cabin Gen7 Viridian N Printer and/or Ho	90.02 90.03 ils 1 ame 52689 net Details - 3 Videscreen – pper option)	4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 7 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021			
8 Software Deta Ga 1016 Platform/Cabin Gen7 Viridian N Printer and/or Ho Software Deta	90.02 90.03 ils 1 ame 52689 net Details - 3 Videscreen — pper option) ils 2	4 1 2 3 4 1 2 3 4 1 2 3 4 System Software 50202003 1 Casino Top (with in-machine L	6 6 7 7 7 7 8 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021 (Configured with either Ticket			
8 Software Deta Ga 1016 Platform/Cabin Gen7 Viridian N Printer and/or Ho Software Deta Ga	90.02 90.03 ils 1 ame 52689 net Details - 3 Videscreen – pper option)	4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 8 8 8 8 8	90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021			

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No. 01-A1530/S01

New Standard	Linked Multi-	-Game Gaming Machine Ga	me and Tonner	Artwork		
Game Name		Game Gaming Machine Game and Topper Artwork Magic Pearl – Lightning Link				
Manufacturer		Aristocrat Technologies Australia Pty Ltd				
Specification N	lumber	1.HDG00	strana r ty Eta			
LPJS Spec Num		1.YA002				
Gaming Machi			mination – iSΔP)		
Game Type	петурс	Spinning Reels	MGGM – SFS – Multi Denomination – iSAP			
Technical Stan	dards	NS 10.3 + NSW Appendix (dated 24/04/13)				
Submission Sta		NSW CPTS 2.4; TITO TS V4.		•		
Progressive Le		·	20, 143 77 31 131	100 1.5		
	• • •	transferred to 'Total Wins'	meter: Yes / St	tandard / 1 / Yes		
Linked / Type			meter. res / 5	tandara / 1 / 163		
Maximum Bet		\$10.00				
Base Credit Va		1c, 2c, 5c, 10c (selectable b	v nlaver)			
Component Ga	1	, , ,	, player,			
Game No		Game Name	<u> </u>	Base Credit Value		
1		Magic Pearl – Lightr		1c		
2				2c		
3			Magic Pearl – Lightning Link Magic Pearl – Lightning Link			
4			Magic Pearl – Lightning Link			
Multi-Game Co	mhinations	Widgie i Carr Lighti	IIIIg LIIIK	10c		
MGC	CRP%	Game Number	Variatio	n SDB PRTP%		
Wide	CITI 70	1	6	89.43		
		2	6	89.81		
6	90.01	3	6	90.20		
		4	6	90.58		
		1	7	89.44		
		2	7	89.82		
7	90.02	3	7	90.21		
		4	7	90.59		
		1	8	89.45		
		2	8	89.83		
8	90.03	3	8	90.22		
		4	8	90.60		
Software Deta	ils 1	7		50.00		
		System Software	e	BIOS		
Game 10162687		50202003				
101				2020 or 2021		
Platform/Cabi Gen7 Viridian V	net Details - : Widescreen –		LCD; Stand-alone),	(Configured with either Ticket		
Platform/Cabi Gen7 Viridian N Printer and/or Ho	net Details - : Nidescreen – pper option)	1	LCD; Stand-alone),	(Configured with either Ticket		
Platform/Cabi Gen7 Viridian V Printer and/or Ho Software Deta	net Details - : Widescreen – pper option) ils 2	1 - Casino Top (with in-machine I				
Platform/Cabi Gen7 Viridian N Printer and/or Ho Software Deta Ga	net Details - : Nidescreen – pper option)	1		(Configured with either Ticket BIOS 6040 or 6110		

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Device Name	Oval Topper Artwork (Lightning Link)
Category	Gaming Machine
Туре	Hardware Component
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Oval Topper Artwork Details	Aristocrat Part Number: A103448

Platform / Cabinet Details:

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone), (Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No.	01-A1523/S01
	017(1323)301

Now Standard	Linkad Multi	Gama Gaming Machine Ga	mo			
Game Name	LITIKEU WIGHT	i-Game Gaming Machine Game				
		Moon Race – Lightning Link				
Manufacturer		Aristocrat Technologies Australia Pty Ltd				
Specification N		1.HDG04				
LPJS Spec Num		1.YA002				
		MGGM – SFS – Multi Denomination – iSAP				
		Spinning Reels				
		NS 10.3 + NSW Appendix (dated 24/04/13)				
Submission Standards NSW CPTS 2.4; TITO TS V4.20; NSW JP TS Rev 1.3				Rev 1.3		
Progressive Le	vels Support	ed				
iSAP / Type / L	evels / Wins	transferred to 'Total Wins'	' meter: Yes / S	tandard / 1 / Yes		
Linked / Type	/ Levels: Yes	/ Standard / 1				
Maximum Bet	Value	\$10.00				
Base Credit Va	lue	1c, 2c, 5c, 10c (selectable b	y player)			
Component Ga	ame Set Deta	nils				
Game Nu	umber	Game Name	2	Base Credit Value		
1		Moon Race – Lightr	ning Link	1c		
2		Moon Race – Lightr	ning Link	2c		
3		Moon Race – Lightr	ning Link	5c		
4		Moon Race – Lightr	Moon Race – Lightning Link			
Multi-Game Co	ombinations					
MGC	CRP%	Game Number	Variatio	n SDB PRTP%		
		1	6	89.43		
6	90.01	2	6	89.81		
0	90.01	3	6	90.20		
		4	6	90.58		
		1	7	89.44		
7	90.02	2	7	89.82		
/	90.02	3	7	90.21		
		4	7	90.59		
		1	8	89.45		
0	00.03	2	8	89.83		
8	90.03	3	8	90.22		
		4	8	90.60		
Software Deta	ils 1		•	-		
Ga	ame	System Software	System Software			
101	63106	50202003		2020 or 2021		
Platform/Cabi	net Details -	1				
		- Casino Top (with in-machine	LCD; Stand-alone),	(Configured with either Ticket		
Printer and/or Ho						
Software Deta	ils 2		<u>, </u>			
Ga	ame	System Software	e	BIOS		
10163106		50202003	50202003 6040 or 6110			

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No. 01-A1549/S01

i iyew Standard	Linked Multi-	Game Gaming Machine Gam	ne			
Game Name		runter's Choice – Lightning Link				
Manufacturer		ristocrat Technologies Australia Pty Ltd				
Specification N		1.HDG05				
LPJS Spec Num		1.YA002				
-		MGGM – SFS – Multi Denom	nination – iSAP			
Game Type		pinning Reels				
Technical Stan		NS 10.3 + NSW Appendix (dated 24/04/13)				
Submission Standards NSW CPTS 2.4; TITO TS V4.20; NSW JP TS Rev 1.3						
Progressive Le		· · · · · · · · · · · · · · · · · · ·	,			
		transferred to 'Total Wins'	meter: Yes / St	andard / 1 / Yes		
Linked / Type /				, ,		
Maximum Bet		\$10.00				
Base Credit Va		1c, 2c, 5c, 10c (selectable by	player)			
Component Ga		•	. , ,			
Game Nu		Game Name		Base Credit Value		
1		Punter's Choice – Light	ning Link	1c		
2		Punter's Choice – Light		2c		
3		Punter's Choice – Light	_	5c		
4			Punter's Choice – Lightning Link			
Multi-Game Co	mbinations	<u> </u>				
MGC	CRP%	Game Number	Variatio	n SDB PRTP%		
		1	6	89.43		
6	00.04	2	6	89.81		
6	90.01	3	6	90.20		
		4	6	90.58		
		1	6 7	90.58 89.44		
7	00.03					
7	90.02	1	7	89.44		
7	90.02	1 2	7 7	89.44 89.82		
7	90.02	1 2 3	7 7 7	89.44 89.82 90.21		
		1 2 3 4	7 7 7 7	89.44 89.82 90.21 90.59		
7	90.02	1 2 3 4 1	7 7 7 7 8	89.44 89.82 90.21 90.59 89.45		
		1 2 3 4 1 2	7 7 7 7 8 8	89.44 89.82 90.21 90.59 89.45 89.83		
	90.03	1 2 3 4 1 2 3	7 7 7 7 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22		
8 Software Deta	90.03	1 2 3 4 1 2 3	7 7 7 7 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22		
8 Software Deta Ga	90.03	1 2 3 4 1 2 3 4	7 7 7 7 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60		
8 Software Deta Ga	90.03 ils 1 ame 53116	1 2 3 4 1 2 2 3 3 4 4 System Software 50202003	7 7 7 7 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60		
8 Software Deta Ga 1016 Platform/Cabin	90.03 ils 1 ame 53116 net Details - 2	1 2 3 4 1 2 2 3 3 4 4 System Software 50202003	7 7 7 7 8 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
8 Software Deta Ga 1016 Platform/Cabin	90.03 ils 1 ame 53116 net Details - 1 Videscreen —	1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 4 1 1 4 1 4 1 1 1 1 1 1 1 1 1 1	7 7 7 7 8 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
Software Deta Ga 1016 Platform/Cabin Gen7 Viridian V	90.03 ils 1 ame 53116 net Details - 2 Widescreen — pper option)	1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 4 1 1 4 1 4 1 1 1 1 1 1 1 1 1 1	7 7 7 7 8 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
Software Deta Ga 1016 Platform/Cabin Gen7 Viridian N Printer and/or Ho Software Deta	90.03 ils 1 ame 53116 net Details - 2 Widescreen — pper option)	1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 4 1 1 4 1 4 1 1 1 1 1 1 1 1 1 1	7 7 7 7 8 8 8 8	89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No.	01-A1553/S01
---------------------------	--------------

New Standard	Linked Multi-	Game Gaming Machine Ga	me			
Game Name		Sahara Gold – Lightning Lir				
Manufacturer		Aristocrat Technologies Au				
Specification N		1.HDG01	serana r ty zta			
LPJS Spec Num		1.YA002				
Gaming Machi		MGGM – SFS – Multi Deno	mination – iSAF)		
Game Type		Spinning Reels				
Technical Stan		NS 10.3 + NSW Appendix (dated 24/04/13)				
Submission Sta		NSW CPTS 2.4; TITO TS V4.		•		
Progressive Le		·				
		transferred to 'Total Wins	' meter: Yes / S	tandard / 1 / Yes		
Linked / Type						
Maximum Bet		\$10.00				
Base Credit Va		1c, 2c, 5c, 10c (selectable b	oy player)			
Component Ga		, , , ,	,, ,			
Game Nu		Game Name	e	Base Credit Value		
1		Sahara Gold – Light	ning Link	1c		
2		Sahara Gold – Light		2c		
3		Sahara Gold – Light		5c		
4			Sahara Gold – Lightning Link			
Multi-Game Co	ombinations	<u> </u>				
MGC	CRP%	Game Number	Variatio	on SDB PRTP%		
····cc		4		22.42		
		1	6	89.43		
	00.04	2	6	89.43 89.81		
6	90.01					
6	90.01	2	6	89.81		
6	90.01	2 3	6	89.81 90.20		
		2 3 4	6 6 6	89.81 90.20 90.58		
7	90.01	2 3 4 1	6 6 6 7	89.81 90.20 90.58 89.44		
		2 3 4 1 2	6 6 6 7 7	89.81 90.20 90.58 89.44 89.82		
		2 3 4 1 2 3	6 6 6 7 7 7	89.81 90.20 90.58 89.44 89.82 90.21		
7	90.02	2 3 4 1 2 3 4	6 6 6 7 7 7 7	89.81 90.20 90.58 89.44 89.82 90.21 90.59		
		2 3 4 1 2 3 4	6 6 6 7 7 7 7 7 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45		
7	90.02	2 3 4 1 2 3 4 1 2	6 6 6 7 7 7 7 7 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83		
7	90.02	2 3 4 1 2 3 4 1 2 3	6 6 6 7 7 7 7 7 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22		
7 8 Software Deta	90.02	2 3 4 1 2 3 4 1 2 3 4	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22		
7 8 Software Deta	90.02 90.03	2 3 4 1 2 3 4 1 2 3	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60		
7 8 Software Deta	90.02 90.03 ils 1 ame 62688	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60		
7 8 Software Deta Ga 1010 Platform/Cabi	90.02 90.03 ils 1 ame 62688 net Details - 1	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
7 8 Software Deta Ga 1010 Platform/Cabi	90.02 90.03 ils 1 ame 52688 net Details - 1 Videscreen —	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
7 8 Software Deta Ga 1010 Platform/Cabi Gen7 Viridian V	90.02 90.03 ils 1 ame 52688 net Details - 1 Widescreen — pper option)	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 6 7 7 7 7 7 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		
8 Software Deta Ga 1010 Platform/Cabi Gen7 Viridian N Printer and/or Ho Software Deta	90.02 90.03 ils 1 ame 52688 net Details - 1 Widescreen — pper option)	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 5 50202003	6 6 7 7 7 7 7 8 8 8 8 8	89.81 90.20 90.58 89.44 89.82 90.21 90.59 89.45 89.83 90.22 90.60 BIOS 2020 or 2021		

Platform/Cabinet Details - 2

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)

Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)

Specific Approval Conditions

- 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Lightning Link' jackpot settings.
- 2. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No. 01-A1525/S01