Gaming Machine Approval 2015 (No 35)

Notifiable instrument NI2015-523

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2015 (No 35).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

10 September 2015

Updated Ticket Printer Firmware						
Device Name	Epic 950 Ticket Printer Firmware					
Manufacturer	Aruze Gaming Australia Pty Ltd					
Category	Gaming Machine					
Туре	Hardware Component					
Technical Standards	NS 10.3 + NSW Appendix (dated 2	4/04/13)				
Submission Standards	NSW CPTS Rev 2.4; TITO TS V4.20					
Hardware Details	Hardware Details					
Peripheral Device	Description	Part Number				
Ticket Printer	Epic 950 Thermal Ticket Printer	EPIC950S4S18622				
Platform / Cabinet Details:						
G-ENEX-WD00 – Midway, Lowbo	y, G-Deluxe					
G-Comfort	G-Comfort					
G-Comfort II						
G-ENEX Stepper						
GENX-WD00 (G-ENEX II) – Midway, Lowboy, G-Deluxe, Stepper						
Application Reference No.	06-A0501/S01	·				

New Gaming Machine Game						
Game Name	Dragon's Fortune X					
Manufacturer	Aruze Gaming Australia	Pty Ltd				
Specification Number	6.F0099					
Gaming Machine Type	Conventional					
Game Type	Spinning Reels					
Technical Standards	NS Rev 10.3 + NSW App	pendix Rev 10.3				
Submission Standards	NSW CPTS Rev 2.3; TITO	O TS V4.20				
Maximum Bet Value	\$5.00					
Base Credit Value	1c, 2c					
Variation Details						
Var	BCV	Min - Max PRTP%				
1	1c, 2c	85.07				
2	1c, 2c	87.92				
3	1c, 2c	89.03				
4	1c, 2c	89.97				
5	1c, 2c	92.02				
6	1c, 2c	93.93				
7	1c, 2c	98.02				
Software Details						
Game	Base	BIOS				
DFXMG001	ZANGA003	0000AP75				
Platform/Cabinet Details						
G-ENEX-WD00 – Midway						
GENX-WD00 (G-ENEX II) - Midway						
Operational Conditions						
Variation 1 is only approved to operate on a link jackpot arrangement where the combined						
machine/link percentage return to player is at least 87%.						
Application Reference No.	06-A0504/S01					

New Gaming Machine Game							
Game N			Golden Club (4 iSAP Levels)				
Manufa				ning Australia P	•		
	cation Nun	nber	6.BF039		•		
	g Machine		iSAP				
Game 1	Гуре		Spinning F	Reels			
Technic	cal Standa	rds		.3 + NSW Appe			
Submis	sion Stand	lards		Rev 2.3; NSW	JP TS Rev 1.3;		
Progres	ssive Level	s Supported	iSAP	Туре	Levels	Wins Transferred to Total Wins meter	
			Yes	Standard	4	Yes	
	um Bet Va		\$6.00				
	edit Value	?	1c, 2c				
-	on Details	Comp BTD0/	6-11:	0	'CAD DEDO/	BA' - BA - DDTD0/	
Var	BCV	Game RTP%	Setting	Combination	iSAP RTP%	Min - Max PRTP%	
	1c 1c			SC1 SC2			
	1c, 2c			SC3			
	1c, 2c			SC4	7.300000	90.71 – 90.85	
1	1c, 2c	83.41 – 83.55		SC5			
	1c, 2c			SC6			
	1c, 2c			SC7			
	1c			SC8			
	1c			SC1			
	1c		SC2				
	1c, 2c			SC3			
2	1c, 2c	04.40 04.55		SC4	7 200000	04.70 04.05	
2	1c, 2c	84.40 – 84.55		SC5	7.300000	91.70 – 91.85	
	1c, 2c			SC6			
	1c, 2c			SC7			
	1c		SC8				
	1c			SC1			
	1c	-		SC2			
	1c, 2c			SC3			
3	1c, 2c	85.51 – 85.59		SC4	7.300000	92.81 – 92.89	
	10, 20			SC5	7.550000	32.01 32.03	
	1c, 2c			SC6			
	1c, 2c			SC7			
	1c			SC8			

This is Page 4 (of 11 pages) of the Schedule to the Gaming Machine Approval 2015 (No 35)

	1c		SC1			
	1c		SC2			
	1c, 2c		SC3			
	1c, 2c		SC4			
4	1c, 2c	88.53 – 88.59	SC5	7.300000	95.83 – 95.89	
	1c, 2c		SC6			
	1c, 2c		SC7			
	1c		SC8			
Softwa	re Details					
Game	Game		Base BIOS			
pGCMG	pGCMG001		ZANGA003	0000AP75	0000AP75	
Platform/Cabinet Details				•		
G-ENEX-WD00 – Midway						
GENX-V	GENX-WD00 (G-ENEX II) - Midway					
Applica	tion Refer	ence No.	06-A0505/S01			

New Gaming Machine Game						
Game N		anne Gante	Golden Diamond (4 iSAP Levels)			
Manufa			Aruze Gaming Australia Pty Ltd			
	ation Nun	nber	6.BF038			
	Machine		iSAP			
Game T			Spinning F	Reels		
Technic	al Standa	rds	NS Rev 10	.3 + NSW Appe	ndix Rev 10.3	
Submis	sion Stanc	lards	NSW CPTS	Rev 2.3; NSW	JP TS Rev 1.3;	TITO TS V4.20
Progres	sive Level	s Supported	iSAP	Туре	Levels	Wins Transferred to Total Wins meter
			Yes	Standard	4	Yes
	ım Bet Va		\$6.00			
	edit Value		1c, 2c			
-	n Details	0 DED0/	T 6		:c.s.p.p=po/	14: 14 DDTD0/
Var	BCV	Game RTP%	Setting	Combination	iSAP RTP%	Min - Max PRTP%
	1c 1c			SC1 SC2		
	1c, 2c			SC3		
	1c, 2c			SC4	7.300000	90.77 – 90.95
1	1c, 2c	83.47 – 83.65		SC5		
	1c, 2c			SC6		
	1c, 2c			SC7		
	1c			SC8		
	1c			SC1		
	1c			SC2		
	1c, 2c			SC3		
4	1c, 2c	04.40 04.50		SC4	7 200000	04.70 04.00
1	1c, 2c	84.48 – 84.58		SC5	7.300000	91.78 – 91.88
	1c, 2c			SC6		
	1c, 2c			SC7		
	1c			SC8		
	1c			SC1		
	1c			SC2		
	1c, 2c			SC3		
1	1c, 2c	85.27 – 85.38		SC4	7.300000	92.57 – 92.68
	1c, 2c	03.27 - 03.30		SC5	7.500000	32.37 - 32.00
	1c, 2c			SC6		
	1c, 2c			SC7		
	1c			SC8		

This is Page 6 (of 11 pages) of the Schedule to the Gaming Machine Approval 2015 (No 35)

	1c		SC1			
	1c		SC2			
	1c, 2c		SC3			
	1c, 2c		SC4		95.74 – 95.85	
1	1c, 2c	88.44 – 88.55	SC5	7.300000		
	1c, 2c		SC6			
	1c, 2c		SC7			
	1c		SC8			
Softwa	re Details					
Game	Game		Base	BIOS		
pGDMG	pGDMG001		ZANGA003	0000AP75		
Platform/Cabinet Details				•		
G-ENEX-WD00 – Midway						
GENX-V	GENX-WD00 (G-ENEX II) - Midway					
Applica	tion Refer	ence No.	06-A0506/S01	_		

Now Ca	New Gaming Machine Game						
		nine Game	Golden Heart (4 iSAP Levels)				
Device Manufa			Golden Heart (4 iSAP Levels) Aruze Gaming Australia Pty I		•		
	ation Nun	nhor	6.BF040	-	ia Pty Ltd		
	Machine		iSAP				
Game T		iype	Spinnin	g Reels			
	al Standa	rds		10.3 + NSW Ap	nendix Rev 10) 3	
	sion Stanc			-	•	.3; TITO TS V4.20	
Progres	sive Level	s Supported	iSAP	Туре	Levels	Wins Transferred to Total Wins meter	
			Yes	Standard	4	Yes	
Maxim	um Bet Va	lue	\$6.00				
Base Cr	edit Value	!	1c, 2c				
	n Details	Γ		ı		1	
Var	BCV	Game RTP%	Setting (Combination	iSAP RTP%	Min - Max PRTP%	
	1c			SC1			
	1c		SC2 SC3 SC4				
	1c, 2c						
1	1c, 2c	83.51 – 83.66			7.300000	90.81 – 90.96	
_	1c, 2c	65.51 - 65.00		SC5 SC6		56.62	
	1c, 2c						
	1c, 2c 1c			SC7			
	1c		SC8 SC1				
	1c						
	1c, 2c		SC2 SC3				
	1c, 2c			SC4			
2	1c, 2c	84.19 – 84.36		SC5	7.300000	91.49 – 91.66	
	1c, 2c			SC6			
	1c, 2c			SC7			
	1c		SC8				
	1c		SC1				
	1c		SC2				
	1c, 2c			SC3			
_	1c, 2c			SC4			
3	1c, 2c	85.26 – 85.42		SC5	7.300000	92.56 – 92.72	
	1c, 2c			SC6			
	1c, 2c			SC7			
	1c			SC8			

This is Page 8 (of 11 pages) of the Schedule to the Gaming Machine Approval 2015 (No 35)

	1c		SC1			
	1c		SC2			
	1c, 2c		SC3			
	1c, 2c		SC4			
4	1c, 2c	88.42 – 88.61	SC5	7.300000	95.72 – 95.91	
	1c, 2c		SC6	7		
	1c, 2c		SC7			
	1c		SC8			
Softwa	re Details					
Game	Game		Base	BIOS		
pGHMG	pGHMG001		ZANGA003	0000AP75		
Platform/Cabinet Details				•		
G-ENEX-WD00 – Midway						
GENX-V	GENX-WD00 (G-ENEX II) - Midway					
Applica	tion Refer	ence No.	06-A0507/S01			

New Gaming Machine Game						
Game N		mine Game	Golden Spade (4 iSAP Levels)			
	ation Nun	nber	6.BF041			
Manufa				ming Australia	Ptv Ltd	
	Machine	Туре	iSAP			
Game T		··	Spinning	Reels		
Technic	al Standa	rds		0.3 + NSW App	endix Rev 10.3	
Submis	sion Stanc	lards	NSW CPT	S 2.3; NSW JP	TS Rev 1.3; TIT	O TS V4.20
Progres	sive Level	s Supported	iSAP	Туре	Levels	Wins Transferred to Total Wins meter
			Yes	Standard	4	Yes
	ım Bet Va		\$6.00			
	edit Value	<u> </u>	1c, 2c			
	n Details				:04B ====:	
Var	BCV	Game RTP%	Setting	Combination	iSAP RTP%	Min - Max PRTP%
	1c 1c			SC1		
	1c, 2c		SC2 SC3 SC4			
	1c, 2c					
1	1c, 2c	83.35 – 83.45		SC5	7.300000	90.65 – 90.75
	1c, 2c			SC6		
	1c, 2c			SC7		
	1c			SC8		
	1c		SC1			
	1c		SC2			
	1c, 2c			SC3		
	1c, 2c	0.50 0.60		SC4		
2	1c, 2c	84.59 – 84.69		SC5	7.300000	91.89 – 91.98
	1c, 2c			SC6		
	1c, 2c			SC7		
	1c		SC8			
	1c		SC1			
	1c			SC2		
	1c, 2c			SC3		
2	1c, 2c	05 43 05 54		SC4	7 200000	02.72. 02.04
3	1c, 2c	85.42 – 85.51		SC5	7.300000	92.72– 92.81
	1c, 2c			SC6		
	1c, 2c			SC7		
	1 c			SC8		

				•		
	1c		SC1			
	1c		SC2			
	1c, 2c		SC3			
	1c, 2c		SC4		95.67 – 95.81	
3	1c, 2c	88.37 – 88.51	SC5	7.300000		
	1c, 2c		SC6			
	1c, 2c		SC7			
	1c		SC8			
Softwar	e Details					
Game	Game E		Base	BIOS		
pGSMG	pGSMG001 Z		ZANGA003	0000AP75	0000AP75	
Platforr	n/Cabinet	Details				
G-ENEX-WD00 – Midway						
GENX-V	GENX-WD00 (G-ENEX II) - Midway					
Applica	tion Refer	ence No.	06-A0508/S01			

New Gaming Machine Game							
Game Name	Tokyo Rose X	Tokyo Rose X					
Manufacturer	Aruze Gaming Australia	a Pty Ltd					
Specification Number	6.F0098						
Gaming Machine Type	Conventional						
Game Type	Spinning Reels						
Technical Standards	NS Rev 10.3 + NSW Ap	pendix Rev 10.3;					
Submission Standards	NSW CPTS Rev 2.3; TIT	O TS V4.20					
Maximum Bet Value	\$5.00						
Base Credit Value	1c, 2c						
Variation Details							
Var	BCV	Min - Max PRTP%					
1	1c, 2c	85.07					
2	1c, 2c	87.92					
3	1c, 2c	89.03					
4	1c, 2c	89.97					
5	1c, 2c	92.02					
6	1c, 2c	93.93					
7	1c, 2c	98.02					
Software Details							
Game	Base	BIOS					
TRXMG001	ZANGA003	0000AP75					
Platform/Cabinet Details	Platform/Cabinet Details						
G-ENEX-WD00 – Midway							
GENX-WD00 (G-ENEX II) - Midway							
Operational Conditions							
Variation 1 is only approved to operate on a link jackpot arrangement where the combined							
	machine/link percentage return to player is at least 87%.						
Application Reference No.	06-A0503/S01						