

## Regulations 1974 No. 32

### Regulation under the *Rural Workers Accommodation Ordinance* 1936-1966.\*

I, GORDON MUNRO BRYANT, the Minister of State for the Capital Territory, hereby make the following Regulation under the *Rural Workers Accommodation Ordinance* 1936-1966.

Dated this fourteenth day of November, 1974.

GORDON M. BRYANT  
Minister of State for the Capital Territory.

#### AMENDMENTS OF THE RURAL WORKERS ACCOMMODATION REGULATIONS†

The Rural Workers Accommodation Regulations are amended as set out in the Schedule. Schedule of amendments.

#### SCHEDULE

Provisions amended	Omit—	Substitute—
Sub-regulation 4 (2) ..	50 yards	45 metres
Sub-regulation 4 (3) ..	200 yards	180 metres
Sub-regulation 5 (4) ..	8 feet	2.40 metres
Paragraph 6 (2) (c) ..	6 feet 6 inches	1.98 metres
	2 feet 6 inches	760 millimetres
Sub-regulation 7 (1) ..	one thousand cubic feet	28 cubic metres
	24 square inches	150 square centimetres
Sub-regulation 7 (3) ..	three and one-half square feet	3,500 square centimetres
Sub-regulation 7 (4) ..	12 inches	300 millimetres
Paragraph 8 (a) ..	one-sixteenth part of an inch	2 millimetres
Sub-paragraph 8 (b) (iii) ..	3 feet 6 inches	1.10 metres
	one-sixteenth part of an inch	2 millimetres
Sub-regulation 9 (5) ..	one and a half pints	1 litre
Sub-regulation 10 (4) ..	12 inches	300 millimetres
Sub-regulation 10 (5) ..	30 feet	9 metres
Sub-regulation 10 (6) ..	9 inches	225 millimetres
Sub-regulation 11 (3) ..	50 feet	15 metres
Paragraph 11 (4) (a) ..	4 cubic feet	120 litres
Paragraph 11 (4) (b) ..	6 cubic feet	180 litres
Paragraph 11 (4) (c) ..	8 cubic feet	240 litres
Paragraph 11 (4) (d) ..	12 cubic feet	360 litres
Paragraph 11 (4) (e) ..	15 cubic feet	450 litres
Sub-regulation 11 (5) ..	4 cubic feet	120 litres
Paragraph 13 (3) (f) ..	36 inches in width	900 millimetres in width
	20 inches	500 millimetres
	36 inches from top to bottom	900 millimetres from top to bottom
Paragraph 13 (3) (g) ..	18 inches	450 millimetres
Paragraph 14 (2) (f) ..	36 inches	900 millimetres
	24 inches	600 millimetres
	5 feet	1.50 metres

\* Notified in the *Australian Government Gazette* on 3 December 1974.

† Regulations 1962, No. 7.

Provisions amended	Omit—	Substitute—
Paragraph 24 (2) (c)	12 gauge woven steel wire	woven steel wire 2.50 millimetres thick
Sub-regulation 24 (3)	6 feet 6 inches	1.98 metres
	2 feet 6 inches in width	750 millimetres in width
	1 foot 6 inches	450 millimetres
	2 feet 6 inches above	750 millimetres above
Paragraph 24 (5) (a)	6 feet 4 inches	1.90 metres
	2 feet 6 inches	750 millimetres
	4 inches	100 millimetres
Sub-paragraph 24 (5) (c) (i)	22 pounds weight of carbonized or garnetted wool	10 kilograms of carbonized or garnetted wool
Sub-paragraph 24 (5) (c) (ii)	22 pounds weight of garnetted cotton	10 kilograms of garnetted cotton
Sub-paragraph 24 (5) (c) (iii)	16 pounds weight	8 kilograms
Sub-paragraph 24 (5) (c) (iv)	24 pounds weight	12 kilograms
Sub-paragraph 24 (5) (c) (v)	22 pounds weight of a mixture	10 kilograms of a mixture
Sub-regulation 26 (2)	50 yards	45 metres
Sub-regulation 28 (2)	8 feet 6 inches	2.55 metres
	6 inches	150 millimetres
Paragraph 28 (3) (d)	2 feet	600 millimetres
Paragraph 28 (3) (f)	12 inches	300 millimetres
Sub-section 28 (4)	minimum floor space of 6 feet in length	minimum floor space 1.80 metres in length
	5 feet	1.50 metres
	3 feet	900 millimetres
	6 feet in length for each additional plunge bath	1.80 metres in length for each additional plunge bath
Paragraph 28 (5) (a)	3 gallons	14 litres
Paragraph 28 (5) (d)	7 feet	2.10 metres
Sub-regulation 28 (6)	3 feet by 5 feet	.90 metre by 1.50 metres
	6 feet by 5 feet	1.80 metres by 1.50 metres
Paragraph 29 (3) (c)	7 feet 6 inches	2.25 metres
	6 inches	150 millimetres
Regulation 30	5 feet	1.50 metres
Sub-paragraph 31 (1) (b) (i)	30 feet	9 metres
Paragraph 14 (2) (g)	12 inches	300 millimetres
Sub-regulation 15 (1)	40 feet	12 metres
Sub-paragraph 15 (2) (b) (i)	not less than 10 feet in width, not less than 10 feet from front to back	not less than 3 metres in width, not less than 3 metres from front to back
	9 feet	3 metres
Sub-paragraph 15 (2) (b) (ii)	not less than 7 feet in width, not less than 7 feet from front to back, and not less than 7 feet from floor to ceiling	not less than 2.10 metres in width, not less than 2.10 metres from front to back, and not less than 2.10 metres from floor to ceiling
Paragraph 15 (2) (c)	6 feet 6 inches	1.98 metres
	2 feet 6 inches	750 millimetres
Paragraph 15 (2) (e)	3 feet	1 metre
Paragraph 15 (2) (f)	12 inches	300 millimetres
	18 inches	450 millimetres
Paragraph 17 (3) (a)	4 feet	1.20 metres
Paragraph 17 (3) (b)	5 feet	1.50 metres
Paragraph 17 (3) (c)	6 feet	1.80 metres
Paragraph 18 (3) (a)	3 feet square	1 metre square
Sub-regulation 19 (3)	3 feet 6 inches	1.05 metres
	2 feet	600 millimetres
Sub-regulation 19 (4)	4 feet	1.20 metres
Sub-regulation 19 (5)	2 feet	600 millimetres
Sub-paragraph 20 (2) (c) (i)	10 inches	250 millimetres
Sub-paragraph 20 (2) (c) (ii)	12 inches	300 millimetres
Paragraph 22 (1) (b)	50 feet	15 metres
	30 feet	9 metres
Sub-paragraph 24 (2) (b) (iv)	12 gauge chain wire	chain wire 2.50 millimetres thick
	2 inches	50 millimetres
Sub-paragraph 24 (2) (b) (v)	woven steel wire of 12 gauge	woven steel wire 2.50 millimetres thick

Provisions amended	Omit—	Substitute—
Sub-paragraph 24 (2) (b) (vi)	12 gauge chain wire	chain wire 2.50 millimetres thick
	4 inches	100 millimetres
	2 inches	50 millimetres
Sub-paragraph 31 (1) (b) (iii)	50 feet	15 metres
Sub-regulation 31 (2)	30 feet	9 metres
Sub-paragraph 32 (2) (a) (i)	2 inches	50 millimetres
Sub-paragraph 32 (2) (a) (ii)	12 inches	300 millimetres
Paragraph 32 (2) (b)	half an ounce	15 grams
	1,000 gallons	4,540 litres
Paragraph 33 (2) (b)	2 gallons	9 litres
Paragraph 36 (3) (a)	60 yards	55 metres
Paragraph 36 (3) (b)	30 yards	28 metres
Sub-regulation 36 (4)	60 yards	55 metres
Paragraph 36 (5) (b)	7 feet	2.10 metres
Paragraph 36 (5) (c)	4 feet 6 inches	1.35 metres
	3 feet 6 inches	1.05 metres
Sub-regulation 36 (8)	12 inches	300 millimetres
	18 inches	450 millimetres
	5 feet 9 inches	1.725 metres
Paragraph 37 (1) (a)	30 yards	28 metres
Paragraph 37 (1) (b)	25 yards	23 metres
Sub-regulation 37 (3)	9 inches	225 millimetres
Sub-regulation 37 (4)	14 inches	350 millimetres
Paragraph 37 (4) (a)	12 inches	300 millimetres
Paragraph 37 (4) (b)	18 inches	450 millimetres
Sub-regulation 37 (8)	18 inches	450 millimetres
Paragraph 37 (8) (b)	1 cwt	50 kilograms
	1 foot	300 millimetres
Paragraph 38 (1) (a)	30 yards	28 metres
Paragraph 38 (1) (b)	25 yards	23 metres
Sub-regulation 38 (2)	24 gauge galvanized iron	galvanized iron 0.60 millimetre thick
	14 inches high	350 millimetres high
	14 inches in diameter	350 millimetres in diameter
Paragraph 40 (2) (a)	50 yards	45 metres
Paragraph 40 (2) (b)	5 feet	1.50 metres
	3 feet	0.90 metre
Paragraph 40 (2) (c)	6 inches	150 millimetres
Sub-regulation 40 (4)	30 feet	9 metres
Paragraph 40 (6) (a)	50 yards	45 metres
Sub-paragraph 40 (6) (b) (ii)	50 yards	45 metres
Sub-regulation 41 (2)	200 yards	180 metres
Paragraph 41 (2) (b)	3 feet	900 millimetres
Paragraph 42 (1) (c)	130 yards	118 metres