

# AUSTRALIAN CAPITAL TERRITORY

---

## Poisons and Narcotic Drugs (Amendment) Ordinance 1986

No. 32 of 1986

I, THE ADMINISTRATOR of the Government of the Commonwealth of Australia, acting with the advice of the Federal Executive Council, hereby make the following Ordinance under the *Seat of Government (Administration) Act 1910*.

Dated 24 July 1986.

J. A. ROWLAND  
Administrator

By His Excellency's Command,

G. SCHOLES  
Minister of State for Territories

---

An Ordinance to amend the *Poisons and Narcotic Drugs Ordinance 1978*

### Short title

1. This Ordinance may be cited as the *Poisons and Narcotic Drugs (Amendment) Ordinance 1986*.<sup>1</sup>

### Principal Ordinance

2. In this Ordinance, "Principal Ordinance" means the *Poisons and Narcotic Drugs Ordinance 1978*.<sup>2</sup>

### Schedules 1 to 8 (inclusive)

3. Schedules 1 to 8 (inclusive) to the Principal Ordinance are repealed and the Schedules set out in the Schedule to this Ordinance are substituted.

**Schedule 12****4.** Schedule 12 to the Principal Ordinance is amended—

- (a) by inserting—  
“Acetorphine”  
before—  
“4-Bromo-2,5-dimethoxyamphetamine”;
- (b) by inserting—  
“N-Ethyl-1-phencyclohexylamine  
Etorphine”  
after—  
“4,5-Ethylenedioxy-3-methoxyamphetamine”;
- (c) by inserting—  
“1-(1-Phencyclohexyl) pyrrolidine”  
after—  
“3,4-Methylenedioxyamphetamine”;
- (d) by inserting—  
“Harmaline  
Harmine”  
after—  
“4,5-Ethylenedioxy-3-methoxyamphetamine”; and
- (e) by inserting—  
“1-(1-(2-Thienyl) cyclohexyl) piperidine”  
after—  
“2,3,4,5-Tetramethoxyamphetamine”.

**Schedule 13****5.** Schedule 13 to the Principal Ordinance is amended—

- (a) by omitting—  
“Electrical components, including electric lamps  
Explosives”

and substituting—

“Electrical accumulators and batteries

Electrical components, including electric lamps

Electronic components

Explosives

Food”;

(b) by omitting—

“Matches”

and substituting—

“Lubricants, unless specified in any other Schedule

Matches

Motor fuels, other than those containing methyl alcohol, unless specified in any other Schedule”;

(c) by inserting—

“Printing inks and ink additives except when containing a pesticide

Single-use tubes for the estimation of alcohol content of breath”

after—

“Photographic paper and film”.

---

## **SCHEDULE**

Section 3

### SCHEDULES TO BE SUBSTITUTED FOR SCHEDULES 1 TO 8 (INCLUSIVE) TO PRINCIPAL ORDINANCE

---

## **SCHEDULE 1**

Section 3

Aconite (root of *Aconitum napellus*)

Antimony, compounds of, except:

(a) antimony chloride in polishes; or

(b) when included in Schedule 4.

Atropine except when included in Schedule 2 or 4.

Belladonna Herb except when included in Schedule 2.

Bromine (excluding its salts and derivatives).

Brucine except when used in concentrations of 0.02 per cent or less for the denaturation of alcohol.

Comfrey (*Symphytum*) being any part of the dried plant, its extracts and preparations, for human internal use.

Coniine

Cotarnine

Croton Oil

Cyanides—see Hydrocyanic Acid.

Homatropine except when included in Schedule 2.

Hydrocyanic Acid and Cyanides in preparations for therapeutic use except when included in Schedule 2.

Hyoscine except when included in Schedule 2 or 4.

Hyoscyamine except when included in Schedule 2.

Hyoscyamus except when included in Schedule 2.

Lobelia except:

- (a) in preparations for smoking or burning; or
- (b) when included in Schedule 2.

Mercuric Chloride except when included in Schedule 2 or 7.

Mercuric Iodide except when included in Schedule 2 or 6.

Mercuric Nitrate except when included in Schedule 2.

Mercuric-potassium Iodide except when included in Schedule 2.

Mercuric Thiocyanate except when included in Schedule 6.

Mercury, organic compounds of, except:

- (a) when included in Schedule 2, 4 or 6;
- (b) ethoxyethyl mercury chloride and ethyl mercury chloride in Schedule 7; or

- (c) in preparations containing 0.01 per cent or less of mercury as a preservative.

Nux Vomica

Phosphorus Yellow (excluding its salts and derivatives) except when included in Schedule 6.

Savin, oil of.

Stramonium except:

- (a) in preparations for smoking or burning; or
- (b) when included in Schedule 2.

Tansy, oil of.

Veratrum, except for therapeutic use.

---

## **SCHEDULE 2**

Section 3

Acetic Acid (excluding its salts and its derivatives) for therapeutic use in preparations containing more than 80 per cent of acetic acid.

Acetyldihydrocodeine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of acetyldihydrocodeine.

Aloxiprin

Ammoniated Mercury

Antazoline in eye drops.

Aspirin and its preparations and derivatives except:

- (a) tablets or capsules each containing 325 milligrams or less of aspirin as the only therapeutically active constituent when:
  - (i) the pack is labelled with the warning statement:

**WARNING—THIS MEDICATION MAY BE DANGEROUS  
WHEN USED IN LARGE AMOUNTS OR FOR A LONG  
PERIOD: or**

**CAUTION—THIS PREPARATION IS FOR THE RELIEF  
OF MINOR AND TEMPORARY AILMENTS AND  
SHOULD BE USED STRICTLY AS DIRECTED.**

PROLONGED USE WITHOUT MEDICAL SUPERVISION  
COULD BE HARMFUL; and

- (ii) packed in blister or strip packaging or in containers with a child-resistant closure; and
  - (iii) in a primary pack containing not more than 25 such tablets or capsules; or
- (b) in individually wrapped powders or sachets of granules each containing 650 milligrams or less of aspirin as the only therapeutically active constituent when:
- (i) the pack is labelled with the warning statement:

WARNING—THIS MEDICATION MAY BE DANGEROUS  
WHEN USED IN LARGE AMOUNTS OR FOR A LONG  
PERIOD: or

CAUTION—THIS PREPARATION IS FOR THE RELIEF  
OF MINOR AND TEMPORARY AILMENTS AND  
SHOULD BE USED STRICTLY AS DIRECTED.  
PROLONGED USE WITHOUT MEDICAL SUPERVISION  
COULD BE HARMFUL; and

- (ii) in a primary pack containing not more than 12 such powders or sachets of granules; or
- (c) when included in Schedule 4.

Atropine, except when included in Schedule 4:

- (a) in preparations containing 0.25 per cent or less of atropine;
- (b) atropine sulphate, 0.6 mg tablets in packs of six, when labeled for treatment of organophosphorus poisoning.

Belladonna Herb in preparations containing 0.25 per cent or less of the alkaloids of belladonna, calculated as hyoscyamine.

Benzamine when included in:

- (a) lozenges, pastilles, tablets and capsules containing 30 mg or less of benzamine in each;
- (b) suppositories or bougies containing 200 mg or less of benzamine in each;

- (c) preparation for external use, other than eye drops, containing 10 per cent or less of benzamine.

Benzocaine when included in:

- (a) lozenges, pastilles, tablets and capsules containing 30 mg or less of benzocaine in each;
- (b) suppositories or bougies containing 200 mg or less of benzocaine in each;
- (c) preparations for external use, other than eye drops, containing 10 per cent or less of benzocaine.

Benzoyl Peroxide in preparations for external human therapeutic use containing 5 per cent or less of benzoyl peroxide.

Bromhexine

Brompheniramine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Buclizine in primary packs of 10 doses or less, for the prevention or treatment of motion sickness.

Bufexamac in preparations containing 5 per cent or less of bufexamac for external human therapeutic use, and in suppositories.

Butylaminobenzoate when included in:

- (a) lozenges, pastilles, tablets, and capsules containing 30 mg or less of butylaminobenzoate in each;
- (b) suppositories or bougies containing 200 mg or less of butylaminobenzoate in each;
- (c) preparations for external use, other than eye drops, containing 10 per cent or less of butylaminobenzoate.

Carbaryl in preparations for external human therapeutic use containing 2 per cent or less of carbaryl.

Carbenoxolone for topical oral use.

Carbetapentane except in preparations containing 0.5 per cent or less of carbetapentane.

Chloroform (excluding its derivatives) for therapeutic use except:

- (a) in preparations containing 10 per cent or less of chloroform where the chloroform content is declared on the label; or
- (b) when included in Schedule 4.

Chlorpheniramine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Cinnamedrine

Clioquinol and other halogenated derivatives of 8-Hydroxyquinoline for external human use.

Codeine:

- (a) when compounded with aspirin, paracetamol or salicylamide or any one of their derivatives, in tablets or capsules each containing 10 mg or less of codeine, and no other analgesic substance, when:
  - (i) packed in blister or strip packaging or in containers with child-resistant closures; and
  - (ii) in a primary pack containing 25 or less dosage units; or
- (b) when compounded with one or more other therapeutically active substances:
  - (i) in divided preparations containing 10mg or less of codeine per dosage unit; or
  - (ii) in undivided preparations containing 0.25 per cent or less of codeine.

Creosote, for therapeutic use, except in preparations containing 3 per cent or less of phenols included in Schedule 2.

Cyanides—see Hydrocyanic Acid.

Dexchlorpheniramine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Dextromethorphan in preparations containing 1 per cent or less of dextromethorphan when compounded with one or more other medicaments in such a way that the dextromethorphan contained therein cannot readily be extracted.

Dextrorphan in preparations containing 1 per cent or less of dextrorphan.

Dicophane (DDT) in preparations for human therapeutic use.

Dicyclomine in preparations containing 0.1 per cent or less of dicyclomine.

Dihydrocodeine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of dihydrocodeine.

Dimenhydrinate in primary packs of 10 doses or less, for the prevention or treatment of motion sickness.

Dimethisoquin in preparations for topical use.

Diphepanil Methylsulphate in preparations for topical use.

Diphenhydramine:

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) when compounded with one or more of the following medicaments:
  - (i) an antitussive except codeine or dihydrocodeine;
  - (ii) an expectorant; or
  - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Diphenylpyraline when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Doxylamine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Ephedrine except:

- (a) when included in Schedule 3;
- (b) when compounded with one or more other medicaments in liquid preparations containing 10mg or less of ephedrine per recommended dose; or
- (c) in preparations for topical use containing 1 per cent or less of ephedrine.

Erythryl Tetranitrate for therapeutic use.

Etafedrine

Ether for therapeutic use except:

- (a) in preparations containing 10 per cent or less of ether; or
- (b) when included in Schedule 4.

Ethoheptazine in preparations containing 1 per cent or less of ethoheptazine.

Ethylmorphine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of ethylmorphine.

Fluorides

- (a) in sodium fluoride in preparations for human ingestion containing 2.2 mg or less of sodium fluoride per dosage unit;
- (b) in other metallic fluoride substances, including ammonium fluoride when intended for therapeutic purposes, except:

- (i) in dentifrices containing 1000 mg/kg or less of fluoride ion; or
- (ii) in substances containing 15 mg/kg or less of fluoride ion.

Gelsemium

Glutaraldehyde for human therapeutic use.

Glyceryl Trinitrate for therapeutic use except when included in Schedule 4.

Guaiphenesin

- (a) in liquid preparations containing 2 per cent (200 mg/10 ml) or less of guaiphenesin; or
- (b) in divided preparations containing 120 mg or less of guaiphenesin in each dosage unit.

Hexachlorophane in preparations for human skin cleansing purposes containing 3 per cent or less of hexachlorophane except in preparations for use on infants as specified in Schedule 4.

Homatropine in preparations containing 0.25 per cent or less of homatropine.

Human Chorionic Gonadotrophin or antibody in pregnancy test kits.

Hydrocyanic Acid and Cyanides in preparations for therapeutic use containing the equivalent of 0.15 per cent or less of hydrocyanic acid.

8-Hydroxyquinoline and its non-halogenated derivatives, for human therapeutic use, except in preparations for external use containing 1 per cent or less of such substances.

Hyoscine, except when included in Schedule 4, in preparations containing 0.25 per cent or less of hyoscine.

Hyoscyamine in preparations containing 0.25 per cent or less of hyoscyamine.

Hyoscyamus in preparations containing 0.25 per cent or less of the alkaloids of hyoscyamus calculated as hyoscyamine.

Iodine (excluding its salts, derivatives and iodophors), in preparations for human therapeutic use containing more than 2.5 per cent of available iodine.

Iron Compounds for human internal use except:

- (a) when included in Schedule 4;

- (b) in divided preparations containing 5 mg or less of iron per unit dose;  
or
- (c) in liquid oral preparations containing 0.1 per cent or less of iron.

Isopropamide in preparations containing 2 per cent or less of isopropamide for cutaneous use.

Isosorbide Dinitrate for therapeutic use.

Lignocaine when included in:

- (a) lozenges, pastilles, tablets and capsules containing 30 mg or less of lignocaine in each;
- (b) suppositories or bougies containing 200 mg or less of lignocaine in each;
- (c) preparations for external use, other than eye drops, containing 10 per cent or less of lignocaine.

Lindane in preparations for external human therapeutic use containing 2 per cent or less of lindane.

Lobelia in preparations containing 0.5 per cent or less of the alkaloids of lobelia, except preparations for smoking or burning.

Maldison in preparations for external human therapeutic use containing 2 per cent or less of maldison.

Mebendazole for human therapeutic use.

Mercuric Chloride in preparations containing 0.5 per cent or less of mercuric chloride, except when included in Schedule 7.

Mercuric Iodide in preparations for therapeutic use containing 2 per cent or less of mercuric iodide.

Mercuric Nitrate in preparations containing the equivalent of 3 per cent or less of mercury (Hg), in such form.

Mercuric Oxide and all oxides of mercury.

Mercuric-potassium Iodide in preparations containing the equivalent of 2 per cent or less of mercuric iodide, in such form.

Mercury (Metallic) for therapeutic use.

Mercury, organic compounds of, for topical therapeutic use in preparations containing 0.5 per cent or less of mercury.

Methoxamine except:

- (a) preparations containing 0.5 per cent or less of methoxamine;
- (b) preparations for external use containing 1 per cent or less of methoxamine.

Methoxyphenamine

Methylephedrine

Naphazoline

Niclosamide for human therapeutic use.

Nicocodine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of nicocodine.

Nicodicodine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of nicodicodine.

Nitric Esters of polyhydric alcohols for therapeutic use.

Norcodeine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of norcodeine.

Noscapine

Oxethazaine in preparations for internal use only.

Oxolamine

Oxymetazoline

Papaverine

Paracetamol and its preparations and derivatives except:

- (a) tablets or capsules each containing 500 milligrams or less of paracetamol as the only therapeutically active constituent when:
  - (i) the pack is labelled with the warning statement:

**WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD: or**

**CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED.**

PROLONGED USE WITHOUT MEDICAL SUPERVISION  
COULD BE HARMFUL; and

- (ii) packed in blister or strip packaging or in containers with a child-resistant closure; and
  - (iii) in a primary pack containing not more than 25 such tablets or capsules; or
- (b) in individually wrapped powders or sachets of granules each containing 1000 milligrams or less of paracetamol as the only therapeutically active constituent when:
- (i) the pack is labelled with the warning statement:  
  
WARNING—THIS MEDICATION MAY BE DANGEROUS  
WHEN USED IN LARGE AMOUNTS OR FOR A LONG  
PERIOD; or  
  
CAUTION—THIS PREPARATION IS FOR THE RELIEF  
OF MINOR AND TEMPORARY AILMENTS AND  
SHOULD BE USED STRICTLY AS DIRECTED.  
PROLONGED USE WITHOUT MEDICAL SUPERVISION  
COULD BE HARMFUL; and
  - (ii) in a primary pack containing not more than 12 such powders or sachets of granules; or
- (c) when included in Schedule 4.

Phedrazine

Phenamazoline

Phenazone for external use.

Pheniramine

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) when compounded with one or more of the following medicaments:
  - (i) an antitussive except codeine or dihydrocodeine;
  - (ii) an expectorant; or
  - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Phenol and any homologue of phenol boiling below 220° C, for therapeutic use, except in preparations containing 3 per cent or less by weight of such substances.

Phenylenediamines and alkylated phenylenediamines for therapeutic use.

Phenylephrine except:

- (a) preparations containing 0.5 per cent or less of phenylephrine; or
- (b) preparations for external use containing 1 per cent or less of phenylephrine.

Pholcodine when compounded with one or more other medicaments, in preparations containing 1 per cent or less of pholcodine.

Podophyllum Resin (Podophyllin) for external human use in preparations containing 10 per cent or less of podophyllin.

Potassium Chlorate for therapeutic use except in preparations containing 10 per cent or less of potassium chlorate.

Pramoxine when included in preparations for external use, other than eye drops, containing 1 per cent or less of pramoxine.

Procyclidine in preparations containing 5 per cent or less of procyclidine for cutaneous use.

Promethazine

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) when compounded with one or more of the following medicaments:
  - (i) an antitussive except codeine or dihydrocodeine;
  - (ii) an expectorant; or
  - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Propantheline in preparations for topical use.

Propoxur in preparations for external human therapeutic use containing 0.2 per cent or less of propoxur.

Propylhexedrine in appliances for inhalation in which the substance is absorbed upon an inert solid material.

Propyphenazone

Pseudoephedrine

- (a) in divided preparations containing 60 mg or less of pseudoephedrine per dosage unit; or
- (b) in liquid preparations containing 60 mg or less per recommended adult dose.

Pyrantel for human therapeutic use.

Pyrithione Zinc for human therapeutic use, except in preparations containing 2 per cent or less of pyrithione zinc, when:

- (a) in semisolid hair preparations; or
- (b) in shampoos labeled with either of the statements “keep out of eyes” or “if in eyes, rinse well with water”.

Salicylamide and its preparations and derivatives except:

- (a) tablets or capsules each containing 500 milligrams or less of salicylamide as the only therapeutically active constituent when:
  - (i) the pack is labelled with the warning statement:

WARNING—THIS MEDICATION MAY BE DANGEROUS  
WHEN USED IN LARGE AMOUNTS OR FOR A LONG  
PERIOD; or

CAUTION—THIS PREPARATION IS FOR THE RELIEF  
OF MINOR AND TEMPORARY AILMENTS AND  
SHOULD BE USED STRICTLY AS DIRECTED.  
PROLONGED USE WITHOUT MEDICAL SUPERVISION  
COULD BE HARMFUL; and
  - (ii) packed in blister or strip packaging or in containers with a child-resistant closure; and
  - (iii) in a primary pack containing not more than 25 such tablets or capsules; or
- (b) in individually wrapped powders or sachets of granules each containing 1,000 milligrams or less of salicylamide as the only therapeutically active constituent when:

- (i) the pack is labelled with the warning statement:

WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD; or

CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL; and

- (ii) in a primary pack containing not more than 12 such powders or sachets of granules; or

- (c) when included in Schedule 4.

Silver Nitrate for therapeutic use

Sodium Nitrate for therapeutic use.

Staphisagria except in preparations containing 0.2 per cent or less of staphisagria.

Stramonium in preparations containing 0.25 per cent or less of the alkaloids calculated as hyoscyamine, except preparations for smoking or burning.

Tetrahydrozoline

Thenyldiamine

- (a) in nasal preparations for topical use; or
- (b) when compounded with one or more of the following medicaments;
- (i) an antitussive except codeine or dihydrocodeine;
  - (ii) an expectorant; or
  - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Tramazoline

Trimerpazine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;

- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Trimizoline

Triprolidine when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

Tymazoline

Xylometazoline

---

### SCHEDULE 3

Section 3

Acepihylline in liquid oral preparations.

Adrenaline in preparations containing 1 per cent or less of adrenaline except in preparations containing 0.02 per cent or less of adrenaline.

Aminophylline in liquid oral preparations.

Amyl Nitrite

Benzoyl Peroxide in preparations containing 10 per cent or less of benzoyl peroxide for external human therapeutic use, except when included in Schedule 2.

Brompheniramine in oral preparations except when included in Schedule 2.

Buclizine in oral preparations except when included in Schedule 2.

Butyl Nitrite

Chloral Hydrate for human internal therapeutic use in preparations containing 5 per cent or less of chloral hydrate, when packed in containers of 100ml or less.

Chlorofluorocarbons—see Fluorocarbons

- Chlorpheniramine in oral preparations except when included in Schedule 2.
- Clemastine in oral preparations.
- Clotrimazole, for human use in preparations containing 1 per cent or less of clotrimazole, for treatment of fungal infections of the skin.
- Codeine in capsules or tablets each containing 10mg or less of codeine when compounded with aspirin, paracetamol or salicylamide or any one of their derivatives and no other analgesic substance, except when included in Schedule 2.
- Cyproheptadine in oral preparations.
- Dexchlorpheniramine in oral preparations except when included in Schedule 2.
- Dimenhydrinate in oral preparations except when included in Schedule 2.
- Dimethindene in oral preparations.
- Diphenhydramine in oral preparations except when included in Schedule 2.
- Diphenylpyraline in oral preparations except when included in Schedule 2.
- Dithranol for human therapeutic use.
- Doxylamine in oral preparations except when included in Schedule 2.
- Econazole, for human use in preparations containing 1 per cent or less of econazole, for treatment of fungal infections of the skin.
- Ephedrine:
- (a) when combined with no other therapeutically active ingredient;
  - (b) in combination with caffeine; or
  - (c) when compounded with one or more other therapeutically active ingredients in preparations containing more than 30 mg of ephedrine per recommended adult dose.
- Fenoterol in metered aerosols delivering 200 micrograms or less of fenoterol per metered dose.
- Flavoxate
- Fluorocarbons and Chlorofluorocarbons alone or in combination with other propellants or refrigerants in liquefied gas form for therapeutic use.
- Folic Acid for human therapeutic use except in preparations containing 500 micrograms or less of folic acid per recommended daily dose.

Folinic Acid for human therapeutic use except in preparations containing 500 micrograms or less of folinic acid per recommended daily dose.

Hydrocortisone and Hydrocortisone Acetate as the only therapeutically active substances in preparations for dermal use containing 0.5 per cent or less of hydrocortisone in packs containing 30 grams or less where the labelling warns against contact with the eyes of use for acne and against use on children below 2 years of age, use beyond 7 days, and use under occlusive dressings, except on medical advice.

Idoxuridine in preparations containing 0.5 per cent or less of idoxuridine for cutaneous use.

Insulin and preparations containing the specific hypoglycaemic principle of the pancreas.

Isoconazole, for human use in preparations containing 1 per cent or less of isoconazole, for treatment of fungal infections of the skin.

Mefenamic Acid in packs of 30 capsules or less when labelled for treatment of spasmodic dysmenorrhea.

Mepyramine in oral preparations.

Methdilazine in oral preparations.

Miconazole, for human use in preparations containing 2 per cent or less of miconazole, for treatment of fungal infections of the skin.

Naproxen, in packs of 12 individual dosage units, tablets or capsules, for treatment of spasmodic dysmenorrhea.

Nitrofurazone, in preparations for cutaneous use containing 0.2 per cent or less of nitrofurazone.

Octyl Nitrite

Pheniramine in oral preparations except when included in Schedule 2.

Phenylpropanolamine in preparations for relief of coughs or colds, containing 25 mg or less per dose of phenylpropanolamine.

Phenyltoloxamine in oral preparations.

Podophyllum Resin (Podophyllin) for external human use in preparations containing 20 per cent or less of podophyllin except when included in Schedule 2.

Promethazine in oral preparations except when included in Schedule 2.

Pseudoephedrine except when included in Schedule 2.

Quinine for human internal therapeutic use.

Salbutamol

- (a) in metered aerosols delivering 100 micrograms or less of salbutamol per metered dose; or
- (b) in dry powders for inhalation capsules delivering 200 micrograms or less of salbutamol per dose.

Santonin

Sodium Cromoglycate in nasal preparations, topically applied.

Terbutaline in metered aerosols delivering 250 micrograms or less of terbutaline per metered dose.

Thenyldiamine in oral preparations except when included in Schedule 2.

Theophylline in liquid oral preparations.

Tretinoin for external human therapeutic use.

Trimeprazine

- (a) in oral solid preparations; or
- (b) in oral liquid preparations containing 10mg or less of trimeprazine per 5ml;

except when included in Schedule 2.

Tripolidine in oral preparations except when included in Schedule 2.

---

#### **SCHEDULE 4**

Section 3

Acepifylline except when included in Schedule 3.

Acetanilide and alkyl acetanilides, for human therapeutic use.

Acetazolamide

Acetohexamide

Acetylcholine and other choline esters.

Acetylcysteine

Acetyldihydrocodeine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of acetyldihydrocodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of acetyldihydrocodeine;

except when included in Schedule 2.

Acetylmethyldimethyloximidophenylhydrazine

Acyclovir

Adiphenine

Adrenaline except:

- (a) when included in Schedule 3; or
- (b) in preparations containing 0.02 per cent or less of adrenaline.

Alcuronium

Allopurinol

Alphadolone

Alpha-receptor blocking agents not elsewhere specified in this Schedule.

Alphaxalone

Alprazolam

Alprenolol

Amantadine

Ambenonium

Ambucetamide

Ambutonium

Amethocaine

Amikacin

Amiloride

Aminocaproic Acid

Aminoglutethimide

Aminometradine

Aminophenazone and derivatives therefrom for the treatment of animals.

Aminophylline except when included in Schedule 3.

p-Aminosalicylic Acid

Aminopterin

Aminorex

Amiodarone

Amiphenazole

Amisometradine

Amitriptyline and other compounds not elsewhere specified in these Schedules structurally derived therefrom by substitution in the side chain.

Amodiaquine

Amoxicillin

Amphomycin

Amphotericin

Ampicillin

Amsacrine

Amylobarbitone when packed and labelled for injection.

Amylocaine

Anabolic steroidal agents.

Angiotensin Amide

Antazoline except when included in Schedule 2.

Antibiotics not elsewhere specified in these Schedules except—

- (a) Avoparcin when intended for use as an animal feed additive;
- (b) Nisin.

Antifolic Acid Substances not elsewhere specified in these Schedules.

Antihistamines except:

- (a) when included in Schedule 2 or 3; or
- (b) when separately specified in this Schedule.

Antimalarial Substances not elsewhere specified in these Schedules.

Antimony, organic compounds of, for therapeutic use.

Antitubercular Substances not elsewhere specified in these Schedules.

Apomorphine

Aprotinin

Arsenic—see Thiacetarsamide.

Aspirin when combined with caffeine, paracetamol or salicylamide or any derivative of these substances.

Atenolol

Atropine Methonitrate

Auranofin

Azaperone

Azapetine

Azatadine

Azlocillin

Bacitracin except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic principles;
- (c) in milk replacers for calves and starter rations for pigs containing 100 mg/kg or less of antibiotic principles.

Baclofen

Bamipine

Barbituric Acid and its derivatives except when included in Schedule 8 or where separately specified.

Beclamide

Bemegride

Benactyzine and other substances structurally derived from diphenylmethane with ataractic properties when used for therapeutic purposes.

Benorylate

Benserazide

Benzamine except when included in Schedule 2.

Benzhexol

Benzilonium

Benzocaine except when included in Schedule 2.

Benzoylmetronidazole

Benzoyl Peroxide in preparations for external human therapeutic use, except when included in Schedule 2 or 3.

Benzphetamine and other substances structurally derived from beta-aminopropylbenzene or beta-aminoisopropylbenzene by substitution in the side chain or by ring closure therein (or by both substitution and closure) except:

- (a) where separately specified in this or any other schedule;
- (b) ephedrine and pseudoephedrine in preparations exempted from Schedule 2.

Benztropine

Benzydamine

Benzylpenicillin (including procaine penicillin) except when included in Schedule 6.

Betahistine

Beta-receptor Blocking Agents not elsewhere specified in this Schedule.

Bethanidine

Biperiden

Bismuth compounds of, for human therapeutic or cosmetic use, except:

- (a) bismuth citrate when incorporated in hair colourant preparations in concentrations of 0.5 per cent w/w or less;
- (b) bismuth oxychloride in cosmetics;
- (c) bismuth formic iodide or bismuth subiodide in dusting powders containing 3 per cent or less of bismuth.

Bleomycin

Boron compounds for human therapeutic or cosmetic use except:

- (a) in dusting powders or cosmetics containing 1 per cent or less of boron;
- (b) in unit dose preparations for periodontal disease containing 100 mg or less of boron.

Bretylium

Bromides, inorganic, for therapeutic use.

Bromocriptine

Bromoform for therapeutic use.

Brompheniramine except when included in Schedule 2 or 3.

Bromvaletone

Buclicine except when included in Schedule 2 or 3.

Bufexamac except when included in Schedule 2.

Bumetanide

Bupivacaine

Buprenorphine

Busulphan

Butacaine

Butylaminobenzoate except when included in Schedule 2.

Butylchloral Hydrate

Calcitonin

Calcitriol

Calcium Carbimide for therapeutic use.

Camphorated Oil excluding admixtures.

Camphotamide

Candicidin

Cantharidin

Capreomycin

Captodiame  
Captopril  
Capuride  
Caramiphen  
Carbachol  
Carbamazepine  
Carbaryl for human therapeutic use except when included in Schedule 2.  
Carbazochrome  
Carbenicillin  
Carbenoxolone except when included in Schedule 2.  
Carbidopa  
Carbimazole  
Carbocromen  
Carbromal  
Cardiac Glycosides not elsewhere specified in these Schedules.  
Carindacillin  
Carmustine  
Cefaclor  
Cefoperzone  
Cefotaxime  
Cefoxitin  
Cephacetrile  
Cephalexin  
Cephaloridine  
Cephalothin  
Cephmandole  
Cephapirin

Cephazolin

Cephradine

Chenodeoxycholic Acid

Chloral Formamide

Chloral Hydrate except:

- (a) when included in Schedule 3;
- (b) in preparations for topical use containing 2 per cent or less of chloral hydrate.

Chloramphenicol

Chlorazamil

Chlorbutol in preparations for human oral use, except in preparations containing 0.5 per cent or less of chlorbutol as a preservative.

Chlorcyclizine

Chlordiazepoxide and other substances structurally derived from benzodiazepine with ataractic properties when used for therapeutic purposes.

Chlormerodrin

Chlormethiazole

Chlormezanone

Chloroform for use in anaesthesia.

1-(4-Chlorophenoxy)-1-imidazol-1-yl-3,3-dimethyl-2- butanone for human use.

2-(4-Chlorophenyl)-1,2,4-triazole [5,1a]-isoquinoline for the treatment of animals.

Chloroquine

Chlorothiazide and other substances structurally derived from benzothiadiazine for therapeutic use.

Chlorpheniramine except when included in Schedule 2 or 3.

Chlorphentermine

Chlorpromazine and other substances structurally derived from phenothiazine with ataractic properties when used for therapeutic purposes.

Chlorpropamide  
Chlorprothixene  
Chlortetracycline except when included in Schedule 6.  
Chlorthalidone  
Chlorzoxazone  
Cholestyramine for human therapeutic use.  
Chymopapain, injection for human therapeutic use.  
Ciclacillin  
Cimetidine  
Cinchocaine  
Cinoxacin  
Cisplatin  
Clanobutin, by injection for the treatment of animals.  
Clavulanic Acid.  
Clemastine except when included in Schedule 3.  
Clemizole  
Clenbuterol  
Clidinium  
Clindamycin  
Clobazam  
Clobetasone-17-butyrate  
Clofenamide  
Clofibrate  
Clomiphene and other products specifically prepared to stimulate ovulation.  
Clomipramine  
Clomocycline  
Clonazepam

Clonidine

Clopamide

Cloprostenol for treatment of animals.

Clorazepate

Clorexolone

Clorprenaline

Clotrimazole except when included in Schedule 3.

Cloxacillin

Clozapine

Codeine, except when included in Schedule 2 or 3, when compounded with one or more other therapeutically active substances:

- (a) in divided preparations containing 30 mg or less of codeine per dosage unit; or
- (b) in undivided preparations containing 1 per cent or less of codeine.

Colaspase

Colchicine

Colestipol for human therapeutic use.

Colistin

Cortisone and steroid suprarenal cortical hormones except hydrocortisone in Schedule 3.

Coumarin and phenylindanedione derivatives for therapeutic use except where separately specified in this Schedule.

Curare, Tubocurarine, d-Tubocurarine, d-Tubocurarinedimethylether, and all synthetic quaternary ammonium compounds, and other compounds having curarising properties.

Cyclandelate

Cyclizine

Cyclofenil

Cyclopentolate

Cyclopropane for therapeutic use.

Cycloserine  
Cyclosporin  
Cycrimine  
Cyproheptadine except when included in Schedule 3.  
Dacarbazine  
Danazol  
Dantrolene  
Dapsone and all derivatives of 4,4-diaminodiphenylsulphone.  
Deanol  
Debrisoquine  
Demecarium Bromide  
Demeclocycline  
Desipramine  
Desmopressin  
Dexchlorpheniramine except when included in Schedule 2 or 3.  
Dextromethorphan except when included in Schedule 2.  
Dextropropoxyphene:  
    (a) in oral solid dose preparations containing 135 mg or less of dextropropoxyphene per dosage unit; or  
    (b) in oral liquid preparations containing 2.5 per cent or less of dextropropoxyphene.  
Dextrorphan except when included in Schedule 2.  
Dibenzepin  
Dichloralphenazone  
Dichlorphenamide  
Diclofenac  
Dicyclomine except when included in Schedule 2.  
Diethazine

Diethylcarbamazine for human therapeutic use.

Diethylpropion

Difenoxin in preparations containing, per dosage unit, 0.5 mg or less of difenoxin and a quantity of atropine sulphate equivalent to at least 5 per cent of the dose of difenoxin.

Diflunisal

Digitalis and its glycosides.

Dihydralazine

Dihydrocodeine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of dihydrocodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of dihydrocodeine;

except when included in Schedule 2.

Dihydrostreptomycin except when included in Schedule 6.

Diisopropylamine Dichloroacetate

Dimenhydrinate except when included in Schedule 2 or 3.

Dimethindene except when included in Schedule 3.

Dimethisoquin except when included in Schedule 2.

Dimethoxanate

Dimethyl Sulphoxide for therapeutic use except when included in Schedule 6.

Dinitrocresols for therapeutic use.

Dinitronaphthols for therapeutic use.

Dinitrophenols for therapeutic use.

Dinitrothymols for therapeutic use.

Dinoprost for treatment of animals.

Diperodon

Diphepanil Methylsulphate except when included in Schedule 2.

Diphenhydramine except when included in Schedule 2 or 3.

Diphenidol

Diphenoxylate in preparations containing per dosage unit 2.5 mg or less of diphenoxylate calculated as base, and a quantity of atropine sulphate equivalent to at least 1 per cent of the dose of diphenoxylate.

Diphenylpyraline except when included in Schedule 2 or 3.

Dipivefrin

Dipyridamole

Disophenol

Disopyramide

Disulfiram for therapeutic use.

Dithiazanine except when included in Schedule 6.

Dobutamine

Domperidone

Dopamine

Dothiepin

Doxapram

Doxepin

Doxorubicin

Doxycycline

Doxylamine except when included in Schedule 2 or 3.

Droperidol

Drostanolone

Econazole except when included in Schedule 3 or 6.

Edetic Acid for human therapeutic use in preparations for injection or infusion.

Emetine except in preparations containing 0.2 per cent or less of emetine.

Enflurane for therapeutic use.

Epicillin

Ergot

Erythromycin except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic principles; or
- (c) in milk replacers for calves and starter rations for pigs containing 100 mg/kg or less of antibiotic principles.

Ethacrynic Acid

Ethambutol

Ethamivan

Ethchlorvynol

Ether for use in anaesthesia.

Ethinamate

Ethoglucid

Ethoheptazine except when included in Schedule 2.

Ethopropazine

Ethotoin

Ethosuximide

Ethoxzolamide

Ethyl Chloride for inhalation anaesthesia.

Ethylmorphine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of ethylmorphine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of ethylmorphine;

except when included in Schedule 2.

Ethyloestrenol

Etidocaine

Etidronate

Etoposide

Etretinate

Felypressin

Fencamfamin

Fenfluramine

Fenoprofen

Fenoterol except when included in Schedule 3.

Fenpipramide

Fenpiprane

Fenprostalene for the treatment of animals.

Flavophospholipol except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic principles.

Flecainide

Flucloxacillin

Flucytosine

Flufenamic Acid

Flunisolide

Flunitrazepam

Flunixin Meglumine for the treatment of animals.

Fluorouracil and other substances structurally derived from uracil and cytotoxic properties when used for therapeutic purposes.

Fluoxumesterone

Fluprostanol for the treatment of animals.

Flurazepam

Fluroxene when specifically prepared and packed as a therapeutic agent for the induction of inhalation anaesthesia.

Fluspirilene

Follicular Stimulating Hormone (see Gonadotrophins)

Framycetin

Frusemide

Fusidic Acid

Galanthamine

Gallamine

Gentamycin

Glibornuride

Gliclazide

Glucagon

Glutethimide

Glyceryl Trinitrate in preparations for injection.

Glycopyrrolate

Glymidine

Gonadorelin

Gonadotrophins except when included in Schedule 2.

Gramicidin

Griseofulvin

Growth Hormone

Guaiphenesin except when included in Schedule 2.

Guanacline

Guanethidine

Halcinonide

Haloperidol and other substances structurally derived from butyrophenone with ataractic properties when used for therapeutic purposes.

Halothane for therapeutic use.

Heparin

Hetacillin

Hexachlorophane

- (a) in preparations for use on infants;
- (b) in other preparations except when included in Schedule 2 or 6.

Hexamethonium

Hexocyclium

Hydralazine

Hydroquinone for human therapeutic use except in preparations containing 2 per cent or less of hydroquinone.

Hydroxychloroquine

1-Hydroxypyrido (3,2,a)-5-phenoxazone-3-carboxylic Acid

Hydroxyurea

Hydroxyzine

Hygromycin except:

- (a) when included in Schedule 6;
- (b) in preparations in concentrations of 50 mg/kg or less of hygromycin.

Hyoscine Butylbromide

Hypothalamic Releasing Factors when used for diagnostic purposes.

Ibufenac

Ibuprofen

Idoxuridine except when included in Schedule 3.

Imipramine

Indapamide

Indomethacin

Inositol Nicotinate, for internal use.

Ion-exchange Resins, anionic and cationic, for internal use in humans.

Iopamidol

Ipratropium

Iproniazid

Iron compounds, injectable preparations for human therapeutic use.

Isoaminile

Isocarboxazid

Isoconazole except when included in Schedule 3.

Isoetharine

Isometheptene

Isoniazid and its derivatives.

Isoprenaline

Isopropamide except when included in Schedule 2.

Isotretinoin

Isoxuprine

Kanamycin

Ketamine

Ketoprofen

Khellin

Kitasamycin, except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 100 mg/kg or less of antibiotic principles.

Labetalol

Latamoxef

Laudexium Methylsulphate

Lead Compounds for human therapeutic use.

Lefetamine

Leptazol

Levallorphan

Levamisole

- (a) for human therapeutic use;

(b) in preparations for the prevention or treatment of heartworm in dogs.

Levodopa

Lidoflazine

Lignocaine except when included in Schedule 2.

Lincomycin

Lindane for human therapeutic use except when included in Schedule 2.

Liothyronine Sodium (Triiodothyronine)

Lithium salts for therapeutic use, except in preparations containing 0.01 per cent or less of lithium.

Loperamide

Lorazepam

Loxapine

Luteinizing Hormone (see Gonadotrophins)

Lymecycline

Mafenide

Maldison for human therapeutic use except when included in Schedule 2.

Maprotiline

Mazindol

Mebeverine

Mebhydrolin

Mecamylamine

Meclofenoxate

Meclozine

Medazepam

Mefenamic Acid except when included in Schedule 3.

Mefloquine

Mefruside

Mepacrine

Mepenzolate

Mephesisin and its derivatives except guaiphenesin where specified in Schedule 2 or 4.

Mephentermine

Mepivacaine

Meproamate

Mepyramine except when included in Schedule 3.

Mercaptopurine and other substances structurally derived therefrom with cytotoxic properties when used for therapeutic purposes.

Mercurous Chloride for internal therapeutic use.

Mercury, organic compounds of, for therapeutic use, except when included in Schedule 2.

Metaraminol

Metformin

Methacycline

Methandienone

Methandriol

Methanthelinium

Methazolamide

Methdilazine except when included in Schedule 3.

Methenolone

Methicillin

Methimazole

Methixene

Methocarbamol

Methoin

Methotrexate

Methoxsalen

Methoxyflurane for therapeutic use.

Methsuximide

Methylandrostanolone

Methyldopa

Methylpentynol and other substituted alkynes for internal use.

Methyprylone

Metoclopramide

Metolazone

Metoprolol

Metrizamide

Metronidazole

Metyrapone

Mexiletine

Mezlocillin

Mianserin

Mibolerone

Miconazole except when included in Schedule 3.

Minocycline

Minoxidil

Mithramycin

Mitobronitol

Mitomycin

Mitozantrone

Monensin except:

- (a) in animal feeds containing 33 mg/kg or less of antibiotic principles; or
- (b) when included in Schedule 6.

Monoamine Oxidase Inhibitors including all substances not elsewhere specified in these Schedules for which monoamine oxidase inhibition is claimed, except triparanol.

Monobenzene for human therapeutic use except in preparations containing 2 per cent or less of monobenzene.

Moperone

Mustine and other substances structurally derived therefrom with cytotoxic properties, when used for therapeutic purposes.

Nalbuphine

Nalidixic Acid

Nalorphine

Naloxone

Nandrolone

Naproxen except when included in Schedule 3.

Narasin except:

- (a) when included in Schedule 6.
- (b) in animal feeds containing 100 mg/kg or less of narasin.

Natamycin

Neomycin except when included in Schedule 6.

Neostigmine

Netilmicin

Nialamide

Nicocodine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of nicocodine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of nicocodine;

except when included in Schedule 2.

Nicodicodine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of micodicodeine per dosage unit; or
- (b) in undivided preparations with a concentration of more than 2.5 per cent of nicodicodeine;

except when included in Schedule 2.

Nicotine, in chewing tablets containing 4 mg or less of nicotine per tablet, for use as an aid in withdrawal from tobacco smoking.

Nicotinic Acid, where the recommended daily dose exceeds 250 mg.

Nicotinyl Alcohol for internal use.

Nicoumalone for therapeutic use.

Nifedipine

Nifenazone

Nikethamide

Niridazole

Nitrazepam

Nitrofurantoin and its derivatives for human therapeutic use, except when included in Schedule 3.

Nitrous Oxide for therapeutic use.

Nomifensine

Noradrenaline (excluding its derivatives)

Norcodeine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg of norcodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of norcodeine;

except when included in Schedule 2.

Norethandrolone

Nortriptyline

Novobiocin except when included in Schedule 6.

Nystatin

Octamylamine

Octatropine

Oleandomycin except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic principles.

Opi Pramol

Orciprenaline

Organophosphorus Compounds with anticholinesterase activity for human therapeutic use, not elsewhere specified in this Schedule or Schedule 2.

Ornidazole

Ornipressin

Orphenadrine

Orthocaine

Orthopterin

Oxacillin

Oxandrolone

Oxazepam

Oxolinic Acid

Oxprenolol

Oxyburprocaine

Oxymesterone

Oxymetholone

Oxyphenbutazone

Oxyphencyclimine

Oxyphenonium

Oxytetracycline except when included in Schedule 6.

Oxytocin

Pamaquine

Pancuronium

Paracetamol when combined with aspirin, caffeine or salicylamide or any derivative of these substances.

Paraldehyde

Paramethadione

Paromomycin

Pemoline

Pempidine

D-Penicillamine

Pentamethonium

Penthienate

Pentobarbitone when packed and labelled for injection.

Pentolinium

Perhexiline

Phenacemide and other substances structurally derived from acetylurea with anticonvulsant properties when used for therapeutic purposes.

Phenacetin for therapeutic use.

Phenazone except when included in Schedule 2.

Phenazopyridine

Phenelzine

Phenethicillin except when included in Schedule 6.

Phenformin

Phenglutarimide

Phenindione for therapeutic use.

Pheniprazine

Pheniramine except when included in Schedule 2 or 3.

Phenoxybenzamine

Phenoxyethylpenicillin except when included in Schedule 6.

Phensuximide and other substances not elsewhere specified in this Schedule which are structurally derived from succinamide with anticonvulsant properties when used for therapeutic purposes.

Phentermine

Phenthimentionium

Phentolamine

Phenyapin

Phenylbutazone

Phenylpropanolamine except when included in Schedule 3.

Phenyltoloxamine except when included in Schedule 3.

Phenytoin and other substances not elsewhere specified in this Schedule which are structurally derived from hydantoin with anticonvulsant properties when used for therapeutic purposes.

Pholcodine when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100 mg or pholcodine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of pholcodine;

except when included in Schedule 2.

Physostigmine

Picrotoxin

Pilocarpine except in preparations containing 0.025 per cent or less of pilocarpine.

Pimozide

Pindolol

Pipenzolate

Piperacillin

Piperidolate

Pipobroman

Pipradrol

Piroxicam

Pituitary, its extracts and active principles or their synthetic substitutes except where separately specified in this Schedule.

Pizotifen

Podophyllum Resin (Podophyllin)

(a) for internal human use;

(b) for external human use except when included in Schedule 2 or 3.

Polymethylene Bistrimethyl Ammonium Compounds

Polymyxin

Potassium Perchlorate for therapeutic use.

Pramoxine except when included in Schedule 2.

Prazepam

Pregnenolone Acetate except in preparations for topical use.

Prenylamine

Prilocaine

Primaquine

Primidone

Probenecid

Probutol

Procainamide

Procaine

Procarbazine

Prochlorperazine

Procyclidine except when included in Schedule 2.

Proguanil

Prolintane

Promethazine except when included in Schedule 2 or 3.

Propanidid

Propantheline except when included in Schedule 2.

Propoxur for human therapeutic use except when included in Schedule 2.

Propranolol

Propylhexedrine except when included in Schedule 2.

Proquazone

Prostaglandins except where separately specified in this Schedule.

Prostianol, for treatment of animals.

Prothionamide

Protirelin (thyrotrophin releasing factor).

Protriptyline

Proxymetacaine

Pyridostigmine

Pyrimethamine

Quinethazone

Quinidine

Ranitidine

Rauwolfia Serpentina

Rifampicin

Ritodrine

Rolitetracycline

Rosoxacin

Salbutamol except when included in Schedule 3.

Salicylamide when combined with aspirin, caffeine or paracetamol or any derivatives of these substances.

Salinomycin except

- (a) in animal feeds containing 60 mg/kg or less of the total antibiotic principle;
- (b) when included in Schedule 6.

Selenium except—

- (a) when included in Schedule 5 or 6;
- (b) when included in animal feed containing 0.1 g/tonne or less of selenium in total feed;
- (c) in compressed pellets for control of selenium responsive conditions in sheep;
- (d) in fertilizers containing 200g/tonne or less of selenium.

Sex Hormones and all substances having sex hormonal activity not elsewhere specified in these Schedules.

Silver Sulphadiazine

Sisomycin

Sodium Cellulose Phosphate for human internal use.

Sodium Cromoglycate except when included in Schedule 3.

Sodium Fluoride, in preparations for human ingestion except when included in Schedule 2.

Sodium Nitroprusside, for human therapeutic use.

Sodium Valproate

Sontoquine

Sotalol

Sparteine

Spectinomycin

Spiramycin, except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion in pigs or poultry containing 50 mg/kg or less of antibiotic principles.

Spirolactone

Stanolone

Stanozolol

Streptomycin except when included in Schedule 6.

Strophanthus and its glycosides.

Strychnine in preparations containing 1.5 per cent or less of strychnine for the treatment of animals.

Sulfametrole

Sulindac

Sulphanilamide, and its derivatives except:

- (a) when included in Schedule 6;
- (b) sulphaquinoxaline when incorporated in baits for the destruction of vermin and in animal feedstuffs containing 200 mg/kg or less of sulphaquinoxaline;
- (c) oryzaline;
- (d) when specifically named in this or any other Schedule.

Sulphatroxazole, for the treatment of animals.

Sulphinpyrazone

Sulphomyxin

Sulphonol and alkyl sulphonals.

Sulthiame

Suxamethonium

Tacrine

Tamoxifen

Temazepam

Teniposide

Terbutaline except when included in Schedule 3.

Teropterin

Tetrabenazine

Tetracosactrin

Tetracycline except when included in Schedule 6.

Thenyldiamine except when included in Schedule 2 or 3.

Theophylline except when included in Schedule 3.

Thiacetarsamide, in preparations for the prevention or treatment of heart worm in dogs.

Thiacetazone

Thiambutosine

Thiazosulphone

Thiotepa and other substances structurally derived therefrom with cytotoxic properties when used for therapeutic purposes.

Thiothixene

Thiouracil and substances structurally derived therefrom with antithyroid properties when used for therapeutic purposes.

Thiourea for therapeutic use.

Thyroid and its extracts, and its active principles except where separately specified in this Schedule.

Thyrotrophin (T.S.H.O)

Thyroxine Sodium

Tiamulin except:

- (a) when included in Schedule 6;
- (b) in prepared animal feeds

Ticarcillin

Tiemonium

Tigloidine

Timolol

Tinidazole

Tipepidine

Tobramycin

Tocainide

Tolazamide

Tolazoline for internal use.

Tolbutamide

Tolpropamine

Tranexamic Acid

Tranlycypromine

Tretamine

Triamterene

Triaziquone

Triazolam

Trichloroethylene for therapeutic use.

Triclofos

Tricyclamol

Tridihexethyl

Trifluoperidol

Trimeprazine except when included in Schedule 2 or 3.

Trimetaphan

Trimethoprim

Trimipramine and other compounds structurally derived therefrom by substitution in the side chain.

Trimustine

Trioxysalen

Tripeleennamine

Triprolidine except when included in Schedule 2 or 3.

Troxidone and other substances not elsewhere specified in this Schedule which are structurally derived from oxazolidinone with anticonvulsant properties when used for therapeutic purposes.

Tylosin except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic principles; or
- (c) in milk replacers for calves and starter rations for pigs containing 100 mg/kg or less of antibiotic principles.

Urethane (excluding its derivatives), for therapeutic use.

Urethanes and Ureides having or purporting to have soporific hypnotic or narcotic properties not specifically included in this or any other Schedule.

Vaccines, sera, toxoids, and antigens for human parenteral use.

Vaccines, veterinary live virus.

Valnoctamide

Vasopressin

Verapamil

Veratrum for therapeutic use.

Vercuronium

Vidarabine

Vinca Alkaloids, including semi-synthetic derivatives.

Vipryinium

Virginiamycin except:

- (a) when included in Schedule 6;
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic principles.

Visnadine

Vitamin A in preparations containing more than 10,000 international units per recommended daily dosage for human use.

Vitamin D in preparations containing more than 25 micrograms per recommended daily dosage for human use.

Warfarin for therapeutic use.

Xanthine Oxidase Inhibitors not elsewhere specified in this Schedule.

Xanthinol Nicotinate

Xylazine

Yohimbine

Zeranol except when included in Schedule 6.

---

## **SCHEDULE 5**

Section 3

Acetic Acid (excluding its salts and derivatives) in preparations containing more than 30 per cent of acetic acid except:

- (a) when included in Schedule 2 or 6; or
- (b) for therapeutic use.

Acetic Anhydride (excluding its salts and derivatives) in preparations containing more than 30 per cent of acetic anhydride except:

- (a) when included in Schedule 6; or
- (b) for therapeutic use.

Acetone except:

- (a) in preparations containing 25 per cent or less of designated solvents included in Schedule 5; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name (s) and proportion (s) of ketones included in Schedule 5.

Aklomide

Alkaline Salts, being the carbonate, orthosilicate, metasilicate or tribasic phosphate salts of sodium or potassium, and in any combination, except:

- (a) in preparation containing 10 per cent or less of combined substances;
- (b) in solid dose preparations whose pH in 1 per cent (w/v) aqueous solution is 11.5 or less; or
- (c) in liquid preparations having a pH of 11.5 or less.

Alloxydim

Ametryn

Amines (see Epoxy Resins)

Amitrole

Ammonia and Ammonium Hydroxide (excluding their salts and derivatives) in preparations containing 5 per cent or less of free ammonia except:

- (a) in preparations for human internal therapeutic use;
- (b) in preparations for inhalation when absorbed in an inert solid material; or
- (c) in preparations containing 0.5 per cent or less of free ammonia.

Ammonium Thiocyanate

Anhydrides (see Epoxy Resins)

Arsenic, organic compounds of, not elsewhere specified in this Schedule, in herbicides or defoliant preparations containing 3 per cent or less of arsenic.

Azamethiphos

Barium Silicofluoride when coated on paper in an amount not exceeding 8 mg per sq. cm.

Bendiocarb in preparations containing 2 per cent or less of bendiocarb.

Bentazone

Benzoyl Peroxide except:

- (a) when included in Schedule 2, 3 or 4; or
- (b) in preparations containing 2 per cent or less of benzoyl peroxide.

S-Benzyl N, N-di- (sec-butyl)-thiocarbamate.

BHC (excluding the gamma-isomer) in preparations containing 10 per cent or less of BHC.

Bioallethrin including sinbioallethrin except in preparations containing 10 per cent or less of bioallethrin.

Bioresmethrin, except in preparations containing 10 per cent or less of bioresmethrin.

Boric Acid (excluding its salts) and Borax except:

- (a) when included in Schedule 4; or
- (b) in preparations, other than insect baits, containing 1 per cent or less of boron; or
- (c) in hand cleaning preparations.

Buthidazole

Butoxycarboxim in solid preparations containing 10 per cent or less of butoxycarboxim.

Cadmium Sulphide in preparations containing 2.5 per cent or less of cadmium sulphide for human therapeutic use.

Calcium Hypochlorite and preparations containing more than 4 per cent of available chlorine.

Camphor except:

- (a) in preparations containing 10 per cent or less of camphor; or
- (b) when included in Schedule 4.

Carbaryl

- (a) in preparations containing 10 per cent or less of carbaryl except when included in Schedule 2 or 4;
- (b) when impregnated into plastic resin material containing 20 per cent or less of carbaryl.

Chlordecone in preparations containing 5 per cent or less of chlordecone.

Chlorfenac

Chlorfenson

Chlorinating Compounds and Bleaches containing more than 4 per cent of available chlorine, not elsewhere specified in these Schedules.

Chlornidine

Chlorocresol, except in preparations containing 3 per cent or less of chlorocresol.

1-(4-Chlorophenoxy)-1-imidazol-1-yl-3,3-dimethyl-2-butanone in concentrations of more than 2 per cent except when included in Schedule 4 or 6.

Chloropropylate

Chlorothalonil

Chlorsulfuron

Clanobutin, for the treatment of animals except when included in Schedule 4.

Clofentezine

Clopyralid

Copper Sulphate except for internal human therapeutic use.

4-CPA

Cuprimyxin for the treatment of animals.

Curing Agents (see Epoxy Resins)

Cyanatryn

Cyanoacrylic Acid Esters

(alpha-Cyano-4-fluoro-3-phenoxy) benzyl 3-[2-(4-chlorophenyl)-2-chlorovinyl]-2,2-dimethyl cyclopropane-carboxylate (Flumethrin), in oil based preparations containing 1 per cent or less of flumethrin.

Cyanuric Acid (excluding its salts and derivatives)

Cyclohexanone Peroxide

Cyfluthrin

(a) in wettable powders containing 10 per cent or less of cyfluthrin; or

(b) in emulsifiable concentrates containing 2 per cent or less of cyfluthrin.

Cypermethrin in preparations containing 10 per cent or less of cypermethrin.

2,4-D

2,4-DB

Dicophane (DDT) in preparations containing 10 per cent or less or dicophane except when included in Schedule 2.

2,4-DES

N,N-Diallyldichloroacetamide except in preparations containing 10 per cent or less of N,N-diallyldichloroacetamide

Dicamba

Dichlone

Dichloroisocyanurates and their preparations containing more than 4 per cent available chlorine.

1-[2(2,4-Dichlorophenyl)-2-(2-propenyloxy)ethyl]-1H-imidazole.

Dichlorvos

- (a) when impregnated in plastic resin strip material containing 20 per cent or less of dichlorvos;
- (b) in sustained release resin pellets containing 20 per cent or less of dichlorvos for the treatment of animals;
- (c) in pressurized spray packs containing 10 grams or less of dichlorvos.

Diclobutrazol

Dicloran

Dicofol

Dimethirimol

Dimethylformamide in preparations containing 10 per cent or less of dimethylformamide.

Dinitramine

Diphenamid

Dodine

DSMA in herbicides or defoliant preparations containing 3 per cent or less of arsenic.

Epoxy Resins Liquid and all amines and organic anhydrides used as curing agents for epoxy resins.

EPTC

Ethephon (excluding its salts and derivatives).

Ether in preparations containing more than 10% of ether for use in internal combustion engines.

Ethofumesate

Ethoxyquin except in preparations containing 10 per cent or less of ethoxyquin.

Ethylene Glycol when packed and labelled as a boiling point and/or freezing point modifier and containing 10 mg/kg of denatonium benzoate as a bittering agent.

Fenarimol

Fenbutatin-oxide

Fenoprop

Fenson

Fenthion in preparations containing 20 per cent or less of fenthion when packed in single-use containers having a capacity of 1.0 ml or less.

Flamprop-methyl

Fluchloralin

Formic Acid (excluding its salts and derivatives).

Fospirate when impregnated in plastic resin strip material containing 20 per cent or less of fospirate.

Furalaxyl

Glutaraldehyde, in preparations containing 5 per cent or less of glutaraldehyde, except when included in Schedule 2.

Glyphosate

Hexazinone

Hydrocarbons, Liquid, including kerosene, mineral turpentine, white petroleum spirit, toluene, xylene and light mineral and paraffin oils (but excluding their derivatives) distilling under 300°C, except:

- (a) toluene and xylene when included in Schedule 6;

- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name (s) and proportion (s) of hydrocarbons;
- (c) in solid or semi-solid cleaning and polishing preparations;
- (d) in preparations containing 25 per cent or less of designated solvents included in Schedule 5;
- (e) in preparations packed in pressurized aerosol containers;
- (f) in adhesives packed in containers each containing 50 grams or less of adhesive.

Hydrochloric Acid (excluding its salts and derivatives) in preparations containing 10 per cent or less of hydrochloric acid (HCl) except:

- (a) in preparations containing 0.5 per cent or less of hydrochloric acid (HCl); or
- (b) for therapeutic use.

Hydrofluoric Acid and Hydrosilicofluoric Acid in preparations containing 0.5 per cent or less of hydrofluoric acid or hydrosilicofluoric acid except in substances containing 15 mg/kg or less of fluoride ion.

Hydrogen Peroxide (excluding its salts and derivatives) except in preparations containing 6 per cent (20 vol) or less of hydrogen peroxide.

Iodofenphos

Kerosene, see Hydrocarbons Liquid.

Lead Compounds, in preparations for use as hair cosmetics.

Levamisole in preparations containing 15 per cent or less of levamisole for the treatment of animals, except when included in Schedule 4.

Lindane in preparations containing 10 per cent or less of lindane except when included in Schedule 2.

Maldison in preparations containing 10 per cent or less of maldison except:

- (a) when included in Schedule 2; or
- (b) in dust preparations containing 2 per cent or less of maldison.

Mancozeb

Maneb

MCPA

MCPB

Mecoprop

Mepiquat

Metalaxyl

Metaldehyde in preparations containing 2 per cent or less of metaldehyde.

Methabenzthiazuron

Methanol (excluding its derivatives) in preparations containing 10 per cent or less of methanol except in preparations containing 2 per cent or less of methanol.

Methazole

Methiocarb in pelleted preparations containing 2 per cent or less of methiocarb.

Methoxychlor

Methylated Spirits: Methylated spirit, industrial, as defined by the *Spirits Act 1906*, (excluding its preparations and admixtures) except in containers having a capacity of more than 5 litres.

Methylene Chloride except when used in aerosols.

Methylene Dianiline (see Epoxy Resins)

Methyl Ethyl Ketone except:

- (a) in preparations containing 25 per cent or less of designated solvents included in Schedule 5; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name(s) and proportion(s) of ketones included in Schedule 5.

Methyl Ethyl Ketone Peroxide

Methyl Iso-amyl Ketone except:

- (a) in preparations containing 25 per cent or less of designated solvents included in Schedule 5; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name(s) and proportion(s) of ketones included in Schedule 5.

Methyl Iso-butyl Ketone except:

- (a) in preparations containing 25 per cent or less of designated solvents included in Schedule 5; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name(s) and proportion(s) of ketones included in Schedule 5.

Methyl Salicylate in liquid preparations containing 25 per cent or more of methyl salicylate except when included in Schedule 6.

N-(3-Methyl-4-thiazolin-2-ylidene)-2,4-xylinden (Cymiazole)

Metiram

Metolachlor

Metribuzin

Mezineb

Mineral Turpentine, see Hydrocarbons Liquid.

MSMA in herbicides or defoliant preparations containing 3 per cent or less of arsenic.

NAA—see Naphthalen Acetic Acid

Naled when impregnated in plastic resin strip material containing 20 per cent or less of naled.

Naphthalene as such.

Naphthalene Acetic Acid, except in preparations containing 25 per cent or less of naphthalene acetic acid.

Naptalam

Nitric Acid (excluding its salts and derivatives) in preparations containing 10 per cent or less of nitric acid as such, except preparations containing 0.5 per cent or less of nitric acid.

Norbormide

Ofurace

Organo-tin Compounds—see Tin Organic Compounds

Oxadixyl

Oxycarboxin

Oxythioquinox

Paradichlorobenzene

Pebulate

Penconazole

Pendimethalin

Peracetic Acid in concentrations of 10 per cent or less.

Petrol when packed in containers of 20 litres or less except preparations containing 25 per cent or less of petrol.

Phenisopham

ortho-Phenylphenol except in preparations containing 3 per cent or less of ortho-phenylphenol.

Phosphonic Acid, except in preparations containing 10 per cent or less of phosphonic acid.

Phosphoric Acid, excluding its salts and derivatives, except:

- (a) when packed in containers with a capacity of not less than 10 litres and labelled with the word “CORROSIVE”, in bold face sanserif capital letters of a height of not less than 1 cm;
- (b) in preparations containing 350 g/litre or less of phosphoric acid;
- (c) in solid and semi-solid preparations; or
- (d) in professional dental kits.

Pirimicarb in preparations containing 0.5 per cent or less of pirimicarb.

Poly (Hexamethylene Biguanide), except in preparations containing 5 per cent or less of poly (hexamethylene biguanide).

Potassium Chlorate except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 10 per cent or less of potassium chlorate.

Potassium Hydroxide (excluding its salts and derivatives) in preparations containing 5 per cent or less of potassium hydroxide, except in preparations containing 0.5 per cent or less of potassium hydroxide.

Potassium Sulphide in preparations for metal treatment in containers each containing 50 g or less of potassium sulphide.

Prometryn

Propanil

Propiconazole in concentrations of 20 per cent or less.

Propionic Acid (excluding its salts and derivatives) in preparations containing more than 30 per cent of propionic acid, except:

- (a) when included in Schedule 6; or
- (b) for therapeutic use.

Propoxur

- (a) in dust preparations containing 3 per cent or less of propoxur;
- (b) in granular sugar-based fly baits containing 1 per cent or less of propoxur providing that the preparation also contains a dark colouring agent and separate bittering agent;
- (c) in aerosol packs containing 10 g or less of propoxur;
- (d) in printed paper sheets for pest control containing 0.5 per cent or less of propoxur and in any case not more than 100 mg of propoxur per sheet.

Prynachlor

Pyrethrins, naturally occurring, being pyrethrolone, cinerolone or jasmolone esters of chrysanthemic or pyrethric acids except in preparations containing 10 per cent or less of such substances.

Pyrinuron in preparations containing 10 per cent or less of pyrinuron.

Quaternary Ammonium Compounds in preparations containing more than 10 per cent of quaternary ammonium compounds except when included in any other Schedule.

Quintozene

Salicylanilide

Sebumeton

Selenium Sulphide in preparations containing 2.5 per cent or less of selenium sulphide for topical therapeutic use.

Sethoxydim

Sodium Chlorate

Sodium Hydrogen Sulphate

Sodium Hydroxide (excluding its salts and derivatives) in preparations containing 5 per cent or less of sodium hydroxide except in preparations containing 0.5 per cent or less of sodium hydroxide.

Sodium Hypochlorite and preparations containing more than 4 per cent of available chlorine.

Sodium Nitrite except:

- (a) in preparations containing 1 per cent or less of sodium nitrite; or
- (b) when included in Schedule 2.

Sodium Sulphide in preparations for metal treatment in containers each containing 50 g or less of sodium sulphide.

Styrene (excluding its derivatives) except in containers having a capacity of more than 20 litres provided the containers are marked with the name and proportion of styrene.

Sulphamic Acid, except in preparations containing 10 per cent or less of sulphamic acid.

2,3,6-TBA

TCA—see Trichloroacetic Acid.

TDE in preparations containing 10 per cent or less of TDE.

Terbumeton

Terbutryn

Tetrachloroethylene in preparations containing 5 per cent or less of tetrachloroethylene except:

- (a) when prepared for use for the treatment of humans and for the treatment of animals; or
- (b) when absorbed into an inert solid.

Tetrachlorvinphos, except in animal feedstuffs containing 0.2 per cent or less of tetrachlorvinphos.

Tetramethrin except in aerosol packs.

Thiobencarb

Tin Organic Compounds not elsewhere included in this Schedule in preparations containing 1 per cent or less of such compounds.

Triadimefon, in wettable powders containing 25 per cent or less of triadimefon.

Triadimenol

Tri-allate

Trichloroacetic Acid, alkali salts of.

1,1,1-Trichloroethane except:

- (a) in preparations containing 25 per cent or less of designated solvents included in Schedule 5;
- (b) when used in aerosols other than for therapeutic use; or
- (c) in containers having a capacity of more than 20 litres provided the containers are marked with the name and proportion of 1,1,1-trichloroethane.

Trichloroisocyanuric Acid in compressed block form for use in swimming pools or toilet cisterns.

Trietazine

Turpentine Oil when packed in containers of 20 litres or less except in preparations containing 25 per cent or less of turpentine oil.

Vernolate

Warfarin, in rodent baits containing 0.1 per cent or less of warfarin.

Zineb

Ziram

---

## SCHEDULE 6

Section 3

Acephate

Acetic Acid (excluding its salts and derivatives) and preparations containing more than 80 per cent of acetic acid, except when included in Schedule 2.

Acetic Anhydride (excluding its salts and derivatives) and preparations containing more than 80 per cent of acetic anhydride, except for therapeutic use.

Acifluorfen

Aldrin

Allidochlor

Alpha-chlorohydrin

Amidothion

2-Amino-butane

Aminocarb in preparations containing 25 per cent or less of aminocarb.

Amitraz

Ammonia and Ammonium Hydroxide (excluding their salts and derivatives) except:

- (a) when included in Schedule 5;
- (b) in preparations for human internal therapeutic use;
- (c) in preparations for inhalation when absorbed in an inert solid material;  
or
- (d) in preparations containing 0.5 per cent or less of free ammonia.

Aniline (excluding its salts and derivatives) except in preparations containing 1 per cent or less of aniline.

Arecoline

Arsenic, except where separately specified in this Schedule:

- (a) in ant poisons containing 0.4 per cent or less of arsenic;
- (b) organic compounds of arsenic in herbicides or defoliant preparations except when included in Schedule 5;
- (c) in animal feed premixes containing 4 per cent or less of arsenic;
- (d) in preparations for the treatment of animals except thiacetarsamide when included in Schedule 4;
- (e) in paints containing more than 0.1 per cent of arsenic when calculated on the basis of the non-volatile content of the paint.

Avermectin B1, in preparations containing 10 mg/ml or less of avermectin B1, for the treatment of animals, when supplied in sealed containers for use in automatic injection equipment.

Azobenzene

Azocyclotin

Bacitracin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Barban

Barium, salts of (except barium sulphate) except:

- (a) paint containing barium metaborate; or
- (b) when included in Schedule 5.

Bendiocarb

- (a) in wettable powders containing 80 per cent or less of bendiocarb when packed in containers or primary packs containing not less than 100 g of bendiocarb;
- (b) in wettable powders containing 20 per cent or less of bendiocarb and not less than 0.002 per cent of denatonium benzoate when packed in containers or primary packs containing not less than 48g of bendiocarb and labelled for use as a fly control preparation; or
- (c) in insoluble granular preparations containing 5 per cent or less of bendiocarb,

except when included in Schedule 5.

Benomyl

Benquinox

Bensulide

5-Benzylfur-3-ylmethyl (1'R,3'S.E)-2',2'-dimethyl-3'-(2-oxo-2,3,4,5-tetrahydro-3-thienyldenemethyl)-cyclopropane Carboxylate

Benzylpenicillin including procaine penicillin in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of benzylpenicillin or procaine penicillin, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Beryllium

BHC (excluding the gamma-isomer) except when included in Schedule 5.

Binapacryl

Bithionol for treatment of animals.

Brodifacoum in preparations containing 0.25 per cent or less of brodifacoum.

Bromadiolone in preparations containing 0.25 per cent or less of bromadiolone.

Bromoform except for therapeutic use.

Bromophos

Bromophos-ethyl

Bromoxynil

Brotianide

Bunamidine

Butacarb

Butoxycarboxim except when included in Schedule 5.

2-Butoxy-2'-thiocyano-diethyl Ether

Butynorate

Cacodylic Acid in animal feed premixes containing 4 per cent or less of arsenic.

Cadmium, compounds of, except when included in Schedule 5.

Calciferol in rodent baits.

Cambendazole

Carbaryl except when included in Schedule 2, 4 or 5.

Carbendazim

Carbon Disulphide

alpha-Chloralose, when prepared for use as a pesticide.

Chlordane

Chlordecone except when included in Schedule 5.

Chlorfenethol

Chlormequat

N-[5-Chloro-4-[(4-chlorophenyl)-cyanomethyl]-2-methylphenyl]-2-hydroxy-3,5-diiodobenzamide

Chloroform (excluding its derivatives) except:

- (a) when in Schedule 2 or 4; or
- (b) in preparations containing 10 per cent or less of chloroform where the chloroform content is declared on the label.

Chloromethiuron

Chlorophacinone

1-(4-Chlorophenoxy)-1-imidazol-1-y1-3,3-dimethyl-2-butanone in concentrations of more than 40 per cent except when included in Schedule 4.

Chloropicrin in preparations containing 5 per cent or less of chloropicrin.

Chlorpyrifos

Chlorpyrifos-methyl

Chlortetracycline in preparations:

- (a) for topical application to animals for ocular use only;
- (b) in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of chlortetracycline when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Chlorthiamid

Chromates and Dichromates

Chromium Trioxide (excluding its salts and derivatives).

Coumaphos in preparations containing 5 per cent or less of coumaphos.

Coumarin and phenylindanedione derivatives except:

- (a) when included in Schedule 4; or
- (b) where separately specified in this Schedule.

Coumatetralyl

Creosote, except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 3 per cent or less of phenols.

Crotoxyphos

Crufomate

Cyanazine

(alpha-Cyano-4-fluoro-3-phenoxy) benzyl 3-[2-(4-chlorophenyl)-2-chlorovinyl]-2,2-dimethyl cyclopropane-carboxylate (Flumethrin), except when included in Schedule 5.

Cyfluthrin except:

- (a) when included in Schedule 5; or
- (b) in pressurized spray packs containing 1 per cent or less of cyfluthrin.

Cyhexatin

Cyometrinil

Cypermethrin except when included in Schedule 5.

Cythioate

Dazomet

Dicophane (DDT) and its preparations containing more than 10 per cent of dicophane, except when included in Schedule 2.

Deltamethrin in aqueous formulation containing 1 per cent or less of deltamethrin, when no other organic solvent, other than a glycol, is present.

Demeton-O-methyl and Demeton-S-methyl in preparations containing 50 per cent or less of one or both demeton-O-methyl and demeton-S-methyl.

Di-allate

Diazinon

Dichlofenthion

Dichloroethyl Ether

N-(3,4-Dichlorophenyl)-N'-[2-(2-sulfoxy-4-chlorophenoxy)-5-chlorophenyl] urea (sodium salt)

1,2-Dichloropropane

1,3-Dichloropropene

Dichlorvos in preparations containing 50 per cent or less of dichlorvos except when included in Schedule 5.

Diclofop-methyl

Dieldrin

Diethylene Dioxide

Difenacoum in preparations containing 0.25 per cent or less of difenacoum.

Difenzoquat

Dihydrostreptomycin in preparations for intramammary infusion in animals containing not more than 100 000 international units per dose of dihydrostreptomycin when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Dimethanonaphthalene and all substitution and/or addition products of, not elsewhere specified in these Schedules.

Dimethipin

Dimethoate

1,3-Di (methoxycarbonyl)-1-propen-2-yl-dimethyl Phosphate in preparations containing 25 per cent or less of 1,3-di (methoxycarbonyl)-1-propen-2-yl-dimethyl phosphate.

Dimethyl Formamide except when included in Schedule 5.

Dimethyl Sulphoxide

- (a) when not for therapeutic use; or
- (b) for the treatment of animals:
  - (i) when combined with no other therapeutic substance; or
  - (ii) in preparations containing copper salicylate as the only other therapeutic substance.

Dimetilan in preparations containing 25 per cent or less of dimetilan.

Dimetridazole

Dinitrocresols and their homologues, not elsewhere specified in this Schedule, in preparations containing 5 per cent or less of such compounds except when included in Schedule 4.

Dinitrophenols and their homologues, not elsewhere specified in this Schedule, in preparations containing 5 per cent or less of such compounds except when included in Schedule 4.

Dinocap

Dinoseb in preparations containing 5 per cent or less of dinoseb.

Dioxacarb

Diphacinone

Diquat

Disulfiram except when included in Schedule 4.

Disulfoton in granular preparations containing 5 per cent or less of disulfoton.

Dithianon

Dithiazanine in preparations containing 2 per cent or less of dithiazanine for the treatment of animals.

Dithiocarbamates when prepared for agricultural or horticultural purposes, except when specified in Schedule 5.

3,3'-Di-(trifluoromethyl)-4,4'-dichloro-N,N'-diphenylurea

Diuredosan

DSMA in herbicides or defoliant preparations except when included in Schedule 5.

Econazole for external treatment of animals.

Endosulfan

Endothal

Epichlorohydrin except in preparations containing 2 per cent or less of epichlorohydrin.

Erythromycin:

- (a) in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of erythromycin, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose;

- (b) in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Etaconazole

Ether, except:

- (a) when included in Schedule 2, 4 or 5; or
- (b) in preparations containing, 10% or less of ether.

Ethiofencarb

Ethoate-methyl

Ethoprophos in granular formulations containing 10 per cent or less of ethoprophos.

Ethyl Bromide

Ethylene Chlorohydrin

Ethylene Dichloride

Ethylene Glycol, when packed and labeled as an anti-freeze, except when included in Schedule 5.

Ethylene Glycol Monoalkyl Ethers and their Acetates except:

- (a) in preparations containing 10 per cent or less of such substances; or
- (b) in containers of a capacity of 20 litres or more provided the container is labelled with the warning "POISON", the name and quantity of the ether, the name of the manufacturer or the trade mark and the warning statement 'Avoid contact with skin and eyes and avoid breathing the vapour'.

Ethylene Oxide

Etridiazole

Etrimfos

Eucalyptus Oil except in preparations containing 25 per cent or less of eucalyptus oil.

Famphur in preparations containing 20 per cent or less of famphur.

Fenaminosulf in preparations containing 10 per cent or less of fenaminosulf when labeled and packed as dry seed dressings.

Fenamiphos in granular preparations containing 5 per cent or less of fenamiphos.

Fenazaflor

Fenchlorphos

Fenitrothion

Fenthion except when included in Schedule 5.

Fenvalerate

Ferbam

Flavophospholipol in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Fluazifop-butyl

Formaldehyde (excluding its derivatives) except in preparations containing 5 per cent or less of formaldehyde.

Formothion

Fospirate except when included in Schedule 5.

Fumagillin

Glutaraldehyde, except when included in Schedule 2 or 5.

Guazatine

Haloxon

HCB

Heptachlor

Hexachlorophane in preparations for the treatment of animals.

Hydrazine

Hydrochloric Acid (excluding its salts and derivatives) except in preparations containing 10 per cent or less of hydrochloric acid (HCl).

Hydrofluoric Acid and Hydrosilicofluoric Acid and other fluorine compounds except:

- (a) when used for human therapeutic purposes;
- (b) in dentifrices containing 0.1 per cent or less of fluoride ion;

- (c) in preparations containing 3 per cent or less of sodium fluoride or sodium silicofluoride when used as preservatives;
- (d) when included in Schedule 7, 5, 4 or 2;
- (e) in substances containing 15 mg/kg or less of fluoride ion; or
- (f) ammonium fluosilicate in preparations containing 3.2 per cent or less of ammonium fluosilicate for pesticide purposes.

Hydroquinone except:

- (a) when included in Schedule 4; or
- (b) in preparations containing 10 per cent or less of hydroquinone.

Hygromycin in animal feed premixes for use as an anthelmintic containing 2 per cent or less of antibiotic principles.

Imidocarb

Iodine (excluding its salts, derivatives and iodophors) except:

- (a) when included in Schedule 2; or
- (b) in solid or semi-solid preparations containing 2.5 per cent or less of available iodine.

Iodophors except in preparations containing 1.5 per cent or less of available iodine.

Ioxynil

Iron Compounds, for the treatment of animals, except:

- (a) in liquid preparations containing 0.1 per cent or less of iron; or
- (b) in animal feeds and feed premixes.

Isocyanates, free organic, except in paints containing 0.1 per cent or less of free organic isocyanates.

Kitasamycin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Lasalocid except in animal feeds containing 100 mg/kg or less of antibiotic principles.

Laurylisoquinolinium Bromide

Lead Compounds except:

- (a) when included in Schedule 4 or 5;
- (b) in preparations for cosmetic use containing 250 mg/kg or less of lead;  
or
- (c) in pencil cores, finger colours, showcard colours, pastels, crayons, poster paints/colours or coloured chalks containing 100 mg/kg or less of lead.

Levamisole for the treatment of animals except when included in Schedule 4 or 5.

Lindane except when included in Schedule 2 or 5.

Maldison except:

- (a) when included in Schedule 2 or 5; or
- (b) in dust preparations containing 2 per cent or less of maldison.

Mebendazole for the treatment of animals.

Meclofenamic Acid for the treatment of animals.

Menazon

Mercuric Iodide when prepared for agricultural, horticultural, pastoral or industrial use.

Mercuric Thiocyanate when prepared for use for photographic purposes.

Mercurous Chloride except when included in Schedule 4.

Mercury, organic compounds of, in preparations for agricultural, pastoral or horticultural use except ethoxyethyl mercury chloride and ethyl mercury chloride in Schedule 7.

Metacresolsulphonic Acid and Formaldehyde Condensation Product for the treatment of animals.

Metaldehyde except when included in Schedule 5.

Methacrifos

Metham

Methanol (excluding its derivatives) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 2 per cent or less of methanol.

Methiocarb except when included in Schedule 5.

Methomyl in fly-baits containing 1 per cent or less or methomyl and not less than 0.002 per cent of denatonium benzoate as a bittering agent.

Methyl Chloride

Methylenebisthiocyanate except in preparations containing 1 per cent or less of methylenebisthiocyanate.

Methyl Isothiocyanate

Methyl Salicylate excluding admixtures (see also Schedule 5).

1-(B Methyl sulphonamide ethyl)-2-amino-3-N,N-diethylamino benzene

Miconazole for the external treatment of animals.

Molinate

Monensin in animal feed premixes containing 12.5 per cent or less of antibiotic principles.

MSMA in herbicides or defoliant preparations except when included in Schedule 5.

Nabam—see Dithiocarbamates.

Naled except when included in Schedule 5.

Naphthalophos when specifically prepared and packed for use as a sheep drench.

Narasin in animal feed premixes containing 120 g/kg or less of narasin.

Neomycin in preparations for topical application to animals for ocular use only.

Nicotine in preparations containing 3 per cent or less of nicotine when labelled and packed for the treatment of animals.

Nimidane in preparations containing 25 per cent or less of nimidane.

Nithiamide, except in preparations containing 20 per cent or less of nithiamide.

Nitric Acid (excluding its salts and derivatives) except in preparations containing 10 per cent or less of nitric acid as such.

Nitrobenzene except:

- (a) in solid or semi-solid polishes;
- (b) in soaps containing 1 per cent or less of nitrobenzene; or

- (c) in preparations containing 0.1 per cent or less of nitrobenzene.

Nitrophenols, ortho, meta and para.

Nitroscanate

Nitroxynil

Novobiocin in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of novobiocin, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Octhilinone

Oestradiol-17-beta

- (a) in ear implants for growth promotion in bovine cattle;
- (b) in combination with progesterone, testosterone or trenbolone in ear implants for growth promotion in bovine cattle.

Olaquinox in animal feed premixes for growth promotion.

Oleandomycin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Omethoate in preparations containing 50 per cent or less of omethoate.

Organo-tin Compounds—see Tin Organic Compounds

Orthodichlorobenzene

Oxadiazon

Oxalic Acid (excluding its salts and derivatives) and soluble oxalates.

Oxantel Embonate for the treatment of animals.

Oxfendazole

Oxyclozanide

Oxytetracycline in preparations:

- (a) for topical application to animals for ocular use only;
- (b) for intramammary infusion in animals, containing not more than 100 000 international units per dose of oxytetracycline, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker

and when packed in applicator devices specially designed for the purpose.

Paraquat in granular preparations containing 3 per cent or less of paraquat.

Parbendazole

Pentachlorophenol except in preparations containing 0.5 per cent or less of pentachlorophenol.

Peracetic Acid except when included in Schedule 5.

Perfluidone

Permanganates.

Phenethicillin in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of phenethicillin, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Phenkapton in preparations containing 50 per cent or less of phenkapton.

Phenol and any homologue of phenol boiling below 220°C, except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 3 per cent or less by weight of such substances.

Phenoxymethylpenicillin in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of phenoxymethylpenicillin, when suitably coloured with Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Phenylenediamines and alkylated phenylenediamines, not elsewhere specified in this Schedule:

- (a) when used in hair dyes;
- (b) in preparations packed and labelled for photographic purposes;
- (c) in preparations packed and labelled for testing water except diethyl- or dimethyl-para-phenylene diamine in tablets containing 10 mg or less in opaque strip packaging labelled for water testing.

Phosalone

Phosmet

Phosphides, Metallic

Phosphorus Yellow (excluding its salts and derivatives) in preparations containing 0.5 per cent or less of free phosphorus.

Phoxim

Picric Acid (excluding its derivatives) except in preparations containing 5 per cent or less of picric acid.

Pindone

Piperophos

Pirimicarb except when included in Schedule 5.

Pirimiphos-ethyl

Pirimiphos-methyl

Potassium Bromate except in preparations containing 0.5 per cent or less of potassium bromate.

Potassium Cyanate

Potassium Hydroxide except in preparations containing 5 per cent or less of potassium hydroxide.

Prochloraz

Profenofos

Progesterone

- (a) in a silicone rubber elastomer when used as a controlled-release implant for synchronization of oestrus in cattle;
- (b) in combination with oestradiol-17-beta or trenbolone in ear implants for growth promotion in bovine cattle.

Promacyl

Promecarb in preparations containing 50 per cent or less of promecarb.

Propachlor

Propargite

Propetamphos

Propiconazole except when included in Schedule 5.

Propionic Acid (excluding its salts and derivatives):

- (a) in preparations containing more than 80 per cent of propionic acid;
- (b) except for therapeutic use.

Propoxur except when included in Schedule 2, 4 or 5.

Prothiofos

Pyrazophos

Pyrinuron except when included in Schedule 5.

Rafoxanide

Salinomycin in animal feed premixes containing 6 per cent or less of antibiotic principles.

Selenium, Compounds of,

- (a) in preparations containing 2.5 per cent or less of selenium:
  - (i) when packed and labelled for the blueing of gun barrels;
  - (ii) when packed and labelled for photographic purposes;
- (b) in preparations containing 0.1 per cent or less of selenium when packed and labelled as vaccines, drenches or pastes for treatment of animals;
- (c) in preparations containing 0.5 per cent or less of selenium when packed and labelled as other injections for treatment of animals;
- (d) in premixes containing 2 per cent or less of selenium when packed and labelled for incorporation into animal feeds to provide 0.1 g/tonne or less of selenium.

Sodium Bromate except in preparations containing 0.5 per cent or less of sodium bromate.

Sodium Hydroxide (excluding its salts and derivatives) except:

- (a) in preparations containing 0.5 per cent or less of sodium hydroxide; or
- (b) when included in Schedule 5.

Spiramycin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Streptomycin in preparations for intramammary infusion in animals, containing not more than 100 000 international units per dose of streptomycin,

when suitably coloured with a Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose.

Strychnine in grain baits containing 0.5 per cent or less of strychnine.

Sulphanilamide and its derivatives unless elsewhere specified in this Schedule when packed and labelled for treatment of ornamental caged birds or ornamental fish only.

Sulphaquinoxaline when packed and labelled for use as a coccidiostat in poultry except preparations containing 200 mg/kg or less of sulphaquinoxaline.

Sulphuric Acid (excluding its salts and derivatives) except:

- (a) in fire extinguishers; or
- (b) in preparations containing 0.5 per cent or less of sulphuric acid ( $\text{H}_2\text{SO}_4$ ).

Sulprophos

2,4,5-T

TCA—see Trichloroacetic Acid.

TCMTB (2-[thiocyanomethylthio]benzothiazole).

TDE except when included in Schedule 5.

Temephos

Terbuthylazine

Terpenes, Chlorinated

Testosterone—

- (a) testosterone cypionate, dipropionate, enanthate and propionate in preparations labelled for treatment and prevention of pizzle (sheath) rot in wethers;
- (b) in preparations labelled for masculinisation of wethers for use as ‘teaser rams’ to stimulate and detect reproductive activity in ewes;
- (c) in combination with oestradiol-17-beta or trenbolone in ear implants for growth promotion in bovine cattle; and
- (d) in oil preparations for growth promotion purposes labelled for injection at the base of the ear in sheep.

**Tetrachloroethylene except:**

- (a) when prepared for use for the treatment of humans and for the treatment of animals;
- (b) in preparations containing 6 per cent or less when absorbed into an inert solid; or
- (c) when included in Schedule 5.

**Tetracycline in preparations:**

- (a) for topical application to animals for ocular use only;
- (b) for intramammary infusion in animals, containing not more than 100 000 international units per dose of tetracycline, when suitably coloured with a Brilliant Blue FCF or other approved colour as a marker and when packed in applicator devices specially designed for the purpose;
- (c) when packed and labelled for treatment of ornamental caged birds or ornamental fish only.

**Tetradifon**

**Tetramisole** in preparations for the treatment of animals.

**Thiazafluron****Thiodicarb****Thiometon**

**Thiourea** except for therapeutic use.

**Thiram**

**Tiamulin** for the treatment of animals:

- (a) in feed premixes containing 25 per cent or less of tiamulin;
- (b) in soluble concentrates containing 45 per cent or less of tiamulin.

**Tin Organic Compounds**, being di-alkyl, tri-alkyl and tri-phenyl tin compounds where the alkyl group is methyl, ethyl, propyl or butyl, not elsewhere included in these Schedules except:

- (a) in plastics;
- (b) in paints containing 3 per cent or less of such compounds calculated as tin as a proportion of the non-volatile content of the paint; or

(c) in other preparations containing 1 per cent or less of such compounds.  
ortho-Tolidine when packed and labelled in concentrations of 0.1 per cent or less of ortho-tolidine for the testing of water.

Toluene (excluding its derivatives), except:

- (a) in preparations containing 50 per cent or less of toluene or toluene and xylene; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name and proportion of toluene or toluene and xylene.

Trenbolone

- (a) in ear implants for growth promotion in bovine cattle;
- (b) in combination with oestradiol-17-beta, progesterone or testosterone in ear implants for growth promotion in bovine cattle.

Triadimefon, except when included in Schedule 5.

S,S,S-Tributylphosphorothioate

Trichlorfon

Trichloroacetic Acid except when included in Schedule 5.

Trichloroethylene except:

- (a) when included in Schedule 4; or
- (b) for other human therapeutic use.

Trichlorophenol

Triclopyr

Tridemorph

Triethyl Phosphate

Trifluoromethane Sulphonic Acid

Tylosin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Vamidothion

Virginiamycin in animal feed premixes for growth promotion containing 2 per cent or less of antibiotic principles.

Warfarin, except when included in Schedule 4 or 5.

Xylene (excluding its derivatives), when packed in containers of 20 litres or less except:

- (a) in preparations containing 50 per cent or less of xylene or xylene and toluene; or
- (b) in containers having a capacity of more than 20 litres provided the containers are marked with the name and proportion of xylene or xylene and toluene.

Zeranol, in ear implants for use as a growth promotant in steer cattle.

Zinc Chloride except in preparations containing 5 per cent or less of zinc chloride.

Zinc p-Phenolsulphonate except in preparations containing 5 per cent or less of zinc p-phenolsulphonate.

Zinc Sulphate except for human therapeutic use and in preparations containing 5 per cent or less of zinc sulphate.

---

## **SCHEDULE 7**

Section 3

Acrolein

Acrylonitrile

Alachlor

Aldicarb

Allyl Alcohol

Aminocarb except when included in Schedule 6.

4-Aminopyridine

Amiton

ANTU

Arprinocid

Arsenic, except:

- (a) thiacetarsamide when included in Schedule 4;
- (b) when included in Schedule 5 or 6; or

(c) in animal feed containing 75g/tonne or less of arsenic.

Avermectin B1, except when included in Schedule 6.

Azinphos-ethyl

Azinphos-methyl

Bendiocarb except when included in Schedule 5 or 6.

Benzene (excluding its derivatives) except:

(a) preparations containing 1.5 per cent v/v or less of benzene; or

(b) petrol containing 5 per cent v/v or less of benzene.

Betahydroxyethylhydrazine

Brodifacoum except when included in Schedule 6.

Bromadiolone except when included in Schedule 6.

Camphechlor

Captafol

Captan

Carbadox

Carbofuran

Carbon Tetrachloride

Carbophenothion

Chlordimeform

Chlorfenvinphos

Chlorine (excluding its salts and derivatives).

5-Chloro-3-methyl-4-nitropyrazole

Chloropicrin except when included in Schedule 6.

Chlorthiophos

Coumaphos except when included in Schedule 6.

Cyanides—see hydrocyanic acid.

Cyhalothrin

Deltamethrin except when included in Schedule 6.

Demeton

Demeton-O-methyl and Demeton-S-methyl except when included in Schedule 6.

Dialifos

1,2,-Dibromo-3-chloropropane

Dichlorvos except when included in Schedule 5 or 6.

Dicrotophos

Dienochlor

Difenacoum except when included in Schedule 6.

Dimefox

1,3-Di(methoxycarbonyl)-1-propen-2-yl-dimethyl Phosphate except when included in Schedule 6.

Dimetilan except when included in Schedule 6.

Dinitrophenols and their homologues, not elsewhere specified in this Schedule, except when included in Schedule 4 or 6.

Dinitrocresols and their homologues, not elsewhere specified in this Schedule, except when included in Schedule 4 or 6.

Dinoseb except when included in Schedule 6.

Dioxathion

Disulfoton except when included in Schedule 6.

Endrin

Ethion

Ethoprophos except when included in Schedule 6.

Ethoxyethyl Mercury Chloride

Ethylene Dibromide

Ethyl Mercury Chloride

Famphur except when included in Schedule 6.

Fenamiosulf except when included in Schedule 6.

Fenamiphos except when included in Schedule 6.

Fensulfothion

Fenthionethyl

Flucythrinate

Flunixin Meglumine, except when included in Schedule 4.

Fluoroacetamide

Fluoroacetic Acid

Folpet

Formetanate

Halofuginone except in prepared stockfeeds containing 3 g/tonne or less of halofuginone.

Hydrocyanic Acid and Cyanides except when included in Schedule 1 or 2.

Isocarbophos

Isofenphos

Ivermectin

Leptophos

Mazidox

Mecarbam

Mercuric Chloride when prepared for use for agricultural, industrial, pastoral or horticultural purposes.

Methamidophos

Methapyrilene

Methfuroxam

Methidathion

Methomyl except when included in Schedule 6.

Methyl Bromide

Mevinphos

Mipafox

Mirex

Monocrotophos

Naphthalophos except when included in Schedule 6.

Nicotine except:

- (a) when included in Schedule 4 or 6;
- (b) in tobacco.

Nimidane except when included in Schedule 6.

Nitrofen

Omethoate except when included in Schedule 6.

Oxamyl

Oxyfluorfen

Paraquat except when included in Schedule 6.

Parathion

Parathion-methyl

Phenkapton except when included in Schedule 6.

Phorate

Phosfolan

Phosphamidon

Polychlorinated Biphenyls

Promecarb except when included in Schedule 6.

Schradan

Strychnine except:

- (a) *Nux vomica* included in Schedule 1; or
- (b) when included in Schedule 4 or 6.

Sulfallate

Sulfotep

Sulphatroxazole, except when included in Schedule 4.

TEPP

Terbufos

Tetrachloroethane

Thallium

Thiofanox

ortho-Tolidine except when included in Schedule 6 and in solid-state diagnostic therapeutic reagents.

Triamiphos

Triazbutil

Trichloroisocyanuric Acid except:

- (a) in preparations containing 4 per cent or less of available chlorine; or
- (b) when included in Schedule 5.

Vinyl Chloride

---

**SCHEDULE 8**

Section 3

Acetyldihydrocodeine except when included in Schedule 2 or 4.

Acetylmethadol

Acetylmorphines

Alfentanil

Allylprodine

Alphacetylmethadol

Alphameprodine

Alphamethadol

Alphaprodine

Amphetamine

Amylobarbitone except when included in Schedule 4.

Anileridine

Benzethidine

Benzylmorphine

Betacetylmethadol

Betameprodine

Betamethadol

Betaprodine

Bezitramide

Butobarbitone

Clonitazene

Cocaine and any solution or dilution in an inert substance whether liquid or solid in any proportion and all preparations and admixtures.

Coca Leaf

Codeine except when included in Schedule 2, 3 or 4.

Codeine-N-oxide

Codoxime

Concentrate of Poppy Straw (the material arising when poppy straw has entered into a process for concentration of its alkaloids).

4-Cyano-2-dimethylamino-4-4-diphenylbutane (Moramide intermediate).

4-Cyano-1-methyl-4-phenylpiperidine (Pethidine intermediate A).

Cyclobarbitone

Dexamphetamine

Dextromoramide

Dextropropoxyphene except when included in Schedule 4.

Diampromide

Diethylthiambutene

Difenoxin except when included in Schedule 4.

Dihydrocodeine except when included in Schedule 2 or 4.

Dihydromorphine

Dimenoxadol

Dimepheptanol  
Dimethylthiambutene  
Dioxaphetyl Butyrate  
Diphenoxylate except when included in Schedule 4.  
Dipipanone  
Drotebanol  
Ecgonine  
Ethylmethylthiambutene  
Ethylmorphine except when included in Schedule 2 or 4.  
Etonitazene  
Etoxeridine  
Fentanyl  
Furethidine  
Hydrocodone  
Hydromorphenol  
Hydromorphone  
Hydroxypethidine  
Isomethadone  
Levomethorphan  
Levomoramide  
Levophenacylmorphan  
Levorphanol  
Mecloqualone  
Metazocine  
Methadone  
Methaqualone  
Methylamphetamine

Methyldesorphine

Methyldihydromorphine

2-Methyl-3-morpholino-1-1-diphenyl Propane Carboxylic Acid (Methadone intermediate)

Methylphenidate

1-Methyl-4-phenylpiperidine-4-carboxylic Acid (Pethidine intermediate C)

Metopon

Morpheridine

Morphine

Morphine Methobromide

Morphine-N-oxide

Myrophine

Nabilone

Nicocodine except when included in Schedule 2 or 4.

Nicodicodine except when included in Schedule 2 or 4.

Nicomorphine

Noracymethadol

Norcodeine except when included in Schedule 2 or 4.

Norlevorphanol

Normethadone

Normorphine

Norpipanone

Opium in any form except the alkaloids noscapine and papaverine.

Oxycodone

Oxymorphone

Pentazocine

Pentobarbitone except when included in Schedule 4.

Pethidine

Phenadoxone  
Phenampromide  
Phenazocine  
Phencyclidine  
Phenmetrazine  
Phenomorphane  
Phenoperidine  
4-Phenylpiperidine-4-carboxylic Acid Ethyl Ester (Pethidine intermediate B)  
Pholcodine except when included in Schedule 2 or 4.  
Piminodine  
Piritramide  
Proheptazine  
Properidine  
Propiram  
Quinalbarbitone  
Racemethorphan  
Racemoramide  
Racemorphan  
Secbutobarbitone  
Sufentanil  
Thebacon  
Thebaine  
Tilidine  
Trimeperidine

---

**NOTES**

1. Notified in the *Commonwealth of Australia Gazette* on 31 July 1986.

2                    *Poisons and Narcotic Drugs (Amendment)*    No. 32, 1986

2.    No. 38, 1978 as amended by Nos. 19 and 56, 1981; No. 47, 1982; No. 67, 1985.