

1990
THE LEGISLATIVE ASSEMBLY
FOR THE AUSTRALIAN CAPITAL TERRITORY

(As presented)

(Minister for Health, Education and the Arts)

Poisons and Drugs (Amendment) Bill 1990

A BILL

FOR

An Act to amend the *Poisons and Drugs Act 1978*

The Legislative Assembly for the Australian Capital Territory enacts
as follows:

Short title

- 5 1. This Act may be cited as the *Poisons and Drugs (Amendment)
Act 1990*.

Commencement

2. (1) Sections 1, 2 and 3 commence on the day on which this Act
is notified in the *Gazette*.
10 (2) The remaining provisions commence on a day, or respective
days, fixed by the Minister by notice in the *Gazette*.
(3) If a provision referred to in subsection (2) has not commenced
before the end of the period of 6 months commencing on the day on

14927/90—(T49/90) Cat. No. 90 5499 1

205/11.12.1990

which this Act is notified in the *Gazette*, that provision, by force of this subsection, commences on the first day after the end of that period.

Principal Act

3. In this Act, "Principal Act" means the *Poisons and Drugs Act 1978*.¹

5

Substitution

4. Schedules 1 to 7, inclusive, to the Principal Act are repealed and the following Schedules substituted:

SCHEDULE 1

Section 3

Aconite (*Aconitum* spp)

Comfrey (*Symphytum* spp) for human internal use, being—

- (a) any preparation; or
- (b) any part of the dried plant

Croton oil

Savin, oil of

Tansy, oil of

SCHEDULE 2

Section 3

Acetic acid (excluding its salts and derivatives) in preparations containing more than 80% of acetic acid, for therapeutic use

Aloxiprin

Antazoline in eye drops

Aspirin, except—

- (a) when included in Schedule 4 or 6;
- (b) in individually wrapped powders or sachets of granules each containing 650 mg or less of aspirin as the only therapeutically active constituent, other than effervescent agents, when enclosed in a primary pack that—
 - (i) contains not more than 12 such powders or sachets of granules;
 - (ii) is labelled—
 - "WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD"; or
 - "CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL"; and
 - (iii) includes in the directions for use, in capital letters not less than 1.5 mm in height, the warning statements—
 - "CONSULT A DOCTOR BEFORE GIVING THIS MEDICINE TO CHILDREN OR TEENAGERS WITH CHICKEN POX,

SCHEDULE 2—continued

INFLUENZA OR FEVER"; and
"CAUTION—DO NOT GIVE TO CHILDREN UNDER 2
YEARS OF AGE EXCEPT ON DOCTOR'S ADVICE"; or

- (c) in tablets or capsules each containing 325 mg or less of aspirin as the only therapeutically active constituent, other than effervescent agents, when—
- (i) packed in blister or strip packaging or in containers with a child-resistant closure;
 - (ii) in a primary pack containing not more than 25 such tablets or capsules;
 - (iii) the pack is labelled—
"WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD"; or
"CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL"; and
 - (iv) includes in the directions for use, in capital letters not less than 1.5 mm in height, the warning statements—
"CONSULT A DOCTOR BEFORE GIVING THIS MEDICINE TO CHILDREN OR TEENAGERS WITH CHICKEN POX, INFLUENZA OR FEVER"; and
"CAUTION—DO NOT GIVE TO CHILDREN UNDER 2 YEARS OF AGE EXCEPT ON DOCTOR'S ADVICE"

Atropine (excluding atropine methonitrate)—

- (a) in preparations containing 0.25% or less of atropine; or
- (b) atropine sulphate, 0.6 mg tablets in packs of six, when labelled for treatment of organophosphorus poisoning

Belladonna in preparations containing 0.25% or less of the alkaloids of belladonna, calculated as hyoscyamine

Benzamine when included in—

- (a) lozenges, pastilles, tablets or capsules containing 30 mg or less of benzamine in each;
- (b) suppositories or bougies containing 200 mg or less of benzamine in each; or
- (c) preparations for topical use, other than eye drops, containing 10% or less of benzamine

Benzocaine when included in—

- (a) lozenges, pastilles, tablets or capsules containing 30 mg or less of benzocaine in each;
- (b) suppositories or bougies containing 200 mg or less of benzocaine in each; or
- (c) preparations for topical use, other than eye drops, containing 10% or less of benzocaine

Benzoyl peroxide in preparations for external human therapeutic use containing 5% or less of benzoyl peroxide

Benzydamine in preparations for topical use containing 3% or less of benzydamine
Bromhexine

SCHEDULE 2—continued

Brompheniramine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive, except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Bucizine in primary packs of 10 doses or less, for the prevention or treatment of motion sickness

Butylaminobenzoate when included in—

- (a) lozenges, pastilles, tablets or capsules containing 30 mg or less of butylaminobenzoate in each;
- (b) suppositories or bougies containing 200 mg or less of butylaminobenzoate in each; or
- (c) preparations for topical use, other than eye drops, containing 10% or less of butylaminobenzoate

Carbaryl in preparations for external human therapeutic use containing 2% or less of carbaryl

Carbenoxolone for topical oral use

Carbetapentane, except in preparations containing 0.5% or less of carbetapentane

Chloroform in preparations for therapeutic use, except—

- (a) when included in Schedule 4; or
- (b) in preparations containing 0.5% or less of chloroform

Chlorpheniramine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive, except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Cinnamedrine

Clioquinol and other halogenated derivatives of 8-hydroxyquinoline for external human use

Codeine—

- (a) when compounded with aspirin, paracetamol or any one of their derivatives, in dosage units each containing 10 mg or less of codeine and no other analgesic substance, and—
 - (i) in tablets or capsules when packed in blister or strip packaging or in a container with a child-resistant closure; or
 - (ii) in individually wrapped powders; and in a primary pack containing 25 or less dosage units; or
- (b) when compounded with one or more other therapeutically active substances—
 - (i) in divided preparations containing 10 mg or less of codeine and with a recommended dose not exceeding 15 mg of codeine; or
 - (ii) in undivided preparations containing 0.25% or less of codeine and with a recommended dose not exceeding 15 mg of codeine

Creosote derived from wood, for human therapeutic use, except in preparations containing 3% or less of phenols included in this Schedule

Cyanides—*see* Hydrocyanic acid

DDT—*see* Dicophane

SCHEDULE 2—continued

Dexchlorpheniramine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive, except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Dextromethorphan when compounded with one or more other therapeutically active substances—

- (a) in divided preparations containing 30 mg or less of dextromethorphan per dosage unit and with a recommended dose not exceeding 30 mg of dextromethorphan; or
- (b) in undivided preparations containing 0.3% or less of dextromethorphan with a recommended dose not exceeding 30 mg of dextromethorphan

Dicophane (DDT) in preparations for human therapeutic use

Dicyclomine in preparations containing 0.1% or less of dicyclomine

Dihydrocodeine when compounded with aspirin and no other therapeutically active substance, in divided preparations containing 5 mg or less of dihydrocodeine per dosage unit and with a recommended dose not exceeding 10 mg of dihydrocodeine when—

- (a) packed in blister or strip packaging or in a container with a child-resistant closure; and
- (b) in a primary pack containing 25 or less dosage units

Dimenhydrinate in primary packs of 10 doses or less, for the prevention or treatment of motion sickness

Dimethisoquin in preparations for topical use

Diphemanil methylsulphate in preparations for topical use

Diphenhydramine—

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) in oral preparations when compounded with one or more of the following medicaments:
 - (i) an antitussive, except codeine or dihydrocodeine;
 - (ii) an expectorant;
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Diphenylpyraline in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive, except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Doxylamine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive, except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Ephedrine for internal use, for the relief of respiratory tract conditions only, when compounded with one or more other therapeutically active substances in

SCHEDULE 2—continued

preparations containing 30 mg or less of ephedrine per recommended dose, except in liquid preparations containing 10 mg or less of ephedrine per recommended dose

Erythryl tetranitrate for therapeutic use

Etafedrine

Ether for therapeutic use, except—

- (a) when included in Schedule 4; or
- (b) in preparations containing 10% or less of ether

Ethoheptazine in preparations containing 1% or less of ethoheptazine

Ethylmorphine, when compounded with one or more other therapeutically active substances—

- (a) in divided preparations containing 10 mg or less of ethylmorphine per dosage unit and with a recommended dose not exceeding 15 mg of ethylmorphine; or
- (b) in undivided preparations containing 0.25% or less of ethylmorphine and with a recommended dose not exceeding 15 mg of ethylmorphine

Fluoride for human therapeutic use, being—

- (a) sodium fluoride in preparations for ingestion containing 2.2 mg or less of sodium fluoride per dosage unit; or
- (b) in preparations for topical use, except—
 - (i) when included in Schedule 3;
 - (ii) in dentifrices containing 1,000 mg/kg or less of fluoride ion; or
 - (iii) in other substances containing 15 mg/kg or less of fluoride ion

Gelsemium

Glutaraldehyde for human therapeutic use

Glyceryl trinitrate for therapeutic use, except when included in Schedule 4

Guaiphenesin—

- (a) in liquid preparations containing 2% (200 mg/10. ml) or less of guaiphenesin; or
- (b) in divided preparations containing 120 mg or less of guaiphenesin per dosage unit

Hexachlorophane in preparations for human skin cleansing purposes containing 3% or less of hexachlorophane, except in preparations for use on infants as specified in Schedule 4

Homatropine in preparations containing 0.25% or less of homatropine

Human chorionic gonadotrophin or its antibody in pregnancy test kits

Hydroquinone (excluding monobenzene and other alkyl ethers of hydroquinone included in Schedule 4) in preparations for external human therapeutic or cosmetic use containing 2% or less of hydroquinone, except hair preparations containing 1% or less of hydroquinone

8-Hydroxyquinoline and its non-halogenated derivatives for human therapeutic use, except in preparations for external use containing 1% or less of such substances

Hyoscine (excluding hyoscine butylbromide)—

- (a) in preparations containing 0.25% or less of hyoscine; or
- (b) in transdermal applicators containing 2 mg or less of hyoscine

Hyoscyamine in preparations containing 0.25% or less of hyoscyamine

Hyoscyamus in preparations containing 0.25% or less of the alkaloids of hyoscyamus calculated as hyoscyamine

SCHEDULE 2—continued

Iodine—

- (a) in preparations for internal human therapeutic use containing 300 mg or more of iodine, except—
 - (i) when included in Schedule 4; or
 - (ii) when labelled, in letters not less than 1.5 mm in height—
“CAUTION—TOTAL IODINE INTAKE MAY EXCEED RECOMMENDED LEVEL WHEN TAKING THIS PREPARATION”; and
“WARNING—CONTAINS IODINE—DO NOT TAKE WHEN PREGNANT EXCEPT ON PHYSICIAN’S ADVICE”; or
- (b) in preparations for external human therapeutic use containing more than 2.5% of available iodine other than as iodine salts, derivatives or iodophors

Iron compounds for human internal use, except—

- (a) when included in Schedule 4;
- (b) in divided preparations containing 5 mg or less of iron per dosage unit; or
- (c) in liquid oral preparations containing 0.1% or less of iron

Isopropamide in preparations containing 2% or less of isopropamide for dermal use

Isosorbide dinitrate for therapeutic use

Lignocaine when included in—

- (a) lozenges, pastilles, tablets or capsules containing 30 mg or less of lignocaine in each;
- (b) suppositories or bougies containing 200 mg or less of lignocaine in each; or
- (c) preparations for topical use, other than eye drops, containing 10% or less of lignocaine

Lindane in preparations for external human therapeutic use containing 2% or less of lindane

Lobelia—

- (a) in divided preparations containing 2.5 mg or less of lobeline per dosage unit; or
- (b) in undivided preparations containing 0.05% or less of lobeline; except in preparations for smoking or burning

Lobeline—

- (a) in divided preparations containing 2.5 mg or less of lobeline per dosage unit; or
- (b) in undivided preparations containing 0.05% or less of lobeline; except in preparations for smoking or burning

Luteinising hormone or its antibody in human ovulation test kits

Maldison in preparations for external human therapeutic use containing 2% or less of maldison

Mebendazole for human therapeutic use

Mercuric oxide in ointments for human ocular use

Mercury organic compounds for topical human therapeutic use in preparations containing 0.5% or less of mercury

Methoxamine, except in preparations for external use containing 1% or less of methoxamine

SCHEDULE 2—continued**Methoxyphenamine****Methylephedrine****Miconazole for human use in preparations containing 2% or less of miconazole for treatment of fungal infections of the skin****Naphazoline****Naproxen in packs of 12 or less tablets or capsules for treatment of spasmodic dysmenorrhoea****Niclosamide for human therapeutic use****Nitric esters of polyhydric alcohols for therapeutic use, except when separately specified in these Schedules****Noscapine****Oxethazaine in preparations for internal use****Oxymetazoline****Papaverine, except when included in Schedule 4****Paracetamol, except—**

(a) when included in Schedule 4;

(b) in individually wrapped powders or sachets of granules each containing 1000 mg or less of paracetamol as the only therapeutically active constituent other than effervescent agents when—

(i) the pack is labelled—

“WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD”; or

“CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL”; and

(ii) in a primary pack containing not more than 12 such powders or sachets;

unless the pack is labelled for the treatment of children under 7 years of age; or

(c) tablets or capsules each containing 500 mg or less of paracetamol as the only therapeutically active constituent other than effervescent agents when—

(i) the pack is labelled—

“WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD”; or

“CAUTION—THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL”;

(ii) packed in blister or strip packaging or in containers with a child-resistant closure; and

(iii) in a primary pack containing not more than 25 such tablets or capsules;

unless the pack is labelled for the treatment of children under 7 years of age

Phedrazine

SCHEDULE 2—continued

Phenazone for external use

Pheniramine—

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) in oral preparations when compounded with one or more of the following medicaments:
 - (i) an antitussive, except codeine or dihydrocodeine;
 - (ii) an expectorant;
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age
Phenol, or any homologue of phenol boiling below 220°C, for human therapeutic use, except in preparations containing 3% or less of such substances

Phenylenediamines and alkylated phenylenediamines for therapeutic use

Phenylephrine, except—

- (a) when included in Schedule 4;
- (b) preparations containing 0.5% or less of phenylephrine; or
- (c) preparations for external use containing 1% or less of phenylephrine

Pholcodine when compounded with one or more other therapeutically active substances—

- (a) in divided preparations containing 10 mg or less of pholcodine per dosage unit and with a recommended dose not exceeding 25 mg of pholcodine; or
- (b) in undivided preparations containing 0.5% or less of pholcodine and with a recommended dose not exceeding 25 mg of pholcodine

Podophyllotoxin for external human therapeutic use in preparations containing 2% or less of podophyllotoxin

Podophyllum resin (podophyllin) for external human therapeutic use in preparations containing 10% or less of podophyllin

Potassium chlorate for therapeutic use except in preparations containing 10% or less of potassium chlorate

Pramoxine when included in preparations for external use, other than eye drops, containing 1% or less of pramoxine

Procyclidine in preparations containing 5% or less of procyclidine for dermal use

Promethazine—

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness; or
- (b) in oral preparations when compounded with one or more of the following medicaments:
 - (i) an antitussive, except codeine or dihydrocodeine;
 - (ii) an expectorant;
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Propantheline in preparations for topical use

Pseudoephedrine—

- (a) in preparations containing 60 mg or less of pseudoephedrine per recommended dose; or
- (b) in slow-release preparations containing 120 mg or less of pseudoephedrine per recommended dose, for which approval for the slow-release

SCHEDULE 2—continued

characteristic has been granted by the Commonwealth Department of Community Services and Health;

except when included in Schedule 4

Pyrantel for human therapeutic use

Pyrrithione zinc for human therapeutic use, except—

- (a) in semi-solid hair preparations; or
- (b) in shampoos containing 2% or less of pyrrithione zinc when labelled—
“KEEP OUT OF EYES”; or
“IF IN EYES, RINSE WELL WITH WATER”

Salicylamide, except when included in Schedule 4

Silver salts for therapeutic use, except—

- (a) chewing tablets containing 5 mg or less of silver per tablet when the pack is labelled—
“WARNING—OVERUSE MAY STAIN THE SKIN OR MOUTH”; or
- (b) solutions containing 0.3% or less of silver when the pack is labelled—
“WARNING—OVERUSE MAY STAIN THE SKIN OR MOUTH”

Sodium cromoglycate in nasal preparations for topical use

Sodium nitrite for therapeutic use

Staphisagria, except in preparations containing 0.2% or less of staphisagria

Stramonium in preparations containing 0.25% or less of the alkaloids calculated as hyoscyamine, except preparations for smoking or burning

Tetrahydrozoline

Thenyldiamine—

- (a) in nasal preparations for topical use; or
- (b) in oral preparations when compounded with one or more of the following medicaments:
 - (i) an antitussive except codeine or dihydrocodeine;
 - (ii) an expectorant;
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Tramazoline

Trimeprazine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Tripolidine in oral preparations when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine;
- (b) an expectorant;
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age

Tymazoline

Xylometazoline

SCHEDULE 3

Section 3

- Acepifylline in liquid oral preparations
- Adrenaline in preparations containing 1% or less of adrenaline, except in preparations containing 0.02% or less of adrenaline
- Aminophylline in liquid oral preparations
- Amyl nitrite
- Azatadine in oral preparations
- Benzoyl peroxide in preparations containing 10% or less of benzoyl peroxide for external human therapeutic use, except when included in Schedule 2
- Brompheniramine in oral preparations, except when included in Schedule 2
- Bucilizine in oral preparations, except when included in Schedule 2
- Butyl nitrite
- Chlorofluorocarbons alone or in combination with other propellants or refrigerants in liquefied gas form for therapeutic use
- Chlorpheniramine in oral preparations, except when included in Schedule 2
- Clemastine in oral preparations
- Clotrimazole for human use in preparations containing 1% or less of clotrimazole, for treatment of fungal infections of the skin
- Codeine when—
- (a) compounded with aspirin, paracetamol or any one of their derivatives and no other analgesic substance; and
 - (b) in divided preparations containing 10 mg or less of codeine per dosage unit with a recommended dose not exceeding 15 mg of codeine;
- except when included in Schedule 2
- Cyproheptadine in oral preparations
- Dexchlorpheniramine in oral preparations, except when included in Schedule 2
- Dihydrocodeine when compounded with one or more other therapeutically active substances—
- (a) in divided preparations containing 10 mg or less per dosage unit and with a recommended dose not exceeding 15 mg of dihydrocodeine; or
 - (b) in undivided preparations containing 0.25% or less of dihydrocodeine with a recommended dose not exceeding 15 mg of dihydrocodeine;
- except when included in Schedule 2
- Dimenhydrinate in oral preparations, except when included in Schedule 2
- Dimethindene in oral preparations
- Diphenhydramine in oral preparations, except when included in Schedule 2
- Diphenylpyraline in oral preparations, except when included in Schedule 2
- Dithranol for human therapeutic use
- Doxylamine in oral preparations, except when included in Schedule 2
- Econazole for human use in preparations containing 1% or less of econazole for treatment of fungal infections of the skin
- Ephedrine for internal use, for the relief of respiratory tract conditions only, when compounded with one or more other therapeutically active substances, except—
- (a) when included in Schedule 2; or

SCHEDULE 3—continued

- (b) in liquid preparations containing 10 mg or less of ephedrine per recommended dose
- Fenoterol in metered aerosols delivering 200 micrograms or less of fenoterol per metered dose
- Flavoxate
- Fluorides in dentifrices containing more than 1000 mg/kg of fluoride ion
- Fluorocarbons alone or in combination with other propellants or refrigerants in liquefied gas form for therapeutic use
- Folic acid for human therapeutic use, except in preparations containing 500 micrograms or less of folic acid per recommended daily dose
- Folinic acid for human therapeutic use, except in preparations containing 500 micrograms or less of folinic acid per recommended daily dose
- Hydrocortisone (excluding its salts and derivatives other than hydrocortisone acetate) as the only therapeutically active substance in preparations for dermal use containing 0.5% or less of hydrocortisone in packs containing 30 grams or less where the labelling warns against—
 - (a) contact with the eyes; or
 - (b) use for acne;and against use, except on medical advice—
 - (c) on children under 2 years of age;
 - (d) for more than 7 days; or
 - (e) under occlusive dressings
- Ibuprofen as the only therapeutically active substance in divided preparations for oral use containing 200 mg or less of ibuprofen per dosage unit in a pack containing 50 or less dosage units and with a recommended daily dose not exceeding 1200 mg of ibuprofen
- Idoxuridine in preparations containing 0.5% or less of idoxuridine for dermal use
- Insulin
- Isoconazole for human use in preparations containing 1% or less of isoconazole, for treatment of fungal infections of the skin
- Loperamide in packs of 8 dosage units or less, each dosage unit containing 2 mg or less of loperamide
- Mefenamic acid in packs of 30 or less capsules for treatment of spasmodic dysmenorrhoea
- Mepyramine in oral preparations
- Methdilazine in oral preparations
- Miconazole for human use in topical preparations containing 2% or less of miconazole for the treatment of oral candidiasis
- Nicotine in chewing tablets containing 2 mg or less of nicotine per tablet for use as an aid in withdrawal from tobacco smoking
- Nitrofurazone in preparations for dermal use containing 0.2% or less of nitrofurazone
- Nystatin in preparations for topical use for treatment of candidal infections only
- Octyl nitrite
- Pheniramine in oral preparations, except when included in Schedule 2
- Phenylpropanolamine in preparations containing 25 mg or less per recommended dose of phenylpropanolamine when labelled only for the relief of coughs or colds
- Phenyltoloxamine in oral preparations

SCHEDULE 3—continued

Podophyllotoxin for external human therapeutic use in preparations containing 4% or less of podophyllotoxin, except when included in Schedule 2

Podophyllum resin (podophyllin) for external human therapeutic use in preparations containing 20% or less of podophyllin, except when included in Schedule 2

Promethazine in oral preparations, except when included in Schedule 2

Pseudoephedrine, except when included in Schedule 2 or 4

Quinine for human internal therapeutic use, except in liquids containing 40 mg/ litre or less of quinine

Salbutamol—

(a) in metered aerosols delivering 100 micrograms or less of salbutamol per metered dose; or

(b) in capsules of dry powder for inhalation delivering 200 micrograms or less of salbutamol per dose

Santonin

Terbutaline in metered aerosols delivering 250 micrograms or less of terbutaline per metered dose

Terfenadine as the only therapeutically active substance in divided preparations for oral use containing 60 mg or less of terfenadine per dosage unit in a pack containing 20 or less dosage units

Thenyldiamine in oral preparations, except when included in Schedule 2

Theophylline in liquid oral preparations

Tioconazole for human use in preparations containing 1% or less of tioconazole for treatment of fungal infections of the skin

Tretinoin for external human therapeutic use

Trimeprazine—

(a) in solid oral preparations; or

(b) in liquid oral preparations containing 10 mg or less of trimeprazine per 5 ml;

except when included in Schedule 2

Tripolidine in oral preparations, except when included in Schedule 2

SCHEDULE 4

Section 3

Acebutolol

Acepihylline, except when included in Schedule 3

Acepromazine

Acetanilide and alkyl acetanilides, for human therapeutic use

Acetazolamide

Acetohexamide

Acetylcholine

Acetylcysteine

Acetyldihydrocodeine when compounded with one or more other medicaments—

(a) in divided preparations containing not more than 100 mg of acetyldihydrocodeine per dosage unit; or

(b) in undivided preparations with a concentration of not more than 2.5% of acetyldihydrocodeine

SCHEDULE 4—continued

Acetylmethyldimethyloximidophenylhydrazine
Actinomycin D (dactinomycin)
Acyclovir
Adiphenine
Adrenaline, except—
 (a) when included in Schedule 3; or
 (b) in preparations containing 0.02% or less of adrenaline
Alclometasone
Alcuronium salts
Allopurinol
Allyloestrenol
Alphadolone
Alphaxalone
Alprazolam
Alprenolol
Alprostadiol
Amantadine
Ambenonium
Ambucetamide
Ambutonium
Amethocaine
Amikacin
Amiloride
3-Aminobenzoic acid ethyl ester methanesulphonate
Aminocaproic acid
Aminoglutethimide
Aminometradine
Aminophenazone and its derivatives, for the treatment of animals
Aminophylline, except when included in Schedule 3
Aminopterin
4-Aminopyridine
Aminorex
Aminosalicylic acid
Amiodarone
Amiphenazole
Amisometradine
Amitriptyline
Amodiaquine
Amoxicillin
Amphomycin
Amphotericin
Ampicillin
Amsacrine
Amylobarbitone when packed and labelled for injection
Amylocaine
Anabolic steroidal agents, except when separately specified in these Schedules

SCHEDULE 4—continued

Angiotensin amide

Antazoline, except when included in Schedule 2

Antibiotics, except—

(a) when separately specified in these Schedules; or

(b) nisin

Antigens for human therapeutic use

Antihistamines, except—

(a) when included in Schedule 2 or 3; or

(b) when separately specified in this Schedule

Antimony organic compounds for therapeutic use

Apomorphine

Aprotinin

Arsenic—*see* Thiacetarsamide

Aspirin—

(a) when combined with caffeine, paracetamol or salicylamide or any derivative of these substances; or

(b) for injection

Astemizole

Atenolol

Atracurium besylate

Atropine, except when included in Schedule 2

Auranofin

Avoparcin, except when packed and labelled for use as an animal feed additive

Azaperone

Azapetine

Azatadine, except when included in Schedule 3

Azlocillin

Aztreonam

Bacampicillin

Bacitracin, except—

(a) when included in Schedule 6;

(b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substances; or

(c) in milk replacers for calves and starter rations for pigs containing 100 mg/kg or less of antibiotic substances

Baclofen

Bamipine

Barbiturates, except when separately specified in these Schedules

Beclamide

Belladonna, except when included in Schedule 2

Bemegride

Benactyzine and other substances structurally derived from diphenylmethane with ataractic properties when used for therapeutic purposes

Bendrofluazide

Benorylate

Benserazide

Benzamine, except when included in Schedule 2

SCHEDULE 4—continued

- Benzhexol
Benzilonium
Benzocaine, except when included in Schedule 2
Benzodiazepine derivatives, except when separately specified in these Schedules
Benzoyl peroxide in preparations for external human therapeutic use, except when included in Schedule 2 or 3
Benzphetamine
Benztropine
Benzydamine, except when included in Schedule 2
Benzylpenicillin (including procaine penicillin), except when included in Schedule 6
Betahistine
Bethanechol chloride
Bethanidine
Bifonazole
Biperiden
Bismuth compounds for human therapeutic or cosmetic use, except—
 (a) bismuth citrate when incorporated in hair colourant preparations in concentrations of 0.5% or less;
 (b) bismuth oxychloride in cosmetics; or
 (c) bismuth formic iodide or bismuth subiodide in dusting powders containing 3% or less of bismuth
Bleomycin
Boron for human therapeutic use—
 (a) for internal use
 (b) in glycerines or honeys of borax or boric acid;
 (c) in dusting powders for paediatric use; or
 (d) as a therapeutically active ingredient in other preparations for dermal use except—
 (i) in antifungal preparations; or
 (ii) in preparations containing 0.1% or less of boron
Bretylium
Bromazepam
Bromides, inorganic, for therapeutic use
Bromocriptine
Bromoform for therapeutic use
Brompheniramine, except when included in Schedule 2 or 3
Bromvaletone
Buclizine, except when included in Schedule 2 or 3
Bufexamac, except—
 (a) in preparations for dermal use containing 5% or less of bufexamac; or
 (b) in suppositories
Bumetanide
Bupivacaine
Buprenorphine
Buspirone
Busulphan

SCHEDULE 4—continued

Butacaine
Butylaminobenzoate, except when included in Schedule 2
Butylchloral hydrate
Calcitonin
Calcitriol
Calcium carbimide for therapeutic use
Camphorated oil excluding admixtures
Camphotamide
Candicidin
Canine tick anti-serum
Cantharidin
Capreomycin
Captodiamide
Captopril
Capuride
Caramiphen
Carbachol
Carbamazepine
Carbaryl for human therapeutic use, except when included in Schedule 2
Carbazochrome
Carbenicillin
Carbenoxolone, except when included in Schedule 2
Carbidopa
Carbimazole
Carbocromen
Carboplatin
Carbromal
Cardiac glycosides, except when separately specified in these Schedules
Carindacillin
Carmustine
Carnidazole for the treatment of pigeons
Catalin
Cathine
Cefaclor
Cefoperazone
Cefotaxime
Cefotetan
Cefoxitin
Ceftazidime
Ceftriaxone
Cephacetrile
Cephadroxil for the treatment of animals
Cephalexin
Cephaloridine
Cephalothin
Cephmandole

SCHEDULE 4—continued

Cephapirin
Cephazolin
Cephradine
Chenodeoxycholic acid
Chloral formamide
Chloral hydrate, except in preparations for topical use containing 2% or less of chloral hydrate
α-Chloralose—*see* Chloralose
Chloralose, except when included in Schedule 6
Chlorambucil
Chloramphenicol
Chlorazaniil
Chlorbutol in preparations for human oral use, except in preparations containing 0.5% or less of chlorbutol as a preservative
Chlorcyclizine
Chlordiazepoxide
Chlormerodrin
Chlormethiazole
Chlormezanone
Chloroform for use in anaesthesia
2-(4-Chlorophenyl)-1,2,4-triazole [5,1a]-isoquinoline for the treatment of animals
Chloroquine
Chlorothiazide
Chlorpheniramine, except when included in Schedule 2 or 3
Chlorphentermine
Chlorpromazine
Chlorpropamide
Chlorprothixene
Chlortetracycline, except when included in Schedule 6
Chlorthalidone
Chlorzoxazone
Cholestyramine for human therapeutic use
Chymopapain, injection for human therapeutic use
Ciclacillin
Cilastatin
Cimetidine
Cinchocaine
Cinoxacin
Ciprofloxacin
Cisapride
Cisplatin
Clanobutin for the treatment of animals
Clavulanic acid
Clemastine, except when included in Schedule 3
Clemizole
Clenbuterol for the treatment of animals
Clidinium

SCHEDULE 4—continued

Clindamycin
Clobazam
Clobetasone-17-butyrate
Clofenamide
Clofibrate
Clomiphene
Clomipramine
Clomocycline
Clonazepam
Clonidine
Clopamide
Cloprostenol for the treatment of animals
Clorazepate
Clorexolone
Clorprenaline
Clotrimazole, except when included in Schedule 3 or 6
Cloxacillin
Clozapine
Codeine when compounded with one or more other therapeutically active substances—
 (a) in divided preparations containing 30 mg or less of codeine per dosage unit; or
 (b) in undivided preparations containing 1% or less of codeine; except when included in Schedule 2 or 3
Colaspase
Colchicine
Colestipol for human therapeutic use
Colistin
Cortisone and steroid suprarenal cortical hormones, except hydrocortisone in Schedule 3
Crystal violet for human therapeutic use
Curare
Cyclandelate
Cyclizine
Cyclofenil
Cyclopenthiazide
Cyclopentolate
Cyclophosphamide
Cyclopropane for therapeutic use
Cycloserine
Cyclosporin
Cyclothiazide
Cycrimine
Cypheptadine, except when included in Schedule 3
Cyproterone
Cytarabine
Dacarbazine

SCHEDULE 4—continued

Danazol
Dantrolene
Dapsone
Daunorubicin
Deanol
Debrisoquine
Demecarium bromide
Demeclocycline
Desipramine
Desmopressin (DDAVP)
Detomidine for the treatment of animals
Dexchlorpheniramine, except when included in Schedule 2 or 3
Dexfenfluramine
Dextromethorphan, except when included in Schedule 2
Dextropropoxyphene—
 (a) in divided preparations containing 135 mg or less of dextropropoxyphene per dosage unit; or
 (b) in liquid preparations containing 2.5% or less of dextropropoxyphene
Dextroprphan
Diazepam
Diazoxide
Dibenzepin
trans-4-((3,5-Dibromo-2-hydroxybenzyl)-amino) cyclohexanol hydrochloride monohydrate (sputolysin), except when included in Schedule 6
Dichloralphenazone
Dichlorphenamide
Diclofenac
Dicyclomine, except when included in Schedule 2
Dienoestrol
Diethazine
Diethylcarbamazine for human therapeutic use
Diethylpropion
Difenoxin in preparations containing, per dosage unit, 0.5 mg or less of difenoxin and a quantity of atropine sulphate equivalent to at least 5% of the dose of difenoxin
Diflunisal
Digitalis and its glycosides
Digoxin antibody
Dihydralazine
Dihydrocodeine when compounded with one or more other medicaments—
 (a) in divided preparations containing not more than 100 mg of dihydrocodeine per dosage unit; or
 (b) in undivided preparations with a concentration of not more than 2.5% of dihydrocodeine;
 except when included in Schedule 2 or 3
Dihydrostreptomycin, except when included in Schedule 6
Diisopropylamine dichloroacetate

SCHEDULE 4—continued

Diltiazem
Dimenhydrinate, except when included in Schedule 2 or 3
Dimethindene, except when included in Schedule 3
Dimethisoquin, except when included in Schedule 2
Dimethoxanate
Dimethyl sulphoxide for therapeutic use, except—
 (a) when included in Schedule 6; or
 (b) in in vitro test kits
Dimetridazole
2,4-Dinitrochlorobenzene for therapeutic use
Dinitrocresols for therapeutic use
Dinitronaphthols for therapeutic use
Dinitrophenols for therapeutic use
Dinitrothymols for therapeutic use
Dinoprost
Diperodon
Diphepanil methylsulphate, except when included in Schedule 2
Diphenhydramine, except when included in Schedule 2 or 3
Diphenidol
Diphenoxylate in preparations containing, per dosage unit, 2.5 mg or less of
 diphenoxylate and a quantity of atropine sulphate equivalent to at least 1% of
 the dose of diphenoxylate
Diphenylpyraline, except when included in Schedule 2 or 3
Dipivefrin
Dipyridamole
Disophenol
Disopyramide
Distigmine
Disulfiram for therapeutic use
Dithiazanine, except when included in Schedule 6
Dobutamine
Domperidone
Dopamine
Dothiepin
Doxapram
Doxepin
Doxorubicin
Doxycycline
Doxylamine, except when included in Schedule 2 or 3
Droperidol
Drostanolone
Dydrogesterone
Econazole, except when included in Schedule 3 or 6
Edetic acid for human therapeutic use in preparations for injection or infusion
Emetine, except in preparations containing 0.2% or less of emetine
Enalapril
Enflurane for therapeutic use

SCHEDULE 4—continued

Ephedrine, except—

- (a) when included in Schedule 2 or 3;
- (b) in preparations for topical use containing 1% or less of ephedrine; or
- (c) for internal use for the relief of respiratory tract conditions only, when compounded with one or more other therapeutically active substances in liquid preparations containing 10 mg or less of ephedrine per recommended dose

Epicillin

Epirubicin

Ergometrine

Ergot

Erythromycin, except—

- (a) when included in Schedule 6,
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substances; or
- (c) in milk replacers for calves and starter rations for pigs containing 100 mg/kg or less of antibiotic substances

Estramustine

Ethacrynic acid

Ethambutol

Ethamivan

Ethchlorvynol

Ether for use in anaesthesia

Ethinamate

Ethinyloestradiol

Ethoglucid

Ethoheptazine, except when included in Schedule 2

Ethopropazine

Ethosuximide

Ethotoin

Ethoxzolamide

Ethyl chloride for inhalation anaesthesia

Ethylmorphine when compounded with one or more other medicaments—

- (a) in divided preparations containing not more than 100 mg of ethylmorphine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5% of ethylmorphine;

except when included in Schedule 2

Ethyloestrenol

Ethinodiol

Etidocaine

Etidronate, except in tooth pastes and gels containing 1% or less of etidronate

Etilefrin hydrochloride

Etoposide

Etretinate

Famotidine

Felodipine

SCHEDULE 4—continued

Felypressin
Fencamfamin
Fenfluramine
Fenpropfen
Fenoterol, except when included in Schedule 3
Fenpipramide
Fenpiprane
Fenproporex
Fenprostalene for the treatment of animals
Flavoprophospholipol, except—
 (a) when included in Schedule 6; or
 (b) in animal feeds for growth promotion containing 50 mg/kg or less of
 antibiotic substances
Flecainide
Flucloxacillin
Flucytosine
Flufenamic acid
Flumazanil
Flunisolide
Flunitrazepam
Flunixin meglumine for the treatment of animals
Fluorides in preparations for human ingestion, except when included in Schedule
 2 or 3
Fluorouracil
Fluoxetine
Fluoxymesterone
Fluphenazine
Fluprostenol for the treatment of animals
Flurazepam
Fluroxene for inhalation anaesthesia
Fluspirilene
Follicle-stimulating hormone (animal)
Fosfestrol
Framycetin
Frusemide
Fusidic acid
Galanthamine
Gallamine
Gemeprost
Gentamicin
Glibenclamide
Glibornuride
Gliclazide
Glipizide
Glucagon
Glutethimide
Glyceryl trinitrate in preparations for injection

SCHEDULE 4—continued

Glycopyrrolate
Glymidine
Gonadorelin
Gonadotrophins, except when separately specified in this Schedule or in Schedule 2
Goserelin acetate
Gramicidin
Griseofulvin
Growth hormone
Guaiphenesin, except when included in Schedule 2
Guanabenz
Guanacine
Guanethidine
Halcinonide
Haloperidol and other substances structurally derived from butyrophenone with ataractic properties, when used for therapeutic purposes, except when separately specified in this Schedule
Halothane for therapeutic use
Heparin for internal therapeutic use
Hetacillin
Hexachlorophane—
 (a) in preparations for use on infants; or
 (b) in other preparations, except when included in Schedule 2 or 6
Hexamethonium
Hexocyclium
Homatropine, except when included in Schedule 2
Hyaluronic acid in preparations for injection
Hydralazine
Hydrochlorothiazide
Hydrocyanic acid for therapeutic use
Hydroflumethiazide
Hydroquinone (other than its alkyl ethers separately specified in this Schedule) in preparations for human therapeutic or cosmetic use, except—
 (a) when included in Schedule 2; or
 (b) in hair preparations containing 1% or less of hydroquinone
Hydroxychloroquine
Hydroxyephedrine
Hydroxyprogesterone
Hydroxyurea
Hydroxyzine
Hygromycin, except—
 (a) when included in Schedule 6; or
 (b) in preparations in concentrations of 50 mg/kg or less of antibiotic substances
Hyoscine, except when included in Schedule 2
Hyoscyamine, except when included in Schedule 2
Hyoscyamus, except when included in Schedule 2

SCHEDULE 4—continued

Hypothalamic releasing factors, except when separately specified in this Schedule

Ibufenac

Ibuprofen, except when included in Schedule 3

Idoxuridine, except when included in Schedule 3

Imipenem

Imipramine

Indapamide

Indomethacin

Inositol nicotinate for internal use

Interferon

Ion-exchange resins, anionic and cationic, for internal use in humans, except when separately specified in this Schedule

Iopamidol

Ipratropium

Iproniazid

Iron compounds in injectable preparations for human therapeutic use

Isoaminile

Isocarboxazid

Isoconazole, except when included in Schedule 3 or 6

Isoetharine

Isoflurane for therapeutic use

Isometheptene

Isoniazid

Isoprenaline

Isopropamide, except when included in Schedule 2

Isotretinoin

Isoxuprine

Ivermectin for the treatment of dogs

Kanamycin

Ketamine

Ketoconazole

Ketoprofen

Khellin

Kitasamycin, except—

(a) when included in Schedule 6; or

(b) in animal feeds for growth promotion containing 100 mg/kg or less of antibiotic substances

Labetalol

Latamoxef

Laudexium methylsulphate

Lead compounds for human therapeutic use

Lefetamine

Leptazol

Leuprorelin

Levallorphan

Levamisole—

(a) for human therapeutic use; or

SCHEDULE 4—continued

(b) in preparations for the prevention or treatment of heartworm in dogs

Levodopa
Levonorgestrel
Lidoflazine
Lignocaine, except when included in Schedule 2
Lincomycin
Lindane for human therapeutic use, except when included in Schedule 2
Liothyronine sodium (triiodothyronine)
Lithium salts for therapeutic use, except in preparations containing 0.01% or less of lithium
Lobelia, except—
 (a) when included in Schedule 2; or
 (b) in preparations for smoking or burning
Lobeline, except—
 (a) when included in Schedule 2; or
 (b) in preparations for smoking or burning
Lomustine
Loperamide, except when included in Schedule 3
Lorazepam
Loxapine
Luteinising hormone—*see also Gonadotrophins*
Lymecycline
Mafenide, except when included in Schedule 6
Maldison for human therapeutic use, except when included in Schedule 2
Maprotiline
Mazindol
Mebeverine
Mebhydrolin
Mecamylamine
Meclofenoxate
Meclozine
Medazepam
Medroxyprogesterone
Mefenamic acid, except when included in Schedule 3
Mefenorex
Mefloquine
Mefruside
Megestrol
Melphalan
Mepacrine
Mepenzolate
Mephesisin
Mephentermine
Mepivacaine
Meprobamate
Mepyramine, except when included in Schedule 3

SCHEDULE 4—continued

Mercaptopurine
Mercury for therapeutic use, except when included in Schedule 2 or 6
Mesalazine
Mesterolone
Mestranol
Metaraminol
Metergoline for the treatment of animals
Metformin
Methacycline
Methandienone
Methandriol
Methanthelinium
Methazolamide
Methdilazine, except when included in Schedule 3
Methenolone
Methicillin
Methimazole
Methixene
Methocarbamol
Methotrexate
Methoxsalen
Methoxyflurane for therapeutic use
Methsuximide
Methyclothiazide
Methylandrostanolone
Methyldopa
Methylpentynol and other substituted alkynes for internal use
Methyltestosterone
Methypyrone
Methysergide
Metoclopramide
Metolazone
Metoprolol
Metrizamide
Metronidazole including benzoyl metronidazole
Metyrapone
Mexiletine
Mezlocillin
Mianserin
Mibolerone
Miconazole, except when included in Schedule 2, 3 or 6
Midazolam
Minocycline
Minoxidil
Misoprostol
Mithramycin

SCHEDULE 4—continued

Mitobronitol

Mitomycin

Mitozantrone

Monensin, except—

(a) when included in Schedule 6; or

(b) in animal feeds containing 33 mg/kg or less of antibiotic substances

Monobenzene and other alkyl ethers of hydroquinone for human therapeutic use or cosmetic use

Monoclonal antibodies for therapeutic use, except in diagnostic test kits

Moperone

Mupirocin

Mustine

Nadolol

Nalbuphine

Nalidixic acid, except when included in Schedule 6

Nalorphine

Naloxone

Nandrolone

Naproxen, except when included in Schedule 2

Narasin, except—

(a) when included in Schedule 6; or

(b) in animal feeds containing 100 mg/kg or less of antibiotic substances

Natamycin

Neomycin, except when included in Schedule 6

Neostigmine

Netilmicin

Nicocodine when compounded with one or more other medicaments—

(a) in divided preparations containing not more than 100 mg of nicocodine per dosage unit; or

(b) in undivided preparations with a concentration of not more than 2.5% of nicocodine

Nicodicodine when compounded with one or more other medicaments—

(a) in divided preparations containing not more than 100 mg of nicodicodine per dosage unit; or

(b) in undivided preparations with a concentration of not more than 2.5% of nicodicodine

Nicotine in chewing tablets containing 4 mg or less of nicotine per tablet for use as an aid in withdrawal from tobacco smoking, except when included in Schedule 3

Nicotinic acid for human therapeutic use, except—

(a) in preparations containing 50 mg or less of nicotinic acid per recommended daily dose; or

(b) nicotinamide

Nicotinyl alcohol for internal use

Nicoumalone for internal therapeutic use

Nifedipine

Nifenazone

Nikethamide

SCHEDULE 4—continued

Niridazole
Nitrazepam
Nitrofurantoin and its derivatives for human therapeutic use, except when included in Schedule 3
Nitrous oxide for therapeutic use
Nizatidine
Nomifensine
Noradrenaline, excluding its derivatives
Norcodeine when compounded with one or more other medicaments—
 (a) in divided preparations containing not more than 100 mg of norcodeine per dosage unit; or
 (b) in undivided preparations with a concentration of not more than 2.5% of norcodeine
Norethandrolone
Norethisterone
Norfloxacin
Nortriptyline
Novobiocin, except when included in Schedule 6
Nystatin, except when included in Schedule 3
Octamylamine
Octatropine
Octreotide
Oestradiol, except when included in Schedule 6
Oestriol
Oestrone
Oleandomycin, except—
 (a) when included in Schedule 6; or
 (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substances
Olsalazine sodium
Omeprazole
Opi Pramol
Orciprenaline
Organophosphorus compounds with anticholinesterase activity for human therapeutic use, except—
 (a) when included in Schedule 2; or
 (b) when separately specified in this Schedule.
Ornidazole
Ornipressin
Orphenadrine
Orthocaine
Orthopterine
Oxacillin
Oxandrolone
Oxazepam
Oxiconazole
Oxolamine

SCHEDULE 4—continued

Oxpentifylline
Oxprenolol
Oxybuprocaine
Oxymesterone
Oxymetholone
Oxyphenbutazone
Oxyphencyclimine
Oxyphenonium
Oxytetracycline, except when included in Schedule 6
Oxytocin
Pamaquine
Pancuronium bromide
Papaverine for injection
Paracetamol when combined with aspirin, caffeine or salicylamide or any derivative of these substances
Paraldehyde
Paromomycin
Pemoline
Pempidine
Penicillamine
Pentamethonium
Penthienate
Pentobarbitone when packed and labelled for injection
Pentolinium
Perhexilene
Pericyazine
Perphenazine
Phenacemide
Phenacetin for therapeutic use
Phenazone, except when included in Schedule 2
Phenazopyridine
Phenelzine
Phenethicillin, except when included in Schedule 6
Phenformin
Phenglutarimide
Phenindione for internal therapeutic use
Pheniramine, except when included in Schedule 2 or 3
Phenoxybenzamine
Phenoxyethylpenicillin, except when included in Schedule 6
Phensuximide
Pentamine
Penthimentionium
Pentolamine
Phenyapin
Phenylbutazone
Phenylephrine in preparations for human ophthalmic use containing 5% or more of phenylephrine

SCHEDULE 4—continued

Phenylpropanolamine, except when included in Schedule 3
Phenyltoloxamine, except when included in Schedule 3
Phenytoin
Pholcodine when compounded with one or more other medicaments—
 (a) in divided preparations containing not more than 100 mg of pholcodine per dosage unit; or
 (b) in undivided preparations with a concentration of not more than 2.5% of pholcodine;
 except when included in Schedule 2
Physostigmine
Picrotoxin
Pilocarpine, except in preparations containing 0.025% or less of pilocarpine
Pimozide
Pindolol
Pipenzolate
Piperacillin
Piperidolate
Pipobroman
Pipradrol
Pirenzepine
Piroxicam
Pituitary and its extracts and active principles or their synthetic substitutes, except when separately specified in this Schedule
Pizotifen
Podophyllotoxin for human therapeutic use, except when included in Schedule 2 or 3
Podophyllum resin (podophyllin) for human therapeutic use, except when included in Schedule 2 or 3
Polyestradiol
Polymethylene bistrimethyl ammonium compounds
Polymyxin
Polysulphated glycosaminoglycans in preparations for injection, except where otherwise specified in this Schedule
Potassium perchlorate for therapeutic use
Practolol
Pramoxine, except when included in Schedule 2
Prazepam
Praziquantel for human therapeutic use
Prazosin
Pregnenolone acetate, except in preparations for topical use
Prenylamine
Prilocaine
Primaquine
Primidone
Probenecid
Probucol
Procainamide

SCHEDULE 4—continued

Procaine
Procarbazine
Prochlorperazine
Procyclidine, except when included in Schedule 2
Progesterone, except when included in Schedule 6
Proguanil
Prolintane
Promazine
Promethazine, except when included in Schedule 2 or 3
Propanidid
Propantheline, except when included in Schedule 2
Propofol
Propoxur for human therapeutic use
Propranolol
Propylhexedrine
Propylthiouracil
Propyphenazone
Proquazone
Prostaglandins, except where separately specified in this Schedule
Prostianol for the treatment of animals
Prothionamide
Protirelin (thyrotrophin releasing factor)
Protriptyline
Proxymetacaine
Pseudoephedrine in preparations for stimulant, appetite suppression or weight control purposes
Pyrazinamide
Pyridostigmine
Pyridoxine hydrochloride in preparations for human use containing more than 50 mg of pyridoxine per recommended daily dose, unless labelled—
 “WARNING—THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG TIME”; or
 “WARNING—THIS PRODUCT CONTAINS PYRIDOXINE HYDROCHLORIDE WHICH MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG TIME”
Pyrimethamine
Pyrovalerone
Quinethazone
Quinidine
Ranitidine
Rauwolfia serpentina
Ribavirin
Rifampicin
Rimiterol hydrobromide
Ritodrine
Rolitetracycline
Rosoxacin

SCHEDULE 4—continued

Salbutamol, except when included in Schedule 3

Salicylamide when combined with aspirin, caffeine or paracetamol or any derivative of these substances

Salinomycin, except—

(a) when included in Schedule 6; or

(b) in animal feeds containing 60 mg/kg or less of antibiotic substances

Selenium for therapeutic use, except—

(a) when included in Schedule 5 or 6;

(b) as elemental selenium in pellets containing 50 mg/kg or less of selenium for the treatment of animals;

(c) in tablets, for the treatment of animals, each—

(i) weighing 2 g or more; and

(ii) containing 30 micrograms or less of selenium; or

(d) in animal feeds containing 0.1 g/tonne or less of selenium

Semisodium valproate

Sera for human therapeutic use

Sermorelin

Sex hormones and all substances having sex hormonal activity, except when separately specified in these Schedules

Silver sulphadiazine

Sisomycin

Sodium cellulose phosphate for human internal use

Sodium cromoglycate, except when included in Schedule 2

Sodium nitroprusside for human therapeutic use

Sodium pentosan polysulphate for the treatment of animals

Sodium valproate

Sontoquine

Sotalol

Sparteine

Spectinomycin

Spiramycin, except—

(a) when included in Schedule 6; or

(b) in animal feeds for growth promotion in pigs or poultry containing 50 mg/kg or less of antibiotic substances

Spirolactone

Sputolysin—see trans-4-((3,5-Dibromo-2-hydroxybenzyl)-amino) cyclohexanol hydrochloride monohydrate

Stanolone

Stanozolol

Stilboestrol

Stramonium, except—

(a) when included in Schedule 2; or

(b) in preparations for smoking or burning

Streptomycin, except when included in Schedule 6

Strophanthus and its glycosides

Strychnine in preparations containing 1.5% or less of strychnine for the treatment of animals

SCHEDULE 4—continued

Sulfadoxine
Sulphametrole
Sulindac
Sulphatroxazole for the treatment of animals
Sulphinpyrazone
Sulphomyxin
Sulphonal and alkyl sulphonals
Sulphonamides, except—
 (a) when included in Schedule 6;
 (b) when separately specified in this Schedule;
 (c) oryzalin;
 (d) sulphaquinoxaline in animal feeds containing 200 mg/kg or less of sulphaquinoxaline; or
 (e) sulphaquinoxaline when incorporated in baits for the destruction of vermin

Sulthiame
Suxamethonium salts
Tacrine
Tamoxifen
Temazepam
Teniposide
Tenoxicam
Terbutaline, except when included in Schedule 3
Terfenadine, except when included in Schedule 3
Teroplerin
Testosterone, except when included in Schedule 6
Tetrabenazine
Tetracosactrin
Tetracycline, except when included in Schedule 6
Thalidomide
Thenyldiamine, except when included in Schedule 2 or 3
Theophylline, except when included in Schedule 3
Thiacetarsamide in preparations for the prevention or treatment of heart worm in dogs
Thiacetazone
Thiambutosine
Thiazosulphone
Thiethylperazine
Thioguanine
Thiopropazate
Thioridazine
Thiotepa
Thiothixene
Thiouracil
Thiourea for therapeutic use
Thyroid and its extracts and active principles, except when separately specified in this Schedule

SCHEDULE 4—continued

Thyrotrophin (TSH)
Thyroxine sodium
Tiamulin, except—
 (a) when included in Schedule 6; or
 (b) in prepared animal feeds
Ticarcillin
Tiemonium
Tigloidine
Tiletamine for the treatment of animals
Timolol
Tinidazole
Tioconazole, except when included in Schedule 3
Tipepidine
Tobramycin
Tocainide
Tolazamide
Tolazoline for internal use
Tolbutamide
Tolpropamine
Toxoids for human therapeutic use
Tranexamic acid
Tranylcypromine
Tretamine
Triamterene
Triaziquone
Triazolam
Trichloroethylene for therapeutic use
Triclofos
Tricyclamol
Tridihexethyl
Trifluoperazine
Trifluoperidol
Trimeprazine, except when included in Schedule 2 or 3
Trimetaphan
Trimethoprim
Trimipramine
Trimustine
Trioxysalen
Tripeleppamine
Triprolidine, except when included in Schedule 2 or 3
Tropicamide
Troxidone
Tubocurarine
Tulobuterol
Tylosin, except—
 (a) when included in Schedule 6;

SCHEDULE 4—continued

- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substances; or
- (c) in milk replacers for calves or starter rations for pigs containing 100 mg/kg or less of antibiotic substances

Urethane, excluding its derivatives, for therapeutic use

Urofollitrophin (human follicle-stimulating hormone)

Vaccines for human therapeutic use

Vaccines, veterinary live virus, except—

- (a) poultry vaccines;
- (b) pigeon pox vaccine; or
- (c) scabby mouth vaccine

Valnoctamide

Vancomycin

Vasopressin

Vecuronium bromide

Verapamil

Veratrum

Vidarabine

Vinblastine

Vincristine

Vindesine

Vipryinium

Virginiamycin, except—

- (a) when included in Schedule 6; or
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substances

Visnadine

Vitamin A for human therapeutic use, except in preparations containing 10 000 I.U. or less of vitamin A per recommended daily dosage

Vitamin D for human therapeutic use, except in preparations containing 25 micrograms or less of vitamin D per recommended daily dosage

Warfarin for internal therapeutic use

Xanthinol nicotinate

Xylazine

Yohimbine

Zeranol, except when included in Schedule 6

Zidovudine

Zinc compounds for human internal use, except—

- (a) in preparations with a recommended daily dose of 25 mg or less of zinc; or
- (b) in preparations with a recommended daily dose of more than 25mg but not more than 50 mg of zinc when the pack is labelled—
 “WARNING—MAY BE DANGEROUS IF TAKEN IN LARGE AMOUNTS OR FOR A LONG PERIOD”; or
 “WARNING—CONTAINS ZINC, WHICH MAY BE DANGEROUS IF TAKEN IN LARGE AMOUNTS OR FOR A LONG PERIOD”

Zolazepam for the treatment of animals

SCHEDULE 5

Section 3

Acetic acid (excluding its salts and derivatives) in preparations containing more than 30% of acetic acid, except—

- (a) when included in Schedule 2 or 6; or
- (b) for therapeutic use

Acetone, except—

- (a) in preparations containing 25% or less of acetone; or
- (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of acetone

Acetophenone—*see* Phenyl methyl ketone

Aklomide

Alkaline salts, being the carbonate, orthosilicate, metasilicate or tribasic phosphate salts of sodium or potassium, in any combination, except—

- (a) in preparations containing 10% or less of combined substances;
- (b) in solid preparations whose pH in 10 g/L aqueous solution is 11.5 or less; or
- (c) in liquid preparations having a pH of 11.5 or less

Alloxydim

Ametryn

Amines for use as curing agents for epoxy resins, except when separately specified in these Schedules

Amitrole

Ammonia (excluding its salts and derivatives other than ammonium hydroxide) in preparations containing 5% or less of ammonia, except—

- (a) in preparations for human internal therapeutic use;
- (b) in preparations for inhalation when absorbed in an inert solid material; or
- (c) in preparations containing 0.5% or less of ammonia

Ammonium thiocyanate, except in preparations containing 10% or less of ammonium thiocyanate

Anhydrides, organic, for use as curing agents for epoxy resins, except when separately specified in these Schedules

Arsenic organic compounds in herbicides or defoliant preparations containing 3% or less of arsenic, except when separately specified in this Schedule

Azamethiphos

Barium silicofluoride when coated on paper in an amount not exceeding 8 mg per sq. cm.

Benalaxyl

Bendiocarb in preparations containing 2% or less of bendiocarb

Bentazone

Benzoyl peroxide, except—

- (a) when included in Schedule 2, 3 or 4; or
- (b) in preparations containing 2% or less of benzoyl peroxide

BHC (excluding lindane) in preparations containing 10% or less of BHC

SCHEDULE 5—continued

Bioallethrin (including sinbioallethrin), except in preparations containing 10% or less of bioallethrin

Bioresmethrin, except in preparations containing 10% or less of bioresmethrin

Boric acid (excluding its salts) and borax, except—

- (a) when included in Schedule 4;
- (b) in preparations, other than insect baits, containing 1% or less of boron; or
- (c) in hand cleaning preparations

Buthidazole

Butoxycarboxim in solid preparations containing 10% or less of butoxycarboxim

Cadmium sulphide in preparations containing 2.5% or less of cadmium sulphide for human therapeutic use

Calcium hypochlorite, except in preparations containing 4% or less of available chlorine

Camphor, except—

- (a) when included in Schedule 4;
- (b) when enclosed in an inhaler device which prevents ingestion of its contents; or
- (c) in preparations containing 10% or less of camphor

Carbaryl—

- (a) in preparations containing 10% or less of carbaryl, except when included in Schedule 2 or 4; or
- (b) when impregnated into plastic resin material containing 20% or less of carbaryl

Chlorfenac

Chlorfenson

Chlorinated lime, except in preparations containing 4% or less of available chlorine

Chlorinating compounds, except—

- (a) solid preparations containing 4% or less of available chlorine;
- (b) liquid preparations containing not less than 2% but not more than 4% of available chlorine when labelled in letters not less than 2mm in height—
“WARNING—ENSURE ADEQUATE VENTILATION WHEN USING. VAPOUR MAY BE HARMFUL. MAY GIVE OFF DANGEROUS GAS IF MIXED WITH OTHER PRODUCTS”; or
- (c) liquid preparations containing less than 2% of available chlorine

Chlornidine

Chlorocresol, except in preparations containing 3% or less of chlorocresol

Chlorpyrifos in preparations containing 5% or less of chlorpyrifos

Chlorsulfuron

Clanobutin for the treatment of animals, except when included in Schedule 4

Climbazole in preparations containing 40% or less of climbazole, except in preparations containing 2% or less of climbazole

Clofentezine

Clopyralid

Copper sulphate, except—

- (a) in preparations for internal use; or
- (b) in other preparations containing 5% or less of copper sulphate

SCHEDULE 5—continued

4-CPA

Cuprimyxin for the treatment of animals

Cyanatryn

Cyanoacrylic esters in contact adhesives, except when labelled—

“KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN AND EYES AND AVOID BREATHING VAPOUR. BONDS ON CONTACT. SHOULD FINGERS STICK TOGETHER APPLY A SOLVENT SUCH AS ACETONE TO CONTACT AREAS THEN WASH OFF WITH WATER. DO NOT USE SOLVENTS NEAR EYES OR OPEN WOUNDS. IN CASE OF EYE CONTACT IMMEDIATELY FLUSH WITH WATER.”

Cyanuric acid, excluding its salts and derivatives

Cyclohexanone peroxide

Cycloprothrin, except in preparations containing 10% or less of cycloprothrin

Cyfluthrin—

(a) in wettable powders containing 10% or less of cyfluthrin; or

(b) in emulsifiable concentrates containing 2% or less of cyfluthrin

Cypermethrin in preparations containing 10% or less of cypermethrin

2,4-D

2,4-DB

DDT in preparations containing 10% or less of DDT, except dicophane when included in Schedule 2

2,4-DES

Deltamethrin in aqueous formulations containing 1% or less of deltamethrin, when no organic solvent, other than a glycol, is present

N,N-Diallyldichloroacetamide, except in preparations containing 10% or less of N,N-diallyldichloroacetamide

Diazinon in dust preparations containing 2% or less of diazinon

Dicamba

Dichlofluanid

Dichlone

Dichloroisocyanurates, except in preparations containing 4% or less of available chlorine

Dichlorophen for the treatment of animals

2',4'-Dichloro-2-(3-pyridyl)-acetophenone-O-methyloxime (pyrifenox)

Dichlorvos—

(a) when impregnated in plastic resin strip material containing 20% or less of dichlorvos;

(b) in sustained release resin pellets containing 20% or less of dichlorvos for the treatment of animals; or

(c) in pressurised spray packs containing 10 grams or less of dichlorvos

Diclobutrazol

Dicloran

Dicofol

Dicophane—see DDT

Diethyltoluamide, except in preparations containing 20% or less of diethyltoluamide when labelled—

SCHEDULE 5—continued

“WARNING—THIS PRODUCT CONTAINS DIETHYLTOLUAMIDE, WHICH MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD”

Dimethirimol

Dimethylformamide in preparations containing 10% or less of dimethylformamide, except in containers having a capacity of more than 25 litres which are labelled “WARNING” and state the proportion of dimethylformamide

Diniconazole

Diphenamid

Dodine

DSMA in herbicides or defoliant preparations containing 3% or less of arsenic

Enilconazole

Epoxy resins, liquid

EPTC

Ethephon, excluding its salts and derivatives

Ether in preparations containing more than 10% of ether for use in internal combustion engines

Ethofumesate

Ethoxyquin, except in preparations containing 10% or less of ethoxyquin

Ethylene glycol when packed and labelled as a boiling point or freezing point modifier containing not less than 10 mg/kg of denatonium benzoate as a bittering agent

Etridiazole

Fenarimol

Fenoprop

Fenoxaprop-ethyl

Fenson

Fenthion in preparations containing 25% or less of fenthion when packed in single-use containers having a capacity of 2 ml or less

Flamprop-methyl

Fluchloralin

Flumethrin in oil based preparations containing 1% or less of flumethrin

Fluorides (including silicofluorides) in preparations containing 0.5% or less of fluoride ion, except—

(a) in dentifrices containing 1000 mg/kg or less of fluoride ion; or

(b) in preparations containing 15 mg/kg or less of fluoride ion

Fluvalinate in aqueous preparations containing 25% or less of fluvalinate

Formic acid (excluding its salts and derivatives), except in preparations containing 0.5% or less of formic acid

Fospirate when impregnated in plastic resin strip material containing 20% or less of fospirate

Furalaxyl

Glufosinate-ammonium

Glutaraldehyde in preparations containing 5% or less of glutaraldehyde, except when included in Schedule 2

Glyphosate

Hexaconazole, except in preparations containing 5% or less of hexaconazole

Hexazinone

SCHEDULE 5—continued

Hydramethylnone in solid baits containing 2% or less of hydramethylnone in welded plastic labyrinths

Hydrocarbons, liquid, (including kerosene, mineral turpentine, white petroleum spirit, toluene, xylene and light mineral and paraffin oils (but excluding their derivatives)) distilling under 300°C, except—

- (a) toluene and xylene when included in Schedule 6;
- (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of liquid hydrocarbons;
- (c) in solid or semi-solid preparations;
- (d) in preparations containing 25% or less of liquid hydrocarbons;
- (e) in preparations packed in pressurised spray packs; or
- (f) in adhesives packed in containers each containing 50 grams or less of adhesive

Hydrochloric acid (excluding its salts and derivatives) in preparations containing 10% or less of hydrochloric acid (HCl), except—

- (a) in preparations containing 0.5% or less of hydrochloric acid (HCl); or
- (b) for therapeutic use

Hydrofluoric acid (including hydrosilicofluoric acid but excluding their salts and derivatives) in preparations containing the equivalent of 0.5% or less of hydrogen fluoride

Hydrogen peroxide (excluding its salts and derivatives), except in preparations containing 6% (20 vol) or less of hydrogen peroxide

Imazalil

Iodocarb, except in aqueous preparations containing 10% or less of iodocarb

Isophorone

Kerosene—*see* Hydrocarbons

Lead compounds in preparations for use as hair cosmetics

Levamisole in preparations containing 15% or less of levamisole for the treatment of animals, except when included in Schedule 4

Lindane in preparations containing 10% or less of lindane, except when included in Schedule 2 or 4

Maldison in preparations containing 10% or less of maldison, except—

- (a) when included in Schedule 2 or 4; or
- (b) in dust preparations containing 2% or less of maldison

Mancozeb

Maneb

MCPA

MCPB

Mecoprop

Mepiquat

Metalaxyl

Metaldehyde in preparations containing 2% or less of metaldehyde

Methabenzthiazuron

Methanol (excluding its derivatives) in preparations containing 10% cent or less of methanol, except—

- (a) in preparations containing 2% or less of methanol; or
- (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of methanol

SCHEDULE 5—continued

- Methiocarb in pelleted preparations containing 2% or less of methiocarb
- Methoxychlor
- Methylated spirit (being ethanol denatured with denatonium benzoate, methyl isobutyl ketone and fluorescein) excluding its preparations and admixtures, except in containers having a capacity of more than 5 litres.
- Methylene chloride, except in pressurised spray packs other than when packed and labelled as degreasers, decarbonisers or paint strippers that contain more than 10% of methylene chloride
- Methyl ethyl ketone, except—
- (a) in preparations containing 25% or less of methyl ethyl ketone; or
 - (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of methyl ethyl ketone
- Methyl ethyl ketone peroxide
- Methyl isoamyl ketone, except—
- (a) in preparations containing 25% or less of methyl isoamyl ketone; or
 - (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of methyl isoamyl ketone
- Methyl isobutyl ketone, except—
- (a) in preparations containing 25% or less of methyl isobutyl ketone; or
 - (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of methyl isobutyl ketone
- Methyl salicylate in liquid preparations containing 25% or more of methyl salicylate, except when included in Schedule 6
- N-(3-Methyl-4-thiazolin-2-ylidene)-2,4-xylydene (cymiazole)
- Metiram
- Metolachlor
- Metribuzin
- Mezineb
- Mineral turpentine—*see* Hydrocarbons
- MSMA in herbicides or defoliant preparations containing 3% or less of arsenic
- Myclobutanil
- NAA, except in preparations containing 25% or less of NAA
- Naled when impregnated in plastic resin strip material containing 20% or less of naled
- Naphthalene
- Naphthaleneacetic acid—*see* NAA
- Naptalam
- Nitric acid (excluding its salts and derivatives) in preparations containing 10% or less of nitric acid, except preparations containing 0.5% or less of nitric acid
- Norbormide
- Ofurace
- Oxadixyl
- Oxycarboxin
- Oxythioquinox
- Paclobutrazol
- Paradichlorobenzene
- Pebulate
- Penconazole

SCHEDULE 5—continued

Pendimethalin

Peracetic acid in concentrations of 10% or less of peracetic acid

Petrol, except—

- (a) in preparations containing 25% or less of petrol; or
- (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of petrol

Phenisoopham

Phenyl methyl ketone, except—

- (a) in preparations containing 25% or less of phenyl methyl ketone; or
- (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of phenyl methyl ketone

ortho-Phenylphenol, except in preparations containing 5% or less of ortho-phenylphenol

Phosphonic acid (excluding its salts and derivatives), except in preparations containing 10% or less of phosphonic acid

Phosphoric acid (excluding its salts and derivatives), except—

- (a) when packed in containers having a capacity of not less than 10 litres and labelled "CORROSIVE" in bold face sanserif capital letters of a height of not less than 1 cm;
- (b) in preparations containing 350 g/litre or less of phosphoric acid;
- (c) in solid and semi-solid preparations; or
- (d) in professional dental kits

Pirimicarb in preparations containing 0.5% or less of pirimicarb

Poly (hexamethylene biguanide), except in preparations containing 5% or less of poly (hexamethylene biguanide)

Potassium chlorate, except—

- (a) when included in Schedule 2; or
- (b) in preparations containing 10% or less of potassium chlorate

Potassium hydroxide (excluding its salts and derivatives) in preparations containing 5% or less of potassium hydroxide, except in preparations containing 0.5% or less of potassium hydroxide

Potassium metabisulphite when packed for domestic use, except in preparations containing 10% or less of potassium metabisulphite

Potassium sulphide in preparations for metal treatment in containers each containing 50 g or less of potassium sulphide

Prometryn

Propamocarb

Propanil

Propiconazole in preparations containing 20% or less of propiconazole

Propionic acid (excluding its salts and derivatives) in preparations containing 80% or less of propionic acid, except—

- (a) in preparations containing 30% or less of propionic acid; or
- (b) for therapeutic use

Propoxur—

- (a) in dust preparations containing 3% or less of propoxur;
- (b) in granular sugar-based fly baits containing 1% or less of propoxur, where the preparation also contains a dark colouring agent and a separate bittering agent;
- (c) in aerosol packs containing 10 g or less of propoxur; or

SCHEDULE 5—continued

- (d) in printed paper sheets for pest control containing 0.5% or less of propoxur and in any case not more than 100 mg of propoxur per sheet
- Pyrethrins, naturally occurring, being pyrethrolone, cinerolone or jasmolone esters of chrysanthemic or pyrethric acids, except in preparations containing 10% or less of such substances
- Quaternary ammonium compounds, except—
- (a) when separately specified in these Schedules; or
 - (b) in preparations containing 10% or less of quaternary ammonium compounds
- Quintozene
- Salicylanilide
- Selenium sulphide in preparations for topical therapeutic use containing 2.5% or less of selenium sulphide
- Sethoxydim
- Sodium chlorate, except in preparations containing 10% or less of sodium chlorate
- Sodium hydrogen sulphate, except in preparations containing 10% or less of sodium hydrogen sulphate
- Sodium hydroxide (excluding its salts and derivatives) in preparations containing 5% or less of sodium hydroxide, except in liquid preparations having a pH of 11.5 or less
- Sodium hypochlorite, except in preparations containing 4% or less of available chlorine
- Sodium metabisulphite when packed for domestic use, except in preparations containing 10% or less of sodium metabisulphite
- Sodium nitrite, except—
- (a) when included in Schedule 2; or
 - (b) in preparations containing 1% or less of sodium nitrite
- Sodium sulphide—
- (a) in preparations for metal treatment in containers each containing 50 g or less of sodium sulphide; or
 - (b) in preparations for use as insect lures
- Styrene (excluding its derivatives), except in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of styrene
- Sulfometuron-methyl
- Sulphamic acid, except in preparations containing 10% or less of sulphamic acid
- 2,3,6-TBA
- TCA—*see* Trichloroacetic acid
- TDE (1,1-dichloro-2,2-bis(4-chlorophenyl)ethane) in preparations containing 10% or less of TDE
- Temephos—
- (a) in liquid preparations containing 10% or less of temephos; or
 - (b) in powders containing 2% or less of temephos
- Terbutryn
- Tetrachloroethylene in preparations containing 5% or less of tetrachloroethylene, except—
- (a) when prepared for therapeutic use;
 - (b) when absorbed into an inert solid; or

SCHEDULE 5—continued

- (c) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of tetrachloroethylene
- Tetrachlorvinphos, except in animal feed containing 0.2% or less of tetrachlorvinphos
- Tetramethrin (R,cis):(R,trans)=20:80, except in pressurised spray packs
- Thifensulfuron
- Thiobencarb
- Tiocarbazil
- Tolclofos-methyl
- Tralkoxydim
- Triadimefon in wettable powders containing 25% or less of triadimefon
- Triadimenol
- Tri-allate
- Trichloroacetic acid, alkali salts of
- 1,1,1-Trichloroethane, except—
- (a) in preparations packed in pressurised spray packs other than for therapeutic use;
 - (b) in preparations containing 25% or less of 1,1,1-trichloroethane;
 - (c) in preparations, other than writing correction fluids or thinners for writing correction fluids, in containers having a capacity of 50 ml or less;
 - (d) in writing correction fluids or thinners for writing correction fluids, in containers having a capacity of 50 ml or less labelled—
 - (i) "Trichloroethane" in letters not less than 1 mm in height and in distinct contrast to the background; and
 - (ii) "WARNING—DO NOT DELIBERATELY SNIFF THIS PRODUCT. SNIFFING MIGHT HARM OR KILL YOU", in bold sanserif capital letters not less than 1 mm in height and in a distinct contrast to the background; or
 - (e) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of 1,1,1-trichloroethane
- Trichloroisocyanuric acid in compressed block form for use in swimming pools or toilet cisterns
- Tridiphane
- Trietazine
- Triflumizole
- Triflumuron
- Turpentine oil, except—
- (a) in preparations containing 25% or less of turpentine oil; or
 - (b) in containers having a capacity of more than 25 litres which are labelled "WARNING" and state the proportion of turpentine oil
- Vernolate
- Warfarin in rodent baits containing 0.1% or less of warfarin
- Zineb
- Ziram

SCHEDULE 6

Section 3

Acephate**Acetic acid (excluding its salts and derivatives) and preparations containing more than 80% of acetic acid, except when included in Schedule 2****Acetic anhydride, excluding its derivatives****Acifluorfen****Albendazole in preparations for the treatment of animals****Aldrin****Amidithion****2-Amino-butane****Aminocarb in preparations containing 25% or less of aminocarb****Amitraz****Ammonia (excluding its salts and derivatives other than ammonium hydroxide), except—**

- (a) when included in Schedule 5;
- (b) in preparations for human internal therapeutic use;
- (c) in preparations for inhalation when absorbed in an inert solid material;
or
- (d) in preparations containing 0.5% or less of ammonia

Aniline (excluding its salts and derivatives), except in preparations containing 1% or less of aniline**Antimony compounds, except—**

- (a) when included in Schedule 4;
- (b) antimony chloride in polishes; or
- (c) antimony titanate pigments in paint

Arecoline**Arsenic—**

- (a) in ant poisons containing 0.4% or less of arsenic;
- (b) organic compounds of arsenic in herbicides or defoliant preparations, except when included in Schedule 5;
- (c) in animal feed premixes containing 4% or less of arsenic;
- (d) in preparations for the treatment of animals, except thiacetarsamide when included in Schedule 4; or
- (e) in paints containing more than 0.1% of arsenic when calculated on the basis of the non-volatile content of the paint;

except when separately specified in this Schedule**Aspirin for the treatment of animals, except when included in Schedule 4****Avermectin B1 in preparations containing 1% or less of avermectin B1, for the treatment of animals, when supplied in sealed containers for use in automatic injection equipment****Azaconazole, except in preparations containing 1% or less of azaconazole****Azobenzene****Bacitracin in animal feed premixes for growth promotion containing 2% or less of antibiotic substances****Barium salts, except—**

SCHEDULE 6—continued

- (a) when included in Schedule 5;
- (b) barium sulphate; or
- (c) barium metaborate in paint

Bendiocarb—

- (a) in wettable powders containing 80% or less of bendiocarb, when packed in containers or primary packs containing not less than 100 g of bendiocarb;
- (b) in wettable powders containing 20% or less of bendiocarb and not less than 0.002% of denatonium benzoate, when packed in containers or primary packs containing not less than 48 g of bendiocarb and labelled for use as a fly control preparation; or
- (c) in insoluble granular preparations containing 5% or less of bendiocarb; except when included in Schedule 5

Benomyl

Benquinox

Bensulide

5-Benzylfur-3-ylmethyl (1'R,3'S.E)-2',2'-dimethyl-3'-(2-oxo-2,3,4,5-tetrahydro-3-thienylidenemethyl)-cyclopropane carboxylate

Benzylpenicillin (including procaine penicillin) in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of benzylpenicillin or procaine penicillin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic

Beryllium

BHC (excluding lindane), except when included in Schedule 5

Bithionol for treatment of animals

Brodifacoum in preparations containing 0.25% or less of brodifacoum

Bromadiolone in preparations containing 0.25% or less of bromadiolone

Bromethalin in rodent baits containing 100 mg/kg or less of bromethalin

Bromoform, except when included in Schedule 4

Bromophos

Bromophos-ethyl

Bromoxynil

Brotianide

Bunamidine

Butacarb

Butoxycarboxim, except when included in Schedule 5

2-Butoxy-2'-thiocyano-diethyl ether

Butynorate

Cacodylic acid in animal feed premixes containing 4% or less of arsenic

Cadmium compounds, except when included in Schedule 5

Cajuput oil, except in oils or preparations containing 25% or less of cineole

Calciferol in rodent baits containing 1 g/kg or less of calciferol

Cambendazole

Carbaryl, except when included in Schedule 2, 4 or 5

Carbendazim

Carbon disulphide

SCHEDULE 6—continued

- α-Chloralose—*see* Chloralose
 Chloralose (α-chloralose) when packed and labelled for use as a pesticide
 Chlordane
 Chlorfenethol
 Chlormequat
 N-[5-Chloro-4-[(4-chlorophenyl)-cyanomethyl]-2-methylphenyl]-2-hydroxy-3, 5-diiodobenzamide
 Chloroform, except—
 (a) when included in Schedule 2 or 4; or
 (b) in preparations containing 10% or less of chloroform
 α-Chlorohydrin
 Chlorophacinone
 Chloropicrin in preparations containing 5% or less of chloropicrin
 Chlorothalonil
 Chlorpyrifos, except when included in Schedule 5
 Chlorpyrifos-methyl
 Chlortetracycline in preparations—
 (a) for topical application to animals for ocular use only; or
 (b) for intramammary infusion in animals containing not more than 100 000 I.U. of chlortetracycline per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic
 Chlorthiamid
 Cholecalciferol in rodent baits containing 1 g/kg or less of cholecalciferol
 Chromates (including dichromates), except chromates of barium, potassium, sodium, strontium, zinc or ammonia, in paint containing 5% or less of chromium, calculated on the non-volatile content of the paint
 Chromium trioxide, excluding its salts and derivatives
 Cineole, except in oils or preparations containing 25% or less of cineole
 Climbazole, except—
 (a) when included in Schedule 5; or
 (b) in preparations containing 2% or less of climbazole
 Clotrimazole for external treatment of animals
 Coumaphos in preparations containing 5% or less of coumaphos
 Coumatetralyl
 Creosote, except—
 (a) when included in Schedule 2; or
 (b) in preparations containing 3% or less of phenols and homologues of phenol boiling below 220°C
 Crotoxyphos
 Crufomate
 Cyanamide
 Cyanazine
 Cyfluthrin, except—
 (a) when included in Schedule 5; or
 (b) in pressurised spray packs containing 1% or less of cyfluthrin
 Cyometrinil

SCHEDULE 6—continued

- Cypermethrin, except when included in Schedule 5
Cythioate
Dazomet
DDT and its preparations, except—
 (a) when included in Schedule 5; or
 (b) dicophane included in Schedule 2
Demeton-O-methyl in preparations containing 10% or less of demeton-O-methyl,
 or of demeton-O-methyl and demeton-S-methyl
Demeton-S-methyl in preparations containing 10% or less of demeton-S-methyl,
 or of demeton-S-methyl and demeton-O-methyl
Diazinon, except when included in Schedule 5
trans-4-((3,5-Dibromo-2-hydroxybenzyl)-amino) cyclohexanol hydrochloride
 monohydrate (sputolysin) in oral preparations for the treatment of animals
Dichlofenthion
ortho-Dichlorobenzene
Dichloroethyl ether
Dichlorophen, except when included in Schedule 5
1,2-Dichloropropane
Dichlorvos in preparations containing 50% or less of dichlorvos, except when
 included in Schedule 5
Diclofop-methyl
Dicophane—see DDT
Dieldrin
Difenacoum in preparations containing 0.25% or less of difenacoum
Difenzoquat
Dihydrostreptomycin in preparations for intramammary infusion in animals
 containing not more than 100 000 I.U. of dihydrostreptomycin per dose, when
 packed in an applicator device specially designed for intramammary infusion
 and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF
 so that the visual end point excludes 95% of excreted antibiotic
Dimethipin
Dimethoate
1,3-Di(methoxycarbonyl)-1-propen-2-yl-dimethyl phosphate in preparations
 containing 25% or less of 1,3-di(methoxycarbonyl)-1-propen-2-yl-dimethyl
 phosphate
Dimethylformamide, except—
 (a) when included in Schedule 5; or
 (b) in containers having a capacity of more than 25 litres which are labelled
 “POISON” and state the proportion of dimethylformamide
Dimethyl sulphoxide—
 (a) when not for therapeutic use; or
 (b) for the treatment of animals—
 (i) when combined with no other therapeutic substance; or
 (ii) in preparations containing copper salicylate as the only other
 therapeutic substance
Dinitrocresols and their homologues, in preparations containing 5% or less of such
 compounds, except—
 (a) when included in Schedule 4; or

SCHEDULE 6—continued

- (b) when separately specified in this Schedule
- Dinitrophenols and their homologues, in preparations containing 5% or less of such compounds, except—
 - (a) when included in Schedule 4; or
 - (b) when separately specified in this Schedule
- Dinocap
- Dioxacarb
- Dioxane
- Diphacinone
- Diquat
- Disulfiram, except when included in Schedule 4
- Disulfoton in granular preparations containing 5% or less of disulfoton
- Dithianon
- Dithiazanine in preparations containing 2% or less of dithiazanine, for the treatment of animals
- Dithiocarbamates when prepared for agricultural, horticultural or pastoral purposes, except when separately specified in this Schedule or in Schedule 5
- Diuredosan
- DSMA in herbicides or defoliant preparations, except when included in Schedule 5
- Econazole for the external treatment of animals
- Endosulfan
- Endothal in preparations containing 20% or less of endothal
- Erythromycin—
 - (a) in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of erythromycin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic; or
 - (b) in animal feed premixes for growth promotion containing 2% or less of antibiotic substances
- Esfenvalerate
- Ether, except—
 - (a) when included in Schedule 2, 4 or 5; or
 - (b) in preparations containing 10% or less of ether
- Ethiofencarb
- Ethoate-methyl
- Ethoprophos in granular formulations containing 10% or less of ethoprophos and 2% of linseed oil
- Ethyl bromide
- Ethyl-2-[4-(6-chloro-2-quinoxalyloxy)phenoxy] propionate (quizalofop ethyl)
- Ethylene chlorohydrin
- Ethylene dichloride
- Ethylene glycol when packed and labelled as a boiling point or freezing point modifier, except when included in Schedule 5
- Ethylene glycol monoalkyl ethers and their acetates, except—
 - (a) in preparations containing 10% or less of such substances; or
 - (b) in containers having a capacity of 25 litres or more which are labelled

SCHEDULE 6—continued

“POISON”, the name and quantity of the ether, the name of the manufacturer or the trade mark and the statement “Avoid contact with skin and eyes and avoid breathing the vapour”

Etrimfos

Eucalyptus oil, except in preparations containing 25% or less of eucalyptus oil

Famphur in preparations containing 20% or less of famphur

Fenaminosulf in preparations containing 10% or less of fenaminosulf when labelled and packed as dry seed dressings

Fenamiphos in granular preparations containing 5% or less of fenamiphos

Fenazaflor

Fenbutatin-oxide

Fenchlorphos

Fenitrothion

Fenoxacarim in preparations for the treatment of carpets during manufacture

Fenthion, except when included in Schedule 5

Fenvalerate

Ferbam

Flavophospholipol in animal feed premixes for growth promotion containing 2% or less of antibiotic substances

Fluazifop-butyl

Fluazifop-p-butyl

Flucifurion in preparations for the treatment of carpets during manufacture

Flumethrin, except when included in Schedule 5

Fluorides (including silicofluorides), except—

(a) when included in Schedule 2, 3, 4 or 5;

(b) in preparations containing 3% or less of sodium fluoride or sodium silicofluoride as preservative;

(c) in pesticide preparations containing 3.2% or less of ammonium silicofluoride;

(d) in dentifrices containing 1000 mg/kg or less of fluoride ion; or

(e) in preparations containing 15 mg/kg or less of fluoride ion

Flusilazol

Flutriafol, except in fertilizers containing 0.5% or less of flutriafol

Fluvalinate, except when included in Schedule 5

Formaldehyde (excluding its derivatives other than paraformaldehyde), except in preparations containing 5% or less of formaldehyde

Formothion

Fospirate, except when included in Schedule 5

Fumagillin

Glutaraldehyde, except when included in Schedule 2 or 5

Glyceryl thioglycollate in hair waving preparations, unless the directions for use include the statement—

“WEAR PROTECTIVE GLOVES WHEN USING. KEEP OUT OF EYES.”

Guazatine

Haloxon

Haloxifop

Heptachlor

Hexachlorophane in preparations for the treatment of animals

SCHEDULE 6—continued

- Hydramethylnone, except when included in Schedule 5
- Hydrazine
- Hydrochloric acid (excluding its salts and derivatives), except in preparations containing 10% or less of hydrochloric acid (HCl)
- Hydrofluoric acid (including hydrosilicofluoric acid but excluding their salts and derivatives) in preparations containing the equivalent of 10% or less of hydrogen fluoride, except when included in Schedule 5
- Hydroquinone, except—
- (a) when included in Schedule 2 or 4; or
 - (b) in preparations containing 10% or less of hydroquinone
- Hydrosilicofluoric acid—*see* Hydrofluoric acid
- Hygromycin for use as an anthelmintic in animal feed premixes containing 2% or less of antibiotic substances
- Imidocarb
- Iodine (excluding its salts, derivatives and iodophors), except—
- (a) when included in Schedule 2; or
 - (b) in solid or semi-solid preparations containing 2.5% or less of available iodine
- Iodophors, except in preparations containing 1.5% or less of available iodine
- Ioxynil
- Iron compounds for the treatment of animals, except—
- (a) in liquid or gel preparations containing 0.1% or less of iron; or
 - (b) in animal feeds and feed premixes
- Isoconazole for the external treatment of animals
- Isocyanates, free organic
- Ivermectin—
- (a) in preparations containing 0.8g/litre of ivermectin for the treatment of sheep;
 - (b) in pre-loaded syringes containing 10 g or less of a paste containing 2% or less of ivermectin for the treatment of horses; or
 - (c) in preparations containing 1% or less of ivermectin, for the treatment of bovine cattle, when supplied in sealed containers for use in automatic injection equipment
- Kitasamycin in animal feed premixes for growth promotion containing 2% or less of antibiotic substances
- Lasalocid, except in animal feeds containing 100 mg/kg or less of antibiotic substances
- Laurylisoquinolinium bromide
- Lead compounds, except—
- (a) when included in Schedule 4 or 5;
 - (b) in preparations for cosmetic use containing 100 mg/kg or less of lead; or
 - (c) in pencil cores, finger colours, showcard colours, pastels, crayons, poster paints, poster colours or coloured chalks when these products contain 100 mg/kg or less of lead
- Levamisole for the treatment of animals, except—
- (a) when included in Schedule 4 or 5; or
 - (b) in preparations for the treatment of ornamental birds or ornamental fish in packs containing 10 mg or less of levamisole
- Lindane, except when included in Schedule 2, 4 or 5

SCHEDULE 6—continued

- Maduramicin in animal feed premixes containing 1% or less of antibiotic substances
- Mafenide for the treatment of aquarium fish
- Maldison, except—
- (a) when included in Schedule 2, 4 or 5; or
 - (b) in dust preparations containing 2% or less of maldison
- Mebendazole for the treatment of animals
- Meclofenamic acid for the treatment of animals
- Mefluidide
- Melaleuca oil (tea-tree oil), except in preparations containing 25% or less of melaleuca oil
- Menazon
- Mercuric oxide for the treatment of animals, in preparations for ocular use
- Mercuric thiocyanate when prepared for use for photographic purposes
- Mercurochrome for the treatment of animals, in preparations for topical use
- Metacresolsulphonic acid and formaldehyde condensation product for the treatment of animals
- Metaldehyde, except when included in Schedule 5
- Metham
- Methanol (excluding its derivatives), except—
- (a) when included in Schedule 5; or
 - (b) in preparations containing 2% or less of methanol
- Methazole
- Methiocarb, except when included in Schedule 5
- Methomyl in fly-baits containing 1% or less of methomyl and not less than 0.002% of denatonium benzoate as a bittering agent
- Methyl chloride
- Methylenebisthiocyanate, except in preparations containing 1% or less of methylenebisthiocyanate
- Methyl isothiocyanate
- Methyl salicylate excluding admixtures
- Miconazole for the external treatment of animals
- Molinate
- Monensin—
- (a) in animal feed premixes for growth promotion or for coccidiosis prevention containing 12.5% or less of monensin; or
 - (b) in intraruminal implants for cattle each containing 35 g or less of monensin
- MSMA in herbicides or defoliant preparations, except when included in Schedule 5
- Nabam
- Naled, except when included in Schedule 5
- Nalidixic acid when packed and labelled for the treatment of ornamental fish
- Naphthalophos when specifically prepared and packed for use as a sheep drench
- Narasin in animal feed premixes containing 120 g/kg or less of narasin
- Neomycin in preparations for topical application to animals for ocular use only
- Nicotine in preparations containing 3% or less of nicotine, when packed and labelled for the treatment of animals
- Nimidane in preparations containing 25% or less of nimidane

SCHEDULE 6—continued

- Nithiamide, except in preparations containing 20% or less of nithiamide
- Nitric acid (excluding its salts and derivatives), except in preparations containing 10% or less of nitric acid as such
- Nitrobenzene, except—
- (a) in solid or semi-solid polishes;
 - (b) in soaps containing 1% or less of nitrobenzene; or
 - (c) in other preparations containing 0.1% or less of nitrobenzene
- Nitrophenols, ortho, meta and para
- Nitroscanate
- Nitroxynil
- Novobiocin in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of novobiocin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic
- Octhilinone—*see* 2-Octyl-4-isothiazolin-3-one
- 2-Octyl-4-isothiazolin-3-one (octhilinone)
- Oestradiol—
- (a) in ear implants for growth promotion in bovine cattle; or
 - (b) in combination with progesterone, testosterone or trenbolone in ear implants for growth promotion in bovine cattle
- Olaquinox in animal feed premixes for growth promotion
- Oleandomycin in animal feed premixes for growth promotion containing 2% or less of antibiotic substances
- Omethoate in preparations contain 50% or less of omethoate
- Organo-tin compounds—*see* Tin organic compounds
- Oxadiazon
- Oxalic acid, except its derivatives and insoluble salts
- Oxantel embonate for the treatment of animals
- Oxfendazole
- Oxyclozanide
- Oxytetracycline in preparations—
- (a) for topical application to animals for ocular use only; or
 - (b) for intramammary infusion in animals containing not more than 100 000 I.U. of oxytetracycline per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic
- Parbendazole
- Pentachlorophenol, except in preparations containing 0.5% or less of pentachlorophenol
- Peracetic acid, except when included in Schedule 5
- Perfluidone
- Permanganates
- Phenethicillin in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of phenethicillin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic

SCHEDULE 6—continued

Phenol, or any homologue of phenol boiling below 220°C, except—

- (a) when included in Schedule 2; or
- (b) in preparations containing 3% or less of such substances

Phenothiazine (excluding its derivatives), except in preparations containing 10% or less of phenothiazine

Phenoxymethylpenicillin in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of phenoxymethylpenicillin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic

Phenylenediamines and alkylated phenylenediamines not elsewhere specified in this Schedule or in Schedule 2—

- (a) when used in hair dyes;
- (b) in preparations packed and labelled for photographic purposes; or
- (c) in preparations packed and labelled for testing water, except in tablets containing 10 mg or less of diethyl-para-phenylenediamine or dimethyl-para-phenylenediamine in opaque strip packaging provided the directions for use include the statement—

“DO NOT DISCARD TESTING SOLUTIONS INTO THE POOL”

Phosalone

Phosmet

Phosphides, metallic

Phoxim

Picric acid (excluding its derivatives), except in preparations containing 5% or less of picric acid

Pindone

Piperophos

Pirimicarb, except when included in Schedule 5

Pirimiphos-ethyl

Pirimiphos-methyl

Potassium bromate, except in preparations containing 0.5% or less of potassium bromate

Potassium cyanate

Potassium hydroxide (excluding its salts and derivatives), except—

- (a) when included in Schedule 5; or
- (b) in preparations containing 0.5% or less of potassium hydroxide

Prochloraz

Profenofos

Progesterone—

- (a) in a silicone rubber elastomer when used as a controlled-release implant for synchronisation of oestrus in cattle; or
- (b) in combination with oestradiol or trenbolone, in ear implants for growth promotion in bovine cattle

Promacyl

Promecarb in preparations containing 50% or less of promecarb

Propachlor

Propargite

Propetamphos

Propiconazole, except when included in Schedule 5

SCHEDULE 6—continued

Propineb

Propionic acid (excluding its salts and derivatives), except—

- (a) when included in Schedule 5;
- (b) in preparations containing 30% or less of propionic acid; or
- (c) for therapeutic use

Propoxur, except when included in Schedule 4 or 5

Propylene oxide in preparations containing 4% or less of propylene oxide

Prothiofos

Pyrazophos

Rafoxanide

Salinomycin in animal feed premixes containing 6% or less of antibiotic substances

Selenium—

- (a) in preparations containing 2.5% or less of selenium when packed and labelled—
 - (i) for the blueing of gun barrels; or
 - (ii) for photographic purposes;
- (b) in coated fertiliser granules containing 1% or less of selenium, except in fertilisers containing 200 g/tonne or less of selenium;
- (c) in a drench, injection, paste, stock lick or vaccine containing 0.5% or less of selenium for the treatment of animals; or
- (d) in animal feed premixes containing 2% or less of selenium for the preparation of feeds containing 0.1 g/tonne or less of selenium

Silver nitrate, except—

- (a) when included in Schedule 2; or
- (b) in chewing tablets

Sodium bromate, except in preparations containing 0.5% or less of sodium bromate

Sodium hydroxide (excluding its salts and derivatives), except—

- (a) when included in Schedule 5; or
- (b) in preparations containing 0.5% or less of sodium hydroxide

Spiramycin in animal feed premixes for growth promotion containing 2% or less of antibiotic substances

Streptomycin in preparations for intramammary infusion in animals containing not more than 100 000 I.U. of streptomycin per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic

Sulcofuron in preparations for the treatment of carpets during manufacture

Sulphaquinoxaline when packed and labelled for use as a coccidiostat in poultry, except preparations containing 200 mg/kg or less of sulphaquinoxaline

Sulphonamides when packed and labelled for the treatment of ornamental caged birds or ornamental fish only

Sulphuric acid (excluding its salts and derivatives), except—

- (a) in fire extinguishers; or
- (b) in preparations containing 0.5% or less of sulphuric acid

Sulprophos

2,4,5-T

TCA—see Trichloroacetic acid

TCMTB (2-[thiocyanomethylthio]benzothiazole)

SCHEDULE 6—continued

TDE (1,1-dichloro-2,2-bis(4-chlorophenyl) ethane), except when included in Schedule 5

Tea-tree oil—*see* Melaleuca oil

Temephos, except when included in Schedule 5

Terbutylazine

Terpenes, chlorinated

Testosterone—

- (a) testosterone cypionate, dipropionate, enanthate and propionate in preparations labelled for treatment and prevention of pizzle (sheath) rot in wethers;
- (b) in preparations labelled for masculinisation of wethers for use as 'teaser rams' to stimulate and detect reproductive activity in ewes;
- (c) in combination with oestradiol or trenbolone in ear implants for growth promotion in bovine cattle; or
- (d) in oil preparations for growth promotion purposes labelled for injection at the base of the ear in sheep

Tetrachloroethylene, except—

- (a) when included in Schedule 5;
- (b) in preparations containing 6% or less of tetrachloroethylene when absorbed into an inert solid;
- (c) for therapeutic use; or
- (d) in containers having a capacity of more than 25 litres which are labelled "POISON" and state the proportion of tetrachloroethylene

Tetracycline in preparations—

- (a) for topical application to animals for ocular use only;
- (b) for intramammary infusion in animals containing not more than 100 000 I.U. of tetracycline per dose, when packed in an applicator device specially designed for intramammary infusion and suitably coloured with no less than 25 mg per dose of Brilliant Blue FCF so that the visual end point excludes 95% of excreted antibiotic; or
- (c) when packed and labelled for treatment of ornamental caged birds or ornamental fish only

Tetradifon

2,2',6,6'-Tetraisopropyl-diphenyl-carbodiimide in amitraz formulations containing 2% or less of 2,2',6,6'-tetraisopropyl-diphenyl-carbodiimide

2,2,3,3-Tetrafluoropropionic acid (flupropanate)

Tetramisole in preparations for the treatment of animals

Thiazafluron

Thiodicarb

Thiometon

Thiourea and alkyl thioureas, except for therapeutic use

Thiram

Tiamulin for the treatment of animals—

- (a) in feed premixes containing 25% or less of tiamulin; or
- (b) in soluble concentrates containing 45% or less of tiamulin

Tin organic compounds, being di-alkyl, tri-alkyl and tri-phenyl tin compounds where the alkyl group is methyl, ethyl, propyl or butyl, except—

- (a) when separately specified in this Schedule;
- (b) in plastics; or

SCHEDULE 6—continued

(c) in paints containing 1% or less of tin

Toluene (excluding its derivatives), except—

(a) in preparations containing 50% or less of toluene or toluene and xylene;
or

(b) in containers having a capacity of more than 25 litres which are labelled
"POISON" and state the proportion of toluene or toluene and xylene

Trenbolone—

(a) in ear implants for growth promotion in bovine cattle; or

(b) in combination with oestradiol, progesterone or testosterone in ear
implants for growth promotion in bovine cattle

Triadimefon, except—

(a) when included in Schedule 5; or

(b) in fertilisers containing 5 g/kg or less of triadimefon

Trichlorfon

Trichloroacetic acid, except when included in Schedule 5

Trichloroethylene, except when included in Schedule 4

Trichlorophenol

Triclopyr

Tridemorph

Triethyl phosphate

Trifluoromethane sulphonic acid

**Tylosin in animal feed premixes for growth promotion containing 5% or less of
antibiotic substances**

Vamidothion

**Virginiamycin in animal feed premixes for growth promotion containing 2% or
less of antibiotic substances**

Warfarin, except—

(a) when included in Schedule 4 or 5; or

(b) for external therapeutic use

Xylene (excluding its derivatives), except—

(a) in preparations containing 50% or less of xylene or xylene and toluene;
or

(b) in containers having a capacity of more than 25 litres which are labelled
"POISON" and state the proportion of xylene or xylene and toluene

Zeranol in ear implants for use as a growth promotant in steer cattle

Zinc chloride, except in preparations containing 5% or less of zinc chloride

**Zinc p-phenolsulphonate, except in preparations containing 5% or less of zinc
p-phenolsulphonate**

Zinc sulphate, except—

(a) when included in Schedule 4;

(b) in preparations for human internal use with a recommended daily dose
of 50 mg or less of zinc; or

(c) in other preparations containing 5% or less of zinc sulphate

SCHEDULE 7

Section 3

Acrolein
Acrylonitrile
Alachlor
Aldicarb
Aldoxycarb
Allyl alcohol
Aminocarb, except when included in Schedule 6
4-Aminopyridine, except when included in Schedule 4
Amiton
Arprinocid
Arsenic, except—
 (a) thiacetarsamide when included in Schedule 4;
 (b) when included in Schedule 5 or 6;
 (c) selenium arsenide in photocopier drums; or
 (d) in animal feeds containing 75 g/tonne or less of arsenic
Avermectin B1, except when included in Schedule 6
Azinphos-ethyl
Azinphos-methyl
Azocyclotin
Bendiocarb, except when included in Schedule 5 or 6
Benzene (excluding its derivatives), except—
 (a) preparations containing 15 ml/litre or less of benzene; or
 (b) petrol containing 50 ml/litre or less of benzene
Brodifacoum, except when included in Schedule 6
Bromadiolone, except when included in Schedule 6
Bromethalin, except when included in Schedule 6
Bromine, excluding its salts and derivatives
Brucine, except when used in concentrations of 0.02% or less for the denaturation
 of alcohol
Calciferol for use as a rodenticide, except when included in Schedule 6
Captafol
Captan
Carbadox
Carbofuran
Carbon tetrachloride, except in chlorinated rubber based paints containing less
 than 1% of carbon tetrachloride
Carbophenothion
Chlordecone
Chlordimeform
Chlorfenvinphos
Chlorine, excluding its salts and derivatives
Chloromethiuron

SCHEDULE 7—continued

5-Chloro-3-methyl-4-nitropyrazole
4-Chloro-o-toluidine
Chloropicrin, except when included in Schedule 6
Chlorthiophos
Cholecalciferol for use as a rodenticide, except when included in Schedule 6
Coumaphos, except when included in Schedule 6
Cyanides, except—
 (a) ferricyanides; or
 (b) ferrocyanides
Cyhalothrin
Cyhexatin
Deltamethrin, except when included in Schedule 5
Demeton
Demeton-O-methyl, except when included in Schedule 6
Demeton-S-methyl, except when included in Schedule 6
Dialifos
4,4-Diaminodiphenylmethane (methylene dianiline)
1,2-Dibromo-3-chloropropane
1,3-Dichloropropene
Dichlorvos, except when included in Schedule 5 or 6
Dicrotophos
Dienochlor
Difenacoum, except when included in Schedule 6
Dimefox
1,3-Di (methoxycarbonyl)-1-propen-2-yl-dimethyl phosphate, except when included
 in Schedule 6
N,N-Dimethyl-4-(phenylazo)-benzamine
Dimethyl sulphate
Dimetilan
Dinitrocresols, except when included in Schedule 4 or 6
Dinitrophenols, except when included in Schedule 4 or 6
Dinoseb
Disulfoton, except when included in Schedule 6
Endothal, except when included in Schedule 6
Endrin
Epichlorohydrin
Etaconazole
Ethion
Ethoprophos, except when included in Schedule 6
Ethylene dibromide
Ethylene oxide
Famphur, except when included in Schedule 6
Fenamiosulf, except when included in Schedule 6
Fenamiphos, except when included in Schedule 6
Fenoxacarim, except—
 (a) when included in Schedule 6; or

SCHEDULE 7—continued

- (b) in treated carpets
- Fensulfothion
- Fenthion-ethyl
- Flucofuron, except—
 - (a) when included in Schedule 6; or
 - (b) in treated carpets
- Flucythrinate
- Fluoroacetamide
- Fluoroacetic acid
- Folpet
- Formetanate
- Halofuginone, except in prepared stockfeeds containing 3 g/tonne or less of halofuginone
- Halogenated dibenzodioxins and dibenzofurans
- HCB
- Hydrocarbons liquid aromatic (including aromatic extract oils), any fraction of which boils above 350°C, except when in solid polymers
- Hydrocyanic acid (excluding its salts and derivatives), except when included in Schedule 4
- Hydrofluoric acid (including hydrosilicofluoric acid but excluding their salts and derivatives), except when included in Schedule 5 or 6
- Hydrogen sulphide
- Isocarbophos
- Isufenphos
- Ivermectin, except when included in Schedule 4 or 6
- Leptophos
- Maduramicin, except when included in Schedule 6
- Mazidox
- Mecarbam
- Mercuric chloride when prepared for use for agricultural, industrial, pastoral or horticultural purposes
- Mercury, except—
 - (a) when separately specified in this Schedule;
 - (b) when included in Schedule 2, 4 or 6;
 - (c) in preparations containing 0.01% or less of mercury in organic form as a preservative;
 - (d) mercury (metallic) in scientific instruments; or
 - (e) dental amalgams
- Methacrifos
- Methamidophos
- Methapyrilene
- Methidathion
- Methomyl, except when included in Schedule 6
- Methyl bromide
- 4,4'-Methylenebis[2-chloroaniline] (MOCA)
- Mevinphos
- Mipafox

SCHEDULE 7—continued

- Mirex
Monocrotophos
Naphthalophos, except when included in Schedule 6
Nicotine, except—
 (a) when included in Schedule 3, 4 or 6; or
 (b) in tobacco prepared and packed for smoking
Nimidane, except when included in Schedule 6
Nitrofen
Omethoate, except when included in Schedule 6
Oxamyl
Oxyfluorfen
Paraquat
Parathion
Parathion-methyl
Phorate
Phosfolan
Phosphine
Phosphorus, yellow (excluding its salts and derivatives)
Polychlorinated biphenyls
Promecarb, except when included in Schedule 6
Propylene oxide, except when included in Schedule 6
Pyrinuron
Schradan
Selenium, except—
 (a) when included in, or expressly excluded from, Schedule 4, 5 or 6; or
 (b) as selenium arsenide in photocopier drums
Strychnine (including *Nux vomica*), except when included in Schedule 4
Sulcofuron, except—
 (a) when included in Schedule 6; or
 (b) in treated carpets
Sulfotep
TEPP
Terbufos
Tetrachloroethane
2,2', 6,6'-Tetraisopropyl-diphenyl-carbodiimide, except when included in Schedule 6
Thallium
Thiofanox
ortho-Tolidine
Triamiphos
Triazbutil
Trichloroisocyanuric acid, except—
 (a) when included in Schedule 5; or
 (b) in preparations containing 4% or less of available chlorine
Vinyl chloride

NOTE

1. Ordinance No. 38, 1978 as amended by Nos. 19 and 56, 1981; No. 47, 1982; No. 67, 1985; Nos. 32 and 76, 1986; No. 29, 1988; Nos. 13, 21 and 38, 1989.