# Australian Capital Territory

# Blood Donation (Transmittable Diseases) Blood Donor Form 2025 (No 1)

Disallowable instrument DI2025-320

Approved form AF2025-27

made under the

Blood Donation (Transmittable Diseases) Act 1985, s 10(3) (Approved Forms)

# 1 Name of instrument

This instrument is the *Blood Donation (Transmittable Diseases) Blood Donor Form 2025 (No 1)*.

# 2 Commencement

This instrument commences on 19 April 2026.

# 3 Declaration

I approve the attached blood donation declaration form.

# 4 Revocation

This instrument revokes the *Blood Donation (Transmittable Diseases) Blood Donor Form 2022 (No 1)* DI2022–239 and Approved Form AF2022-13.

Dr Kerryn Coleman Chief Health Officer Delegate of the Minister for Health 27 November 2025

# Thank you for your generosity

# Donor questionnaire



# Important information for a safe, comfortable donation.

At Lifeblood, your safety is our priority. We have experienced team members at your side to make your donation as safe and comfortable as possible.

This questionnaire helps keep you and patients safe. Each question is important and you must answer honestly. Giving false or misleading information may lead to fines and imprisonment. Some people MUST NOT give blood as it may not be safe for them, or the transfused patient. You can change your mind at any time — just let us know.

#### **Fainting**

About 2 in 100 donors feel faint (dizzy, light-headed, hot or sweaty). Symptoms usually resolve quickly. About 1 in 1,000 donors faint (lose consciousness). Feeling faint or fainting is more common in donors who are younger, female or new. Donors over 50 years old are more likely to feel faint after leaving the donor centre.

# Reduce the chance of fainting

In the 24 hours before, drink 8 to 10 glasses of fluid.

In the 3 hours before, drink 750 mL of fluids, eat something salty and avoid strenuous exercise.

Afterwards, spend at least 15 minutes in the refreshment area. If you have had any donation reaction or are 70 or older, please stay at least 30 minutes.

**For 8 hours after,** drink plenty of fluids. Avoid alcohol, as well as standing for long periods or getting overheated.

**For 12 hours after**, avoid strenuous and hazardous activities, including jobs where public safety may be affected — check with your employer or ask in your interview.

#### If you feel faint:

- Lie or sit down with your head between your knees
- Repeatedly squeeze and release your inner thigh and abdominal muscles
- Ask for help
- If you're driving, pull over, park, lay your seat back and call for assistance. Do not continue driving.

#### Bruising

Small bruises are very common and larger bruises, which may be uncomfortable, occur about every 1,500 donations. To reduce the risk, keep the bandage on for 2 hours and minimise lifting or carrying with your donation arm for 24 hours.

If you develop a bruise, an ice pack and/or pain reliever may help. If you bleed, apply pressure and raise your arm.

### Reactions requiring outside medical care

About 1 in 1,500 donors experience a side effect that requires outside medical care, including events related to skin disinfection and needle placement (e.g. allergy, local inflammation, infection, piercing an artery, clot or nerve injury).

#### Iron levels

Donation can cause low iron, particularly in frequent blood donors and women of child-bearing age. This may cause tiredness, poor concentration and low haemoglobin (anaemia).

We recommend a healthy, iron-rich diet, and that women aged 18-45 take iron supplements after each blood donation. In particular, women trying to become pregnant need healthy iron levels for pregnancy.

We check your haemoglobin before every donation and, if you're donating blood, test your iron (ferritin) periodically. Speak with your doctor before donating if you're concerned about iron or how often to denote

For more information on the risks of donating blood, and our iron recommendations, ask one of our team or visit **lifeblood.com.au**.

# **Testing your donation**

For patient safety, all successful donations are tested for hepatitis A, hepatitis B, hepatitis C, parvovirus B19 and HIV. Some donations are tested for HTLV, syphilis, and genes related to blood groups and iron variants.

We'll let you know if your results are significantly abnormal.

# Please call us immediately on 13 14 95 if you:

- Develop a cough, cold, diarrhoea or other infection within a week of donating
- Are diagnosed or hospitalised with a serious infection within 2 months of donating, or
- Learn of any reason why your blood shouldn't be used.

If you feel unwell or are concerned after your donation, speak to a team member, call us on **13 14 95**, or see your doctor.



This page has been intentionally left blank.



# A. New and returned donors

# Please complete this section only if:

- you are a new donor, or
- you have not donated within the last 2 years.

Otherwise, proceed to section B.

# Please complete using blue or black ink (not pencil) by placing a cross or a tick in the relevant box.

A1	Have	you ever volunteered to do	nate blood or plasma before?	Yes	No 🗌
	A1a	If 'Yes': Where?	When?		
A2	Have	you ever been advised not	to give blood?	Yes	No 🗌
АЗ	Have	you ever had:		Yes	No 🗌
	• Ana	aemia or any blood disorder	?		
	• As	erious illness, operation or	been admitted to hospital?		
A4	Have	you ever had:		Yes	No
	• Str	oke or epilepsy?			
	• He	art or blood pressure proble	ems, or chest pain?		
	• Rhe	eumatic fever or a heart mu	rmur?		
A5	Have	you ever had:		Yes	No
	• Boy	wel disease?			
	• Lur	ng problems including tuber	rculosis (TB)?		
A6	Have	you ever had:		Yes	No
		betes?			
		hyroid disorder?			
			neumatoid arthritis or lupus?		
Α7		you ever:		Yes	No
		d cancer of any kind includir			
4.0			(organ, bone marrow, cornea, dura mater, bone, etc.)?	,	$\Box$
A8		you ever had:		Yes	No
		ndice (yellow eyes/skin) or I laria, Q fever or Chagas' dis	·		
	<ul> <li>Syp</li> </ul>		ease:		
A9			h the medication TIGASON (Etretinate) or NEOTIGASON (Acitretin)?	Yes	No 🗌
A10	Have	you had a neurosurgical pro	ocedure involving the head, brain or spinal cord between 1972 and 1989?	Yes	No 🗌
A11	Have	you received injections of h	uman growth hormone for short stature or human pituitary hormone for	Yes	No $\square$
/\		ility prior to 1986?	uman growth normane for short statute of manual picatedly normane for	165	140
A12	What	was your country of birth?			
A13	Have	you ever been outside Aust	ralia, including being born overseas?	Yes	No
If yo	ur an	swer to question 13	is 'No' please go straight to Section B on the next page.		
A14	Have	you ever spent a continuou	s period of 6 months or more outside Australia at any stage of your life?	Yes	No
A15	Have	you been outside Australia	in the last 3 years?	Yes	No 🗌
	A15a	If 'Yes': Have you been	in Papua New Guinea (PNG) in the last 3 years?	Yes	No
A16		you ever received a transfus uth America?	ion or injection of blood or blood products in Mexico, Central America	Yes	No 🗌



# **B.** Medical questionnaire

All donors please complete this section.

Please complete using blue or black ink (not pencil) by placing a cross or tick in the relevant box.

B1	Are you feeling healthy and well?	Yes	No
B2	Did you have any side effects after leaving the donor centre after your last donation? This is my first donation	Yes	No 🗌
	B2a If 'Yes': Did you report this to Australian Red Cross Lifeblood?	Yes	No 🗌
В3	Are you allergic to the antiseptic chlorhexidine?	Yes	No 🗌
B4	What is your weight? kg		
	Note: If you're unsure, please weigh yourself on the scales provided.		
B5	In the next 3 days, do you intend to participate in any activity which would place you or others at risk of injury if you were to become unwell after donating, such as driving public transport, operating heavy machinery, underwater diving, piloting a plane or other activities?	Yes	No
B6	In the last week, have you:	Yes	No
	<ul> <li>Had dental work, cleaning, fillings or extractions?</li> <li>Taken any aspirin, pain killers or anti-inflammatory preparations?</li> <li>Had any cuts, abrasions, sores or rashes?</li> </ul>		
B7	In the last week, have you had a gastric upset, diarrhoea, abdominal pain or vomiting?	Yes	No
B8	Since your last donation, have you – or if you're a new donor, have you in the last 12 months:  • Been unwell?	Yes	No
	<ul> <li>Seen a doctor or any health care practitioner?</li> <li>Undergone any tests/investigations?</li> <li>Had an operation/surgical procedure?</li> </ul>		
В9	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – had chest pain/angina or an irregular heartbeat?	Yes	No
B10	Since your last donation, have you – or if you're a new donor, have you in the last 12 months:	Yes	No 🗌
	<ul> <li>Had shingles or chickenpox?</li> <li>Had any immunisations/vaccinations (including as part of a clinical trial) other than influenza vaccine in Australia (e.g. fluvax)?</li> </ul>		
B11	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – had a sexually transmitted infection e.g. syphilis, gonorrhoea or genital herpes?	Yes	No
B12	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – taken or used any medication, including:	Yes	No
	<ul> <li>Regular medication?</li> <li>Clinical trial medication?</li> <li>Acne or other skin condition medications?</li> </ul>		
B13	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – taken or used:  • PrEP (pre-exposure prophylaxis) to prevent HIV infection?  • Injectable medications?	Yes	No
B14	Do you know anyone in your family who had or has:  Creutzfeldt-Jakob disease (CJD)?  Gerstmann-Sträussler-Scheinker syndrome (GSS)?	Yes	No
D1E	• Fatal familial insomnia (FFI)?	v 🖂	
B15	Since your last donation, have you - or if you're a new donor, have you in the last 12 months - I am male been pregnant (including miscarriage and termination of pregnancy)?	Yes	No _
	B15a If 'Yes': Have you been pregnant in the last 9 months?	Yes	No
lf yo	u have completed Section A today, please go to Section C on the next page.		
B16	Have you been in Papua New Guinea (PNG) in the last 3 years?	Yes	No
B17	Since your last donation, have you been outside Australia?	Yes	No
B18	Since your last donation, have you received a transfusion or injection of blood or blood products?	Yes	No 🗌

# **C.** Donor declaration

All donors please complete this section.

Please complete using blue or black ink (not pencil) by placing a cross or tick in the relevant box.

C1	To the best of your knowledge, have you EVER thought you could be infected with HIV or have AIDS?	Yes	No
C2	To the best of your knowledge, have you EVER had a test which showed you had hepatitis B, hepatitis C, HIV or HTLV?	Yes	No
C3	To the best of your knowledge, in the last 5 years have you "used drugs" by injection or been injected with drugs not prescribed by a doctor or dentist?	Yes	No
C4	In the last 12 months have you had an illness with both a rash AND swollen glands, with or without a fever?	Yes	No 🗌
C5	In the last 12 months have you been imprisoned in a prison or been held in a lock-up or detention centre?		No 🗌
C6	In the last 12 months have you had (yellow) jaundice or hepatitis or been in contact with someone who has?	Yes	No 🗌
C7	In the last 6 months have you had sex, excluding oral sex, with someone new?	Yes	No 🗌
	This means having sex with someone for the first time, or resuming having sex with someone from a previous relationship.		
	C7a If 'Yes': Have you had anal sex in the last 3 months?	Yes	No 🗌
	Anal sex is defined as penetrative or receptive penile-anal intercourse only, with or without condoms. It does not apply to oro-anal sex or the use of sex toys.		
C8	In the last 6 months have you had sex, excluding oral sex, with more than one person?	Yes	No 🗌
	Sex with more than one person includes more than one person at the same time or at different times.		
	C8a If 'Yes': Have you had anal sex in the last 3 months?	Yes	No 🗌
	Anal sex is defined as penetrative or receptive penile-anal intercourse only, with or without condoms. It does not apply to oro-anal sex or the use of sex toys.		
C9	In the last 4 months have you been injured with a used needle (needlestick)?	Yes	No 🗌
C10	In the last 4 months have you had a blood splash to eyes, mouth, nose or to broken skin?	Yes	No 🗌
C11	In the last 4 months have you had a tattoo, body and/or ear piercing or acupuncture?	Yes	No 🗌
C12	In the last 4 months have you had a blood transfusion?	Yes	No 🗌
C13	In the last 3 months have you engaged in sexual activity with someone who had a test which showed they had hepatitis B, hepatitis C, HIV or HTLV?	Yes	No
C14	In the last 3 months have you engaged in sexual activity with someone who has ever "used drugs" by injection or been injected, even once, with drugs not prescribed by a doctor or dentist?	Yes	No

# C. Donor declaration (continued)

O. DOIIOI	accidiation	loonema
Please print:		

Surname/family name	Given name
Date of birth / / / /	

# How your information will be used

Your information will be:

- used to:
  - assess your eligibility to donate blood,
  - ensure the safety of both donors and recipients,
  - contact you for future donations, and
  - assist with research including improving the safety of transfusion and donation;
- treated as confidential and held in compliance with the Privacy Act 1988 (Cth), State/Territory health records legislation and Lifeblood's Privacy Policy. Our Privacy Policy explains how we collect, use, store and disclose your personal information; how you may access or seek correction of your personal information; how to make a complaint about a breach of your privacy, and how we will handle that complaint.

Our Privacy Policy is available at lifeblood.com.au

# How your blood will be used

Thank you for your special gift of blood. Here's how your blood donation will be used:

- Most of the time, we'll use your donation to help people who are unwell. This may include the supply of plasma from your donation to CSL Behring who is contracted by the Australian government to manufacture plasma-derived medicines for Australians.
- Your donation may be used by Lifeblood or other approved organisations for the purposes of research, teaching and checking quality.
- We may supply the red cells from your donation to Australian-based companies that have a government-issued permit to
  produce red cell testing kits which are used by hospitals, pathology services and blood banks in Australia and other countries
  approved by the Australian Government, including New Zealand, to assist in the correct matching of blood for transfusions.
  More information about red cell testing kits is available at lifeblood.com.au.
- A part of your donation will also be stored in our Blood Sample Archive for possible future testing and research; samples that are no longer required will be destroyed.

Approval from an appropriate Human Research Ethics Committee is required before any research is undertaken on any part of your donation.

Occasionally we may ask you to undergo follow-up tests which you have the option to decline.

# **Declaration**

- I agree for my donation to be used for the purposes set out above;
- I have been provided with, read and understood "Important information for a safe, comfortable donation" and had the opportunity to ask questions;
- I accept the risks associated with blood donation and agree to follow the instructions of Lifeblood staff to minimise these risks;
- I agree to notify Lifeblood if, after my donation, I become aware of any reason why my donation should not be used;
- I declare that I have understood the information on this form and answered the questions honestly and to the best of my knowledge; and
- I understand there are penalties, including fines and imprisonment, for providing false and misleading information.

# This declaration is to be signed in the presence of a Lifeblood staff member.

Donor signature	Date / /	
Staff witness (please print)		
Surname/family name	Given name	
Signature	Date / / /	
Donation number		
Office use only NOTES – please make all annotations clear. Please initial and date.		

