



CONSTRUCTION OF AN 11.0 MEGALITRE WATER RESERVOIR AT CONDER

PRELIMINARY ASSESSMENT REPORT ENVIRONMENTAL FACTORS

On behalf of the ACT Electricity & Water Authority, CMPS & F has prepared a Preliminary Assessment on the environmental factors relating to the proposed construction of an 11.0 megalitre water reservoir at Conder.

The Assessment outlines:

- the reason for the proposal;
- the existing environment; and
- the impacts of the proposal.

The purpose of this advertisement is to invite public comment on the Preliminary Assessment in order to ensure that the proposed work satisfies community concerns.

Copies of the Assessment may be obtained free of charge during normal business hours by contacting:

Ms J Macdonald
(06) 248 3680.

Copies of the report are available for public inspection during normal business hours at:

ACTEW Advisory Service	Southern Services Centre
Ground Floor, Electricity House	Anketell Street
221-223 London Circuit	Tuggeranong Town Centre
Canberra ACT 2601	Tuggeranong ACT 2900

Written submissions should be forwarded by 16 October 1992 to:

The Chief Planner
ACT Planning Authority
GPO Box 1908 Canberra ACT 2601
Attention: Mr Gary Richards

Paul J Perkins
General Manager ACTEW Services