

AUSTRALIAN CAPITAL TERRITORY

RADIATION ACT 1983

Section 73

NOTIFICATION OF DECISIONS

Pursuant to Section 73 of the Australian Capital Territory Radiation Act 1983, the Radiation Council hereby gives notice of the particulars of the following decisions of Council made on 9 October 1996.

VARIATION OF CONDITIONS SPECIFIED IN A LICENCE **(paragraph 73(1)(c))**

Licensee Robert Drew
Address Royal Australian Mint
Laboratory Section
Denison Street
Deakin ACT 2600

Authorized Activities: Own or have in possession, use, cause or permit to use, irradiating apparatus.

Conditions Use of x-ray analysis equipment.

Licensee C R Parish
Address ANU John Curtin School of Medical Research
Division of Cell Biology
Canberra ACT 0200

Authorized Activities: Own or have in possession, use, cause or permit to use, unsealed radioactive materials.

Conditions Research uses of unsealed radioactive materials: Cr-51, P-32, I-125, S-35, H-3, C-14, I-131, Fe-59, Ca-45, Ni-63, Ru-103.

Licensee Dr Judy Clarke
Address Antarctic Division
C/- Trevor Bailey
Channel Highway
Kingston Tas 7150

Authorized Activities: Own or have in possession, use, cause or permit to use, irradiating apparatus, unsealed radioactive materials.

Conditions * Research uses of unsealed radionuclides: H-3.
* Veterinary radiography.

Australian Capital Territory Gazette

Licensee Dr Antony J Howells
Address ANU School of Life Sciences
 Biochemistry & Molecular Biology
 Canberra ACT 0200
Authorized Activities: Purchase, own or have in possession, use,
 cause or permit to use, unsealed radioactive materials.
Conditions Research/educational uses of:- C-14, H-3, P-32, S-35, Rb-86.

GRANTING OF LICENCE (paragraph 73(1)(b))

Licensee	Dr David O Willenborg
Address	Neurosciences Research Unit Canberra Hospital PO Box 11 Woden ACT 2606
Authorized Activities:	Purchase, own or have in possession, use, cause or permit to use, unsealed radioactive materials.
Conditions	Research and medical laboratory uses of unsealed radionuclides:- C-14, H-3.

Licensee	Craig Robert Davis
Address	Joint House Department Electronics Section Parliament House Canberra ACT 2600
Authorized Activities:	Use, cause or permit to use, irradiating apparatus.
Conditions	Installation, maintenance and testing of security x-ray equipment.

Licensee	Nigel Newick
Address	Joint House Department Building Management Parliament House Canberra ACT 2600
Authorized Activities:	Use, cause or permit to use, irradiating apparatus.
Conditions	Installation, maintenance and testing of security x-ray equipment.

Licensee	Lucinda Schwinghammer
Address	Joint House Department Electronics Section Parliament House Canberra ACT 2600
Authorized Activities:	Use, cause or permit to use, irradiating apparatus.
Conditions	Installation, maintenance and testing of security x-ray equipment.

Australian Capital Territory Gazette

Licensee David Keunen
Address Medical Applications Pty Ltd
86 Wentworth Avenue
Kingston ACT 2604

Authorized Activities: Use, cause or permit to use, irradiating apparatus.

Conditions Installation, maintenance and testing of medical x-ray equipment.

Licensee Paul George Martin
Address Spectro Analytical Australia
PO Box 568
Gosford NSW 2250

Authorized Activities: Sell, use, irradiating apparatus.

Conditions * Sale of x-ray equipment.
* Installation, maintenance and testing of analytical x-ray equipment.

Licensee Anthony Jacobs
Address Medical Applications Pty Ltd
86 Wentworth Avenue
Kingston ACT 2604

Authorized Activities: Use, cause or permit to use, irradiating apparatus.

Conditions Installation, maintenance and testing of medical x-ray equipment.

Licensee Robert Ian Lindsay
Address Suite 303
Woden Centre
Woden ACT 2606

Authorized Activities: Own or have in possession, use, cause or permit to use, irradiating apparatus.

Conditions Diagnostic dental radiography.

Licensee Mark Timms
Address Medical Applications Pty Ltd
86 Wentworth Avenue
Kingston ACT 2604

Authorized Activities: Use, cause or permit to use, irradiating apparatus.

Conditions Installation, maintenance and testing of medical x-ray equipment.

Licensee Glenn Victor Lucas Carty
Address Suite 1002 AMP Building
Hobart Place
Canberra ACT 2601

Authorized Activities: Use, cause or permit to use, irradiating apparatus.

Conditions Diagnostic dental radiography.

Licensee Brendan Geoffrey Cranney
Address BMDC Box 3035
 Belconnen ACT 2617
Authorized Activities: Use, cause or permit to use, irradiating apparatus.
Conditions Diagnostic radiology.

Licensee Peter John Davies
Address 71 Ijong Street
 Braddon ACT 2612
Authorized Activities: Own or have in possession, use, irradiating apparatus.
Conditions Veterinary radiography.

REGISTRATION OF IRRADIATING APPARATUS (paragraph 73(1)(d))

Owner Dr Anthony Moore
Description Gendex Densomat dental x-ray machine with Oralix 65S tube S/Nos 610687, 650174,
 65kVp, 7.5mA.
Location Suite 205, 2nd Floor
 222 City Walk
 Canberra
Conditions Diagnostic dental examinations.

Owner National Capital Diagnostic Imaging
Description Siemens Plus 4 Helical CT scanner, S/No 22081.
Location A2 Specialist Centre
 161 Strickland Crescent
 Deakin
Conditions Diagnostic radiography.

Owner ANU Department of Electronic Materials Engineering
Description ANU built negative ion accelerator, maximum energy 175kV.
 Radiation produced: X-rays.
Location Mezzanine Level
 Nuclear Physics Building
 Australian National University
Conditions Research applications.

Owner	Charles W Keynes
Description	Bennett diagnostic x-ray machine model HFQ 300SE with model D-50M tube, S/Nos BHF34352, DX34352 125kVp, 150mA.
Location	Ground Floor Perpetual Trustees Building 10 Rudd Street Canberra City ACT 2601
Conditions	Diagnostic radiography.
Owner	ACT X-ray Services Pty Ltd
Description	Philips Practix 2000 mobile image intensifier x-ray machine 9544179 with Emerald 0125 tube S/Nos AA23057
Location	X-ray Department & Operating Theatres John James Memorial Hospital Deakin
Conditions	Diagnostic radiography.
Owner	ACT X-ray Services Pty Ltd
Description	Toshiba CT Scanner model CXXC-005A with Varian CXB-350A tube 130kVp, 300mA S/Nos A6572064, 27038-S6
Location	X-ray Department John James Memorial Hospital Deakin
Conditions	Diagnostic radiography.
Owner	Australian Antarctic Division
Description	Mikasa Atomscope veterinary x-ray machine model 100PR, 100kVp, 60mA S/Nos 8630, 0700
Location	Bechervaise Island Mawson Antarctica
Conditions	Veterinary radiography.
Owner	CSIRO Division Of Water Resources
Description	Amersham Model SIPQ 8026 beta source S/No 0394MP Sr90, 1.5GBq(1/2/95) fitted to RISO National Labs. TL-DA-12 irradiator.
Location	Room 14B CSIRO Division of Water Resources Black Mountain Laboratories
Conditions	The source is an integral component of the thermoluminescence sample irradiator system.

**APPROVAL FOR ALTERATION OR MODIFICATION OF REGISTERED
IRRADIATING APPARATUS (paragraph 73(1)(e))**

Owner Dr James Young Won
Description Dental x-ray unit Castellini Victory X 65, Cox 6698 CEI, serial numbers 60144,1070355,
65kVp, 8mA
Location Suite 7
1st Floor
Dickson Chambers,
Dickson
Conditions Diagnostic dental radiography.

GRANTING OF A DISPOSAL PERMIT (paragraph 73(1)(g))

Permit Holder Dr A J Howells
Address ANU Faculty of Science,
Division of Biochemistry & Molecular Biology
Canberra ACT 0200

Radionuclide contained in the material for disposal	Physical and chemical form of the material	Annual quantity of material for which approval is granted	Disposal method approved
Phosphorus-32	Solid waste	1.32GBq	Burial, W.B.L.C. *
Phosphorus-32	Water soluble	900MBq	Sewer
Sulphur-35	Solid waste	90MBq	Burial W.B.L.C. *
Sulphur-35	Water soluble	130MBq	Sewer
Iodine-125	Solid waste	650MBq	Burial, W.B.L.C. *
Iodine-125	Water soluble	1.6GBq	Sewer
Carbon-14	Solid waste	200MBq	Burial, W.B.L.C. *
Carbon-14	Water soluble	900MBq	Sewer
Hydrogen-3	Solid waste	150MBq	Burial, W.B.L.C. *
Hydrogen-3	Water soluble	600MBq	Sewer
Calcium-45	Solid waste	7MBq	Burial, W.B.L.C. *
Calcium-45	Water soluble	27MBq	Sewer
Iron-55	Solid waste	0.4MBq	Burial, W.B.L.C. *
Iron-55	Water soluble scintillant	7.4MBq	Burial, W.B.L.C. *
Rubidium-86	Solid waste	100MBq	Burial, W.B.L.C. *

* W.B.L.C. = West Belconnen Landfill Centre

Reasons – If you wish to obtain a statement of reasons to explain why the decision was made you should write within 28 days of this notice to the ACT Radiation Council, GPO Box 825, Canberra 2601.

Review by the ACT Administrative Appeals Tribunal – Any Persons whose interests are adversely affected by this decision may apply to the Tribunal to have the decision reviewed.

Location of the ACT Administrative Appeals Tribunal – The Tribunal is located on the 4th Floor, Canberra House, 40 Marcus Clarke Street, Canberra City.

Postal Address: GPO Box 9955, Canberra 2601. Telephone: 243 4611. Facsimile: 247 0962.

Document Exchange: DX 5727.

Powers of the ACT Administrative Appeals Tribunal – The Tribunal is an independent body. The Tribunal can agree with, change or reject to the original decision, substitute its own decision or send the matter back to the decision maker for reconsideration in accordance with Tribunal recommendations.

How to apply to the ACT Administrative Appeals Tribunal – Write within 28 days explaining the details of the decision and the reasons for asking for a review.

Cost – To lodge an application there is a fee of \$134.00. You may apply to have the fee waived on the grounds of hardship. No fee is payable if you are receiving legal assistance.

Access to documents – You may apply for access to any documents relevant to this decision under the ACT *Freedom of Information Act 1989*. For more information contact the ACT Freedom of Information Office on phone 205 0245 or 205 0249.

Dated this 9th day of October 1996.



J Lising
Chairperson
Radiation Council