



Environment and Sustainable Development

# **Holt Precinct Map and Code**

includes Kippax Group Centre

NI2008-27

10.1 Suburb Precinct Maps and Codes


Effective: 9 August 2018

Authorised by the ACT Parliamentary Counsel-also accessible at www.legislation.act.gov.au

This page is intentionally blank.

10.1 Suburb Precinct Maps and Codes

Effective: 9 August 2018



### **Assessment Tracks**

The following tables identify the additional prohibited development and additional merit track development for blocks and parcels shown in the Holt Precinct Map (identified as PDn or MTn). Development that is exempt from requiring development approval, other prohibited development and the minimum assessment track applicable to each development proposal is set out in the relevant zone development table.

The following tables constitute part of the relevant zone development table.

#### Table 1 – Additional prohibited development

Additional prohibited development		
Suburb precinct map label	Zone	Development
PD1 CFZ	retirement village	
	GFZ	supportive housing

#### Table 2 – Additional merit track development

Additional merit track development that may be approved subject to assessment		
Suburb precinct map label	Zone	Development
		industrial trades
MT1	CZ1 mu	municipal depot
		store
		funeral parlour
MTO	CZ2	light industry
MT2	CZZ	service station
		veterinary hospital

## **Holt Precinct Code**

### Contents

Introduction			4
Additional rules	s and	criteria	6
RC1 – Kippax G	Group	Centre	6
Element 1:	Use.		6
	1.1	Ground floor uses	
	1.2	Industrial trades, municipal depot, store	8
	1.3	Development on nominated car parking areas	8
Element 2:	Build	dings	8
		Active frontages	
Element 3:	Build	ding and site controls	9
	3.1	Setbacks	9
	3.2	Height of buildings	10
	3.3	Fences	10
OP1 – Holt resi	dentia	al area	19
OP2 – Holt residential area			20
OP3 – Holt resi	P3 – Holt residential area21		

### **Figures**

Figure 1	7
Figure 2 Holt residential area 1	.12
Figure 3 Holt residential area 2	.13
-igure 4 Holt residential area 3	.14
Figure 5 Holt residential area 4	.15
Diagram 1 Fence type 'F1'	.16
Diagram 2 Fence type 'F3'	.16
Diagram 3 Fence type 'F4'	.17
Diagram 4 Fence types 'F6' and 'F9'	.17
Diagram 5 Fence Type 'F10'	.18
-igure 6 Holt residential area ongoing provisions	.19
-igure 7 Holt residential area ongoing provisions	.20
-igure 8 Holt residential area ongoing provisions	.21

### Introduction

#### Name

The name of this code is Holt Precinct Code.

### Application

The code applies to the Division of Holt.

### Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

#### Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain sub-parts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

#### Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

#### Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

Acronyms ACTPLA	Planning and Land Authority within the ACT Environment and Sustainable Development Directorate
EPA	ACT Environment Protection Authority
ESA	ACT Emergency Services Agency
ESDD	ACT Environment and Sustainable Development Directorate
NCA	National Capital Authority
P&D Act	Planning and Development Act 2007
TAMS	ACT Territory and Municipal Services Directorate

### Additional rules and criteria

This part applies to blocks and parcels identified in the Holt Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

### RC1 – Kippax Group Centre

This part applies to blocks and parcels identified in area RC1 shown on the Holt Precinct Map. RC1 includes the Kippax Group Centre.

### Element 1: Use

Rules		Criteria		
1.1	1.1 Ground floor uses			
R1		C1		
This rule applies to sites with frontage to main pedestrian areas and routes in CZ1.		Buildings fronting main pedestrian areas and routes incorporate uses on the ground floor that		
	y the following uses are permitted at the and floor level:	generate activity in the public space.		
a)	business agency			
b)	club			
c)	community activity centre			
d)	drink establishment			
e)	financial establishment			
f)	hotel			
g)	indoor entertainment facility			
h)	indoor recreation facility			
i)	public agency			
j)	restaurant			
k)	SHOP.			
		C2		
The	re is no applicable rule.	This criterion applies to sites with frontage to main pedestrian areas and routes in CZ2.		
		Buildings incorporate uses on the ground floor that generate activity in the public space.		




Figure 1

Rules	Criteria		
1.2 Industrial trades, municipal depot, store			
R3 One or more of the following uses are permitted only in the shaded area shown in figure 1 and only in association with a structured <i>car park</i> : a) <i>industrial trades</i>	This is a mandatory requirement. There is no applicable criterion.		
<ul><li>b) municipal depot</li><li>c) store.</li></ul>			
1.3 Development on nominated car parking areas			
R4	C4		
<ul><li>This rule applies to the shaded area shown in figure 1.</li><li>Development complies with all of the following:</li><li>a) the existing number of car parking spaces</li></ul>	<ul> <li>Development meets all of the following:</li> <li>a) in accordance with the Parking and Vehicular Access General Code, there is enough car parking for the needs of the</li> </ul>		
<ul> <li>is retained on the site and made available for public use at all times</li> <li>b) provides car parking that is generated by the development on site in accordance with the <i>Parking and Vehicular Access General</i> <i>Code</i> in addition to the spaces required by item a)</li> </ul>	<ul> <li>centre as a whole</li> <li>b) the development does not adversely affect the overall function of the centre in terms of economic, social, traffic and parking and urban design impacts.</li> </ul>		

### **Element 2: Buildings**

Rules	Criteria
2.1 Active frontages	
R5 Buildings incorporate display windows and entrances with direct pedestrian access at ground floor level on frontages to main pedestrian areas and routes and public open spaces.	C5 Buildings achieve all of the following: a) direct access from main pedestrian areas b) avoid extensive lengths of blank walls unrelieved by doors, display windows or the like

### **RC2** – Residential

This part applies to blocks and parcels identified in area RC2 shown on the Holt Precinct Map.

### Element 3: Building and site controls

Rules	Criteria
3.1 Setbacks	
R6 This rule applies to blocks or parcels in locations identified in Figures 2, 3, 4 and 5. Minimum boundary setbacks for both <i>lower floor</i>	This is a mandatory requirement. There is no applicable criterion.
level and upper floor level unscreened elements are nominated.	
R7	
This rule applies to blocks or parcels in locations identified in Figures 2, 3, 4 and 5.	This is a mandatory requirement. There is no applicable criterion.
Minimum boundary setback to <i>upper floor level</i> external wall screened element is nominated.	
R8	
This rule applies to blocks or parcels in locations identified in Figures 2, 3, 4 and 5.	This is a mandatory requirement. There is no applicable criterion.
Minimum boundary setback of 0m to both <i>lower</i> floor level and upper floor level unscreened element is nominated.	
R9	
This rule applies to blocks or parcels in locations identified in Figures 3 and 4.	This is a mandatory requirement. There is no applicable criterion.
Minimum boundary setback to garage is nominated and the maximum length of wall is 8m.	
R10	
This rule applies to blocks or parcels in locations identified in Figures 3 and 4.	This is a mandatory requirement. There is no applicable criterion.
Mandatory boundary setback of 0m to <i>lower floor level</i> for a maximum length of 13m measured from minimum front setback.	

Rules	Criteria
3.2 Height of buildings	
R11	
This rule applies to blocks or parcels in locations identified in Figure 3.	This is a mandatory requirement. There is no applicable criterion.
Maximum <i>height of buildings</i> is 1 storey.	
3.3 Fences	
R12	
This rule applies to blocks or parcels in locations identified by 'F10' in Figure 5.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be 1800mm high, 470 x 350 piers, with lapped and capped timber infill panels.	
Note: See Diagram 5 for an example of fence type 'F10'.	
R13	
This rule applies to blocks or parcels in locations identified by 'F3' in Figures 2, 3 and 4.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be a colorbond metal fence 1.8m high. Colour is to be colorbond 'Woodland Grey'.	
Note: See Diagram 2 for an example of fence type 'F3'.	
R14	
This rule applies to blocks or parcels in locations identified by 'F4' in Figure 5.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be 1800mm high 470x350 piers with 230mm masonry infill.	
Note: See Diagram 3 for an example of fence type 'F4'.	

Rules	Criteria
R15	
This rule applies to blocks or parcels in locations identified by 'F6' in Figures 2, 3, and 5.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be either 1.2m or 1.5m high pool type fence with 50mm SHS posts and tubular pool type panels finished in a black powdercoat.	
Note: See Diagram 4 for an example of fence type 'F6'.	
R16	
This rule applies to blocks or parcels in locations identified by 'F7' in Figure 2.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be 1.8m high lapped and capped timber fence or 1.8m high masonry wall same as fence type F4 or combination of 1.8m high masonry piers with lapped and capped timber fence panels same as fence type F10.	
R17	
This rule applies to blocks or parcels in locations identified by 'F8' in Figures 2, 3 and 4.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary enclosing a private open space, fence to be fence type F7. In all other cases where fence is constructed it is to be type F1 or F9.	
Note: See Diagrams for examples of relevant fence types.	
R18	
This rule applies to blocks or parcels in locations identified by 'F9' in Figures 3, 4 and 5.	This is a mandatory requirement. There is no applicable criterion.
Fence permitted on this boundary. Where a fence is constructed on this boundary it is to be 1.5m high pool type fence with 50mm SHS posts and tubular pool type panels finished in a black powdercoat.	
Note: See Diagram 4 for an example of fence type 'F9'.	




Figure 2 Holt residential area 1

page 12

10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018




Figure 3 Holt residential area 2

NI2008-27

10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018






Figure 4 Holt residential area 3



#### Figure 5 Holt residential area 4

NI2008-27

10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018 page 15






Diagram 2 Fence type 'F3'








Diagram 3 Fence type 'F4'









Diagram 5 Fence Type 'F10'

### Other ongoing provisions

This part applies to blocks and parcels identified as ongoing provisions (OPn) in the Holt Precinct Map. It should be read in conjunction with the relevant zone development code and related codes.

### **OP1** – Holt residential area

This part applies to blocks and parcels identified in area OP1 shown on the Holt Precinct Map.



#### Figure 6 Holt residential area ongoing provisions


NI2008-27


#### 10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018

page 19

### **OP2** – Holt residential area

This part applies to blocks and parcels identified in area OP2 shown on the Holt Precinct Map.






page 20

#### 10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018

NI2008-27

### **OP3 – Holt residential area**

This part applies to blocks and parcels identified in area OP3 shown on the Holt Precinct Map.



#### Figure 8 Holt residential area ongoing provisions

NI2008-27

10.1 Suburb Precinct Maps and Codes Holt Precinct Map and Code Effective: 9 August 2018 page 21