


Strathnairn Precinct Map and Code





Strathnairn Precinct Code

Contents

Introduction		3
Additional rule	s and criteria	5
RC1 - Residen	tial area	5
Element 1:	Building and site controls	
	1.1 Setbacks	
	1.2 Heights	
	1.3 Walls	
	1.4 Principal Private Open Space	
	1.5 Parking	
	1.7 Building envelope provisions	
Element 2:	Water sensitive urban design	
	2.1 Water tank requirements	
Element 3:	Home business provisions	8
	3.1 Home business	8
Other ongoing	provisions	13
OP1 – Strathna	irn residential area	13
Figures		
Figure 1 Fenci	ng controls for mid-size / large corner blocks	9
Figure 2 Strath	nnairn fencing controls	10
Figure 3 Strath	nnairn residential area 1	11
Figure 4 Strath	nnairn residential area 2	12
Figure 5 Strath	nnairn residential area ongoing provisions	13

Introduction

Name

The name of this code is **Strathnairn Precinct Code**.

Application

The code applies to the Division of Strathnairn.

Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain sub-parts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

Acronyms

EPA ACT Environment Protection Authority

ESA ACT Emergency Services Agency

EPSDD ACT Environment, Environment, Planning and Sustainable

Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TCCS Transport Canberra and City Services

Additional rules and criteria

This part applies to blocks and parcels identified in the Strathnairn Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

RC1 - Residential area

This part applies to blocks and parcels identified in area RC1 shown on the Strathnairn Precinct Map.

Element 1: Building and site controls

Rules	Criteria			
1.1 Setbacks				
R1				
This rule applies to blocks or parcels in locations identified in Figures 3 and 4.	This is a mandatory requirement. There is no applicable criterion.			
Minimum boundary setbacks to <i>lower floor level</i> and/ or <i>upper floor level</i> are nominated.				
R2				
This rule applies to blocks or parcels in locations identified in Figure 4.	This is a mandatory requirement. There is no applicable criterion.			
Minimum setback to garage/ carport/ surveillance unit is nominated.				
1.2 Heights				
R3				
This rule applies to blocks or parcels in locations identified in Figure 4.	This is a mandatory requirement. There is no applicable criterion.			
The mandatory number of storeys is two.				
1.3 Walls				
R4				
This rule applies to blocks or parcels in locations identified in Figure 3.	This is a mandatory requirement. There is no applicable criterion.			
Maximum length of wall at nominated setback cannot exceed nominated length.				

Rules Criteria 1.4 Principal Private Open Space R5 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figure 3. applicable criterion. The minimum dimensions of principal private open space are nominated. At least one area of principal private open space on the block complies with all of the following: directly accessible from, and adjacent to, a habitable room other than a bedroom b) screened from adjoining public streets and public open space located behind the building line, except where enclosed by a courtyard wall d) is not located to the south, south-east or south-west of the dwelling, unless it achieves not less than 3 hours of direct sunlight onto 50% of the minimum principal private open space area between the hours of 9am and 3pm on the winter solstice (21 June). 1.5 Parking R6 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figure 3. applicable criterion. One onsite parking space only is required. 1.6 Fencing R7 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figure 2 only where courtyard walls applicable criterion. and fences are forward of the building line. Materials are to be a combination of solid and semi-transparent elements as follows: Masonry or stonework If over 600mm in height to include infill panels that are semi-transparent using materials such as dressed hardwood timber or powder coated aluminium slats (openings to be minimum 10mm)

Rules	Criteria		
The following materials/ fencing are not permitted:			
Paling fence			
Chain mesh fencing			
Colorbond fence			
Untreated timber slat fencing			
Timber sleepers			
Brush fencing			
Fences are to be constructed in accordance with Table 1.			
1.7 Building envelope provisions			
R8			
Blocks identified as Integrated Development Parcels are exempt from Rule 7A of the Single Dwelling Housing Development Code.	This is a mandatory requirement. There is no applicable criterion.		

Element 2: Water sensitive urban design

Rules		Criteria		
2.1 Water tank requirements				
R9 Single dwelling blocks size requirements as	s are subject to water tank follows:	This is a mandatory requirement. There is no applicable criterion.		
Block Size (m²)	Mandatory minimum tank size (kL)			
0 ≤ 250	0			
> 250 - 350	2			
> 350 - 599	4			
> 599 - 800 8				
> 800	10			
Housing Code includi	of the Single Dwelling ng minimum roof capture d external connection			

Element 3: Home business provisions

Rules	Criteria		
3.1 Home business			
R10 This rule applies to block 6 section 16.	This is a mandatory requirement. There is no applicable criterion.		
No maximum number of <i>home business</i> .	арріїсаріе спієноп.		

LOCATION (refer to plan) FENCING CONTROL ONLY APPLES TO COURTYARD WALLS AND FENCES FORWARD OF THE BUILDING LINE		MANDATORY	MINUMUM FRONT SETBACK		MAXIMUM HEIGHT FOR PPOS SCREEN	MAXIMUM HEIGHT OF SIDE FENCING TO FRONT OF FRONT BUILDING LINE	NOTE
	VILLAGE LINK/ GREEN LINK	YES	100% @ 0m	1.2m	1.5m	1.5m	
	VILLAGE LINK/ GREEN LINK	YES	100% @ 600mm	1.2m	1.5m	1.5m	PROVIDE PLANTING FORWARD OF THE COURTYARD WALL
	CENTRAL BOULEVARD	YES	50% @ 0m 50% @ 1m	1.2m	1.5m	1.5m	
	LANE WAYS	AS REQUIRED	100% @ 0m	1.8m	1.8m	NA	
	BLOCKS ADJACENT TO OPEN SPACE	AS REQUIRED	100% @ 0m	1.8m*	1.8m	NA	
	NORTH FACING BLOCKS	ONLY WHERE PPOS IS IDENTIFIED	50% @ 0m 50% @ 600mm	1.5m*	1.5m	1.5m	
(APPLIE	R BLOCKS S TO ALL LARGE AND MID RNER BLOCKS)	AS REQUIRED	50% @ 0m 50% @ 600mm	1.5m*	1.5m	1.5m	NO FENCING PERMITTED WITHIN 6m OF THE CORNER (REFER TO DIAGRAM BELOW)

^{*} Where located above a retaining wall, fencing to be setback a minimum of 600mm from the boundary. The maximum combined height of wall and fence is 2.2 metres from footpath level. Sufficient space between retaining wall and fence to provide planting.

Table 1 Fencing controls




Figure 1 Fencing controls for mid-size / large corner blocks



Figure 2 Strathnairn fencing controls




Figure 3 Strathnairn residential area 1




Figure 4 Strathnairn residential area 2

Other ongoing provisions

This part applies to blocks and parcels identified as ongoing provisions (OPn) in the Strathnairn Precinct Map. It should be read in conjunction with the relevant zone development code and related codes.

OP1 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP1 shown on the Strathnairn Precinct Map.




Figure 5 Strathnairn residential area ongoing provisions