


Gungahlin Precinct Map and Code

includes
Gungahlin Town Centre

Effective: 5 July 2019



Effective: 5 July 2019



Assessment Tracks

The following tables identify the additional prohibited development and additional merit track development for blocks and parcels shown in the Gungahlin Precinct Map (identified as PDn or MTn). Development that is exempt from requiring development approval, other prohibited development and the minimum assessment track applicable to each development proposal is set out in the relevant zone development table.

The following tables constitute part of the relevant zone development table.

Table 1 – Additional prohibited development

Additional prohibited development		
Suburb precinct map label	Zone	Development
DD4	CFZ	retirement village
PD1	GFZ	supportive housing

Table 2 - Additional merit track development

Additional merit track development that may be approved subject to assessment		
Suburb precinct map label	Zone	Development
MT1	CZ1	produce market
MT2	CZ3	correction facility
		craft workshop
MTO	CZ5	drink establishment
MT3		indoor entertainment facility
		tourist resort

Gungahlin Precinct Code

Contents

Introduction			6
Additional rules	s and o	criteria	7
RC1 – Gungahl	in Tow	rn Centre	7
Land use and s	ubdivi	sion	9
Element 1:		use zones in future urban area	
Element 2:	Subd	ivision	
	2.1	Road network	
	2.2 2.3	Pedestrian and cyclist network Bushfire protection	
General develo	_	controls	
Element 3:	-	ictions on use	
Liomont o.	3.1	Ground floor use – CZ5	
	3.2	Ground floor use – CZ5 – floor area limit	14
Element 4:		ing and site controls	
	4.1	Height of buildings	
Element 5:		form	
	5.1 5.2	Building design - general Public transport stations and adjacent development	
Element 6:	-	ng and site access	
Element 6.	6.1	Sites for public car parking	
	6.3	Restrictions on driveway access	
Element 7:	Amer	nity	20
	7.1	Design of Hibberson Street public realm	
	7.2	Design of Gungahlin Place public realm	
	7.3 7.4	Active frontageLandscape	
Aron considio o		S	
-			
		ore	
Element 8:	Use 8.1	Ground floor use	
	8.2	Protection of retail expansion opportunities	
	8.3	Development in Gungahlin Place	
	8.4	Distribution and coordination of retail	
Element 9:		ings	
	9.1 9.2	Building envelope Protection of solar access for activities on south side of Hibberson Street	
	9.2	Setbacks	
Element 10:		form	
2.0	10.1	Building Design	
	10.2	Awnings	28
Precinct 1b - R	etail c	ore mixed use	30
Element 11:	Use.		30
		Ground floor use	
		Scale of retail activity	
Element 10:		Serviced apartment and residential use	
Element 12:		ings Building envelope and setbacks	

Element 13:	13: Built form	
	13.2 Awnings	33
Precinct 2a - O	ffice core	34
	Use	
	14.1 Protection of office development	
	14.2 Street level uses	34
Element 15:	Buildings	
	15.1 Building envelope and setbacks	
Element 16:	Built form	
	16.1 Location of public entrances	
D : (a) 0	•	
	office park	
Element 17:	Use	
FI	17.1 Street level uses	
Element 18:	Buildings	
Element 19:	Built form	
Element 19.	19.1 Location of public entrances	
D	·	
	ervices and Trades	
Element 20:	Buildings20.1 Height and setbacks	
Flores and Odi	Built form	
Element 21:	21.1 Building design	
Dreeinet 2h M		
	lajor community and recreation facilities	
Element 22:	Buildings22.1 Height and setbacks	
Element 23:	Built form	
Element 23.	23.1 Building design	
Element 24:	Amenity	
Ziomoni Zin	24.1 Open space	
Precinct 4a - S	outhern transition	43
	Buildings	
Liomont 20.	25.1 Building envelope	
	25.2 Redevelopment of sections 21 and 22 Gungahlin	
	25.3 Bushfire	
Element 26:	Built form	
	26.1 Building design	44
Precinct 4b - N	orthern transition	47
Element 27:	Buildings	47
	27.1 Building envelope and setbacks	47
Element 28:	Built form	
	28.1 Building design	47
RC2 - Mixed us	se commercial development area	49
Element 2:	Use	49
	2.1 Ground floor use	
	2.2 Ground floor use – floor area limit	
Element 3:	Buildings	
	3.1 Number of storeys	
Other ongoing	provisions	50
OP1 – Gungahl	in residential area	50
_		

Effective: 5 July 2019

Figures

Figure 1		7
Figure 2	Location of land available for zoning as Community Facility CFZ zone	9
Figure 3	Road hierarchy	10
Figure 4	Trunk walking and cycling network	11
Figure 5	Bushfire protection	13
Figure 6	Restrictions on blank facades	16
Figure 7	Entertainment precinct	16
Figure 8	Public transport stations	17
Figure 9	Location of sites for public car parking	18
Figure 10	Restriction on driveway access and egress	19
Figure 11	Active frontage requirements	22
Figure 12	Precinct areas within the Gungahlin Town Centre	24
Figure 13	Main pedestrian areas and routes	26
Figure 15	Building envelope in Precinct 1a (south side of Hibberson Street)	27
Figure 17	Building envelope in Precinct 1b	32
Figure 18	Building envelope in Precinct 2a	35
Figure 19	Setbacks and building height zones in Precinct 2a	36
Figure 20	Building envelopes in Precinct 4a and Precinct 4b	45
Figure 20a	Bushfire controls	46
Figure 21	Gungahlin residential area ongoing provisions	50

Introduction

Name

The name of this code is **Gungahlin Precinct Code**.

Application

The code applies to the Division of Gungahlin.

Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain subparts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

Acronyms

ACTPLA Planning and Land Authority within the ACT Environment and Sustainable Development

Directorate

EPA ACT Environment Protection Authority
ESA ACT Emergency Services Agency

ESDD ACT Environment and Sustainable Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TAMS ACT Territory and Municipal Services Directorate

10.1 Suburb Precinct Maps and Codes Gungahlin Precinct Map and Code Effective: 5 July 2019

NI2008-27

Additional rules and criteria

This part applies to blocks and parcels identified in the Gungahlin Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

RC1 - Gungahlin Town Centre

This part applies to blocks and parcels identified in area RC1 shown on the Gungahlin Precinct Map. RC1 includes the Gungahlin Town Centre.

Gungahlin Town Centre is the major hub for employment, shopping, social activities and public transport particularly serving suburbs within the Gungahlin district. **Gungahlin Town Centre** is bounded on the north-west by Gundaroo Drive, the south-west by Gungahlin Drive, Anthony Rolfe Avenue to the north, Manning Clark Crescent to the east and the Mulanggari Grasslands in the south.

Application

This part of the **Precinct Code** applies to development on land in Gungahlin Town Centre in the District of Gungahlin as shown in figure 1.




Figure 1

Purpose

The purpose of the provisions relating to the Gungahlin Town Centre (RC1) is to:

- a) guide the design and assessment of estate development plans (subdivision proposals) in Gungahlin Town Centre
- b) inform the allocation of final zones at the time when a parcel of land ceases to have a future urban area (FUA) overlay (refer to note below) following subdivision
- c) guide the development of individual *blocks* in concert with other relevant codes under the *Territory Plan*
- d) support zone objectives and assessable uses in the development tables
- e) guide the development and management of the public realm.

A future urban area (FUA) overlay on the Territory Plan map identifies land that has yet to be developed. The final zoning, while generally indicated on the Territory Plan map, will be set after *an estate development plan* has been approved in accordance with the provisions of a relevant precinct code.

Desired planning outcomes

The intent of the development controls is to:

- (a) provide a mix of land use types and densities
- (b) provide opportunities for people to live, work and recreate which delivers environmental, social and economic benefits for the community
- (c) balance and protect residential amenity with the commercial uses
- (d) provide a safe and vibrant night time economy
- (e) ensure retail activity is well distributed around the retail core and future sites are viable through inclusion of an anchor store
- (f) promote social inclusion through providing accessible commercial and community facilities
- (g) provide a structure to the town centre that is robust, while recognising the changing needs of the town centre
- (h) continue the 'main street' character to Hibberson Street that promotes quality of public realm and a 'human scale' to the built form
- (i) provide public spaces and a street network that promotes pedestrian movement, particularly along Hibberson Street and Gungahlin Place
- (j) provide opportunity for a variety of public transport
- (k) build upon the distinct public domain character and provide opportunity for variety and change in the public realm
- (I) encourage flexibility and innovation in design of the built form and open space
- (m) provide a street network designed for low vehicle speeds and easy pedestrian access
- (n) support a strong employment base in the district of Gungahlin
- (o) provide a business park within precinct 2b that contains a variety of building heights consistent with a campus style development

Land use and subdivision

The following elements apply to the future urban area within the Gungahlin Town Centre.

Element 1: Land use zones in future urban area

Rules	Criteria
R1	C1
Zones are allocated in accordance with the Territory Plan map.	Zones identified in estate development plans are in accordance with the principles and policies set out in the structure plan.
R2 A minimum of 6 hectares of land is provided with a community facility zone within the area shown in figure 2.	This is a mandatory requirement. There is no applicable criterion.




Figure 2 Location of land available for zoning as Community Facility CFZ zone

Element 2: Subdivision

Rules	Criteria	
2.1 Road network		
R3	C3	
The design of each street complies with all of the following: a) the road reservations specified in Appendix A b) the road hierarchy shown in figure 3	Street design achieves all of the following: a) street functions and facilities can be provided b) capable of accommodating traffic growth c) hierarchy of the network is clearly identifiable d) endorsed by TAMS	




Figure 3 Road hierarchy

Rules	Criteria
2.2 Pedestrian and cyclist network	
R4	C4
Pedestrian and cyclist network is consistent with the trunk walking and cycling network shown in figure 4	Pedestrian and cyclist network meets all of the following:
and Appendix A.	a) supports walking and cycling
	b) provides a high level of accessibility to the existing network
	c) provides pedestrian and cycle facilities
	d) is endorsed by the Territory




Figure 4 Trunk walking and cycling network

Rules Criteria

2.3 Bushfire protection

R5

Development in Area A complies with all of the following (see figure 5):

- Any development in Area A complies with Planning for Bushfire Risk Mitigation General Code
- A perimeter road is to be provided along the southern edge of Area A. All roads constructed within this area need to comply with ACT Fire Brigade standards
- Well Station Track is to be maintained as a fire trail and provide access gates from the perimeter road.
- d) Fencing between Well Station Track and Mulanggari Grassland is to comply with Planning for Bushfire Risk Mitigation General Code and be endorsed by the relevant land manager
- e) Hydrants are to be provided along the perimeter road to the satisfaction of the ACT Emergency Services Agency (ESA)
- f) Open space adjacent to the bushfire interface area within the town centre is maintained in accordance with the Strategic Bushfire Management Plan.

A bushfire risk assessment plan endorsed by the ACT ESA and the Conservator of Flora and Fauna is required for any development within or adjacent to the bushfire prone area identified in figure 5 as a 20m wide Inner Asset Protection Zone (IAPZ) within the Well Station Track reserve. The plan must not impose any bushfire management strategies within Mulanggari Grasslands. The bushfire management strategies identified in the bushfire risk management plan must be consistent with the standards specified in the Strategic Bushfire Management Plan (SBMP).

C5

Development within or adjacent to the bushfire prone area identified in figure 5 is endorsed by the Territory. In making its assessment the Territory will consider all of the following:

- a) vegetation types and management
- b) access for emergency vehicles
- management objectives and values on the land to be effected by the proposed bushfire management strategies

Development within this area must not impose any bushfire management strategies within Mulanggari Grasslands. If the proposed bushfire management strategies do not meet the standards specified in the Strategic Bushfire Management Plan, justification is required for any differences (for instance, reduced risk or alternative but equivalent strategy).




Figure 5 Bushfire protection

General development controls

The following elements apply to all precincts shown in figure 12.

Element 3: Restrictions on use

Rul	es	Criteria
3.1	Ground floor use - CZ5	
R6		C6
One or more of the following uses are not permitted above the ground floor:		Noise generating uses are located to minimise impacts on residential or commercial
a)	craft workshop	accommodation.
b)	indoor entertainment facility	
c)	indoor recreation facility	
d)	NON RETAIL COMMERCIAL USE	
e)	restaurant	
f)	SHOP	
3.2	Ground floor use – CZ5 – floor area limit	
R7		C7
Whe	ere development includes one or more of the	The scale of leisure, recreation, community and
follo	wing:	commercial activities included with multi unit
a)	craft workshop	housing development achieves all of the following:
b)	indoor entertainment facility	a) ancillary to RESIDENTIAL USE
c)	indoor recreation facility	b) services the local residents only
d)	NON RETAIL COMMERCIAL USE	
e)	Restaurant	
f)	SHOP	
	maximum <i>gross floor area</i> per establishment or ancy is 200 m ²	

Element 4: Building and site controls

Rules	Criteria
4.1 Height of buildings	
R8	C8
Minimum <i>height of buildings</i> is two (2) <i>storeys</i> however uses such as service stations, places of worship or ancillary structures may be one (1) <i>storey</i> .	Buildings achieve a compact urban form and are consistent with the desired planning outcomes described in the introduction of this document.

Element 5: Built form

Rules	Criteria	
5.1 Building design - general		
	C9	
There is no applicable rule.	Development complies with all of the following:	
	a) contributes to the desired planning outcomes of the town centre as described in the introduction of this document	
	b) corner buildings contain focal points providing architectural interest and variety to the building design	
	c) entrances to common lobbies for residential use provide strong visual connection to the street and ensure a high level of surveillance	
	d) buildings incorporate sun shading to reduce summer sun into the building interior	
	e) car parking structures are designed to integrate with the built form of adjoining development.	
R10		
Open structured car parks, loading docks and substations are not located on frontages to the street in the area shown in figure 6.	This is a mandatory requirement. There is no applicable criterion.	




Figure 6 Restrictions on blank facades




Figure 7 Entertainment precinct

Note: Land included in the entertainment precinct includes blocks that may be affected by noise from external sources. Development of multi unit housing in this area is subject to the noise attenuation requirements contained in the multi unit housing development code.

Rules	Criteria
5.2 Public transport stations and adjacent development	
R11	C11
Public transport stops or stations are provided at the locations shown in figure 8.	The location of public transport stations on Hibberson Street achieve all of the following:
	a) supports public transport usage by town centre patrons
	b) provides access to retail and office areas
	c) is endorsed by the Territory
	C12
There is no applicable rule.	New buildings adjacent to a (current or future) public transport station shown in figure 8 are designed to support public transport use by providing a comfortable environment for public transport patrons which is a short walking distance from a public transport station and locating a major public entrance of the development within close walking distance to the public transport station.




Figure 8 Public transport stations

Element 6: Parking and site access

Rules	Criteria
6.1 Sites for public car parking	
R13	C13
Development on <i>sites</i> identified in figure 9 includes one (1) of the following: a) surface car park with number of spaces	Development on <i>sites</i> identified in figure 9 may be considered where the development achieves all of the following:
 a) surface car park with number of spaces endorsed by the Territory agency responsible for transport planning b) other development where all of the following are provided: i) provide a number of car parking spaces endorsed by the Territory agency responsible for transport planning ii) accommodate onsite any additional demand for car parking generated by the development iii) ensure the number of car parking spaces identified in R13 b) i) remains available for public access iv) complies with the <i>Parking and Vehicular Access General Code</i> 	 a) any additional parking provision requirements (under the <i>Parking and Vehicular Access General Code</i>) for the development b) makes a substantial contribution to the long-term public parking supply for the whole town centre as endorsed by the Territory




Figure 9 Location of sites for public car parking

Rules	Criteria
6.3 Restrictions on driveway access	
R14	
Driveway access or egress to Hibberson Street, Flemington Road and Gungahlin Place is not permitted, other than for ceremonial and visitor access, in the areas shown in figure 10	This is a mandatory requirement. There is no applicable criterion.




Figure 10 Restriction on driveway access and egress

Element 7: Amenity

Rules	Criteria
7.1 Design of Hibberson Street public realm	
There is no applicable rule.	C15 Hibberson Street, between Gozzard Street and Kate Crace Street, has all of the following characteristics:
	provides convenient pedestrian access along both sides of Hibberson Street to promote an accessible and safe environment for active shop fronts
	b) provides convenient and safe pedestrian access across Hibberson Street at appropriate locations between the adjacent retailing
	c) provides direct and visible pedestrian access to public transport facilities along Hibberson Street
7.2 Design of Gungahlin Place public realm	
	C16
There is no applicable rule.	Gungahlin Place, between Ernest Cavanagh Street and The Valley Avenue, has all of the following characteristics:
	a) provide direct and convenient east-west and north-south pedestrian access in Gungahlin Place between adjacent retailing and community amenities
	b) provide pedestrian access along both verges within Gungahlin Place to promote an accessible and safe environment for active shop fronts
	c) provide open space in Gungahlin Place that allows for outdoor seating areas and promotes uses such as community events, markets, cafes and kiosks
	d) provide unobtrusive weather protection and high quality landscaping within Gungahlin Place that is consistent with the surrounding character and use of Gungahlin Place

Ru	les	Criteria	
7.3	Active frontage		
R1	7		
For building frontages shown as 'Active Frontage – Mandatory' in figure 11, building design is to comply with all of the following:		This is a mandatory requirement. There is no applicable criterion.	
a)	buildings fronting streets and / or public open spaces incorporate display windows and shop fronts at the ground floor level		
b)	buildings incorporate direct pedestrian access at grade with the verge level for access and egress for persons with disabilities		
c)	buildings incorporate a minimum of two shop fronts and entrances per frontage		
R18	8	C18	
For building frontages shown as 'Active Frontage – Adaptable Built Form' in figure 11, building design is to comply with all of the following:		For buildings fronting streets identified as 'Active Frontage – Adaptable Built Form' in figure 11, development at ground floor level achieves all of	
a)	buildings fronting streets and/or public open	the following:	
	spaces incorporate display windows or shop	a) be adaptable for shops	
b)	fronts at the ground floor level direct pedestrian access at grade with the verge level is to be provided for access and egress for persons with disabilities	where building access is provided, direct pedestrian access is at street level	
R19		C19	
For building frontages shown as "Partial Active Frontage" in figure 11, no less than 20% of a frontage to the street or public open space incorporates shop fronts with pedestrian access at ground floor level.		Each street frontage of a development can be adapted to incorporate active frontages with direct pedestrian access.	





Figure 11 Active frontage requirements

Rules	Criteria
7.4 Landscape	
	C20
There is no applicable rule.	Landscaping achieves all of the following:
	a) is sensitive to site attributes, including streetscapes and landscapes of documented heritage significance
	b) use of vegetation types and landscaping styles which complement the <i>streetscape</i> character and integrate with Gungahlin Place, linear parks, public spaces, reserves and public transport corridors
	c) contributes to energy efficiency and amenity of public space by providing substantial shade in summer, especially to west-facing windows and open car park areas, and admitting winter sunlight to outdoor and indoor spaces
	d) satisfies utility maintenance requirements and minimises the visual impact and risk of damage to aboveground and underground utilities



Area specific controls

This part contains area specific controls that apply to precincts within the Gungahlin Town Centre, as shown in figure 12.

To remove any doubt, the following area specific provisions shall prevail if there is an inconsistency with any other part of this code.




Figure 12 Precinct areas within the Gungahlin Town Centre

Gungahlin Town Centre has several precincts:

Precinct 1a - Retail Core

Precinct 1b - Retail Core Mixed Use

Precinct 2a - Office Core

Precinct 2b – Office Park

Precinct 3a - Services and Trades

Precinct 3b - Major Community and Recreation Facilities

Precinct 4a - Southern Transition

Precinct 4b - Northern Transition

In this code:

Large retail anchor means a department store, cinema complex with more than 3 screens or a supermarket or retail outlet of 1200m² or more in *gross floor area*.

Precinct 1a - Retail core

The following elements apply to precinct 1a shown in figure 12.

Element 8: Use

Rules	Criteria		
8.1 Ground floor use	8.1 Ground floor use		
R21	C21		
This rule applies to buildings with frontages to hatched area shown in figure 13.	Buildings fronting main pedestrian areas and routes incorporate uses on the ground floor that		
One or more of the following uses are permitted at the ground floor level:	generate activity in the public space.		
a) business agency			
b) club			
c) community activity centre			
d) drink establishment			
e) financial establishment			
f) hotel			
g) indoor entertainment facility			
h) indoor recreation facility			
i) public agency			
j) restaurant			
k) SHOP			
8.2 Protection of retail expansion opportunities			
R22			
The following uses are not permitted on both	This is a mandatory requirement. There is		
the ground and first floors of buildings in Precinct 1a:	no applicable criterion.		
a) Serviced apartment			
b) RESIDENTIAL USE			
8.3 Development in Gungahlin Place			
R23			
This rule applies to sections 36, 37 and 38.	This is a mandatory requirement. There is		
Development achieves all of the following:	no applicable criterion.		
a) a maximum of 200 m ² GFA per section			
b) a maximum of 75m ² GFA per tenancy			
c) is endorsed by the land custodian.			

Authorised by the ACT Parliamentary Counsel—also accessible at www.legislation.act.gov.au

Rules	Criteria
8.4 Distribution and coordination of retail	
R24	
Each section contains at least one large retail anchor.	This is a mandatory requirement. There is no applicable criterion.
Note: The definition of <i>large retail anchor</i> can be found on the first page of Part C of this code.	





Figure 13 Main pedestrian areas and routes

Element 9: Buildings

Rules	Criteria
9.1 Building envelope	
R25	
Rooftop building elements, including lift overruns and plant and equipment are contained within the	This is a mandatory requirement. There is no applicable criterion.
building envelope controls shown in figure 15.	



Note: This illustration shows a potential built form within the building envelope




Figure 15 Building envelope in Precinct 1a (south side of Hibberson Street)

Rules	Criteria	
9.2 Protection of solar access for activities on so	uth side of Hibberson Street	
R26 For development on the northern side of Hibberson Street, development is to maintain a minimum of 3 hours solar access to the southern verge of Hibberson Street, particularly between 12 noon and 2 pm on the winter solstice (21 June).	C26 Buildings on the northern side of Hibberson Street are limited in height to ensure development on the southern side of Hibberson Street remains substantially sunlit, particularly between 12 noon and 2 pm on the winter solstice	
9.3 Setbacks		
R27 Buildings are joined at party walls and built to the front property boundary along main pedestrian areas and routes identified in figure 13.	C27 Buildings achieve all of the following: a) consistency with desired planning outcomes b) compatibility with adjacent development. Minor setbacks in building alignment may be permitted to provide small spaces for active uses.	

Element 10: Built form

Rules	Criteria
10.1 Building Design	
R28	C28
The minimum ground floor level floor to ceiling height is 3.6m.	Ground floor level of buildings is designed to be adaptable for commercial use.
	C29
There is no applicable rule.	Major public entrances of retail centres achieve all of the following:
	are visible from the major public entrances of nearby retail centres
	b) provide convenient access between major public entrances of nearby retail centres
10.2 Awnings	
R30	
Buildings must incorporate awnings that comply with all of the following:	This is a mandatory requirement. There is no applicable criterion.
a) cantilevered awnings for the full extent of the building frontage identified as mandatory active frontage in figure 11 and a minimum of 50% of the building frontage identified as main pedestrian areas and routes shown in figure 13	
b) awnings are to be a minimum height of 3m in cantilever width	

c)	awnings are to be a minimum height of 3m	
	above finished pavement or ground level of the	
	verge	
d)	awnings are to be integrated into the building design at the first floor level	

Precinct 1b - Retail core mixed use

The following elements apply to precinct 1b shown in figure 12.


Element 11: Use

hatched area shown in figure 13. One or more of the following uses are permitted at the ground floor level: a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are permitted at the ground file generate activity in the public space. routes incorporate uses on the ground flogenerate activity in the public space. routes incorporate uses on the ground flogenerate activity in the public space.	Rules		Criteria	
This rule applies to buildings with frontages to hatched area shown in figure 13. One or more of the following uses are permitted at the ground floor level: a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the Buildings fronting main pedestrian areas routes incorporate uses on the ground flog generate activity in the public space. Buildings fronting main pedestrian areas routes incorporate uses on the ground flog generate activity in the public space. Buildings fronting main pedestrian areas routes incorporate uses on the ground flog generate activity in the public space.	11.1	11.1 Ground floor use		
hatched area shown in figure 13. One or more of the following uses are permitted at the ground floor level: a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	R31		C31	
the ground floor level: a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There			Buildings fronting main pedestrian areas and routes incorporate uses on the ground floor that	
b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There			generate activity in the public space.	
c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	a)	business agency		
d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	b)	club		
e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	c)	community activity centre		
f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	d)	drink establishment		
g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	e)	financial establishment		
h) indoor recreation facility i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	f)	hotel		
i) public agency j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	g)	indoor entertainment facility		
j) restaurant k) SHOP 11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	h)	indoor recreation facility		
This is a mandatory requirement. There no applicable criterion. This is a mandatory requirement. There no applicable criterion. This is a mandatory requirement. There no applicable criterion. This is a mandatory requirement. There no applicable criterion. This is a mandatory requirement. There no applicable criterion.	i)	public agency		
R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	j)	restaurant		
Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	k)	SHOP		
Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	11.2	Scale of retail activity		
large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	R32			
b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m ² Gross Floor		This is a mandatory requirement. There is no applicable criterion.	
c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	a)	department store		
d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	b)	discount department store		
Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of <i>large retail anchor</i> can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	c)	supermarket		
developments until the retail core area is developed. The definition of <i>large retail anchor</i> can be found on the first page of Part C of this code. 11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the This is a mandatory requirement. There	d)	SHOP selling food		
R33 The following uses are not permitted on both the This is a mandatory requirement. There	deve	lopments until the retail core area is developed. definition of large retail anchor can be found on		
The following uses are not permitted on both the This is a mandatory requirement. There	11.3	11.3 Serviced apartment and residential use		
, , , , , , , , , , , , , , , , , , , ,	R33	R33		
a) Serviced apartment b) RESIDENTIAL USE	grour a)	nd and first floors of buildings in Precinct 1b: Serviced apartment	This is a mandatory requirement. There is no applicable criterion.	

Element 12: Buildings

Rules	Criteria
12.1 Building envelope and setbacks	
R34 All building elements, including lift overruns and roof top plant are contained within the building envelope controls shown in figure 17.	This is a mandatory requirement. There is no applicable criterion.
R35 Buildings are joined at party walls and built to the front property boundary along main pedestrian areas and routes identified in figure 13. This rule does not apply to the boundaries to Gungahlin Place of Section 226 Block 4 and Section 232 Block 1, Gungahlin.	C35 Buildings achieve all of the following: a) consistency with desired planning outcomes b) compatibility with adjacent development Minor setbacks in building alignment may be permitted to provide small spaces for active uses.
There is no applicable rule.	This criterion applies to Section 226 Block 4 and Section 232 Block 1, Gungahlin, but does not apply to the Gozzard Street frontage and Hinder Street frontage. Buildings achieve all of the following: a) consistency with desired planning outcomes b) compatibility with adjacent development c) corner treatment with articulation in the building facade at the corner of Gungahlin Place and Efkarpides Street d) where setbacks are proposed, reasonable space for active outdoor uses, the protection of any regulated trees, and the provisions of landscaping e) for outdoor spaces adjacent to Gungahlin Place, landscaping consistent with the landscaping in Gungahlin Place. Note: R35 and C35 still apply to the Gozzard Street frontage and Hinder Street frontage.

page 31



Note: This illustration shows a potential built form within the building envelope




Figure 17 Building envelope in Precinct 1b

Element 13: Built form

Rul	les	Criteria		
13.1	13.1 Building Design			
R36	6	C36		
	minimum ground floor level floor to ceiling height .6m.	Ground floor level of buildings is designed to be adaptable for commercial use.		
13.2 Awnings				
R37	7			
inco	dings with front boundary setbacks less than 2m orporate awnings that comply with all of the owing:	This is a mandatory requirement. There is no applicable criterion.		
a)	cantilevered for the full extent of the building frontage along main pedestrian areas and routes identified in figure 13			
b)	a minimum of 3m in cantilever width			
c)	a minimum height of 3m above finished pavement or ground level of the verge			
d)	integrated with the building design at the first floor level			

page 33

Precinct 2a - Office core


The following elements apply to precinct 2a shown in figure 12.

Element 14: Use

Rules	Criteria		
14.1 Protection of office development			
R38			
The following uses are not permitted on <i>sites</i> in Precinct 2a:	This is a mandatory requirement. There is no applicable criterion.		
a) Serviced apartment			
b) RESIDENTIAL USE			
14.2 Street level uses			
R39	C39		
A minimum of one (1) of the following uses is provided at the ground floor level adjacent to the street or main building entry for buildings of 2,000m ² or greater:	Buildings facing main pedestrian areas and routes identified in figure 13 incorporate uses that generate activity at the ground level in the public space.		
a) Business agency			
b) Drink establishment			
c) Health facility			
d) Public agency			
e) Restaurant			
f) SHOP with a maximum GFA of 200m ² .			

Element 15: Buildings

15.1 Building envelope and setbacks		
R40		
All building elements, including lift overruns and roof top plant are contained within the building envelope illustrated in figure 18.	This is a mandatory requirement. There is no applicable criterion.	
Note: Building envelopes shown in figure 18 and 19 are applied to whole sections in precinct 2a.		
R41		
Minimum 6m setback to The Valley Avenue, Kate Crace Street, Ernest Cavanagh Street, Manning Clarke Crescent and Hibberson Street frontages as illustrated in figures 18 and 19.	This is a mandatory requirement. There is no applicable criterion.	



Note: This illustration shows a potential built form within the building envelope




Figure 18 Building envelope in Precinct 2a




Figure 19 Setbacks and building height zones in Precinct 2a

Element 16: Built form

Rules	Criteria
16.1 Location of public entrances	
	C42
There is no applicable rule.	To provide public entrances that are easily identifiable and convenient, the development achieves all of the following:
	entrances to commercial and other uses provide a strong visual connection to the street
	b) the main building entrance relates to the overall bulk and scale of the building to emphasise the entrance to main lobby or foyer
	 provide articulated building entrance to the street and/ or public space at grade with the adjoining verge or finished site levels

Rules	Criteria
16.2 Landscape	
	C43
There is no applicable rule.	Provide a high quality landscape character to the office core Precinct 2a and achieve all of the following:
	a documented landscape design showing how landscape associated with the development addresses all of the items described in criterion C18 in this code
	b) use vegetation types and landscaping styles which complement the <i>streetscape</i> character and integrate with the north-south linear park, public spaces, reserves and public transport corridors

Precinct 2b - Office park

The following elements apply to precinct 2b shown in figure 12.

Element 17: Use

Rules	Criteria
17.1 Street level uses	
R44	C44
A minimum of one (1) of the following uses is provided at the ground floor level abutting the street or main building entry for buildings of 2,000m ² or greater:	Buildings abutting the street or main building entry incorporate uses that generate activity at the ground level in the public space.
a) Business agency	
b) Drink establishment	
c) Health facility	
d) Public agency	
e) Restaurant	
f) SHOP	

Element 18: Buildings

18.1 Building height	
R45	C45
Maximum <i>height of buildings</i> is 23 metres above the <i>datum ground level</i> .	Maximum <i>height of buildings</i> comply with all of the following:
For leases granted before 30 November 2010, this provision will not apply until five (5) years from that date, being 30 November 2015.	 a) are compatible with adjacent development b) are appropriate to scale and function of use c) minimise detrimental impacts, including overshadowing and excessive scale d) contribute to the desired planning outcomes

Authorised by the ACT Parliamentary Counsel—also accessible at www.legislation.act.gov.au

Element 19: Built form

Rules	Criteria
19.1 Location of public entrances	
	C46
There is no applicable rule.	To provide public entrances that are easily identifiable and convenient, the development provides all of the following:
	entrances to commercial and other uses provide a strong visual connection to the street
	b) the main building entrance relate to the overall bulk and scale of the building to emphasise the entrance to main lobby or foyer
	c) provide articulated building entrance to the street and/ or public space at grade with the adjoining verge or finished <i>site</i> levels

page 39

Precinct 3a – Services and Trades

The following elements apply to precinct 3a shown in figure 12.

Element 20: Buildings

Rules	Criteria
20.1 Height and setbacks	
R47	C47
Maximum <i>height of buildings</i> is 14 metres above the datum ground level.	Height of buildings comply with all of the following:
	are compatible with existing character in the Service Trades Precinct
	b) is appropriate to the scale and function of the use
	c) minimise detrimental impact to adjacent open space and development, including overshadowing and excessive scale
R48	C48
Buildings maintain a continuous building line along	Building setbacks comply with all of the following:
Hibberson Street.	a) frontages to Hibberson Street maintain a continuous <i>building line</i>
	b) setbacks in building alignment may be permitted where it provides small spaces for active uses and / or building entrances

Element 21: Built form

21.1 Building design	
	C49
There is no applicable rule.	To provide development that is identifiable and contributes to the existing <i>streetscape</i> character, the development is to provide all of the following:
	a) entrances provide a strong visual connection to the street and ensure a high level of surveillance
	b) building frontages to streets provide interesting and attractive facades that positively contribute to the <i>streetscape</i>

Precinct 3b – Major community and recreation facilities

The following elements apply to precinct 3b shown in figure 12.

Element 22: Buildings

Rules	Criteria
22.1 Height and setbacks	
R50	C50
Maximum height of buildings is 14m above the datum ground level.	Maximum <i>height of buildings</i> comply with all of the following:
	a) are compatible with adjacent development
	b) are appropriate to the scale and function of the use
	c) minimise detrimental impacts, including overshadowing and excessive scale
R51	C51
A minimum setback of 6 metres applies to	Setbacks comply with all of the following:
Warwick Street and The Valley Avenue	a) are compatible with adjacent development
street frontages.	b) are appropriate to the scale and function of the use
	c) minimise detrimental impacts, including overshadowing and excessive scale

Element 23: Built form

Rules	Criteria
23.1 Building design	
	C52
There is no applicable rule.	To provide development that is identifiable and contributes to the existing <i>streetscape</i> character, development achieves all of the following:
	a) entrances have a strong visual connection to the street
	b) ensure a high level of surveillance
	c) building frontages to streets provide interesting and attractive facades that positively contribute to the <i>streetscape</i>
	d) building frontage onto The Valley Avenue is to provide articulation in the building facade

page 41

Element 24: Amenity

Rules	Criteria
24.1 Open space	
	C53
There is no applicable rule.	Provide a landscape buffer along the southern block boundary parallel to The Valley Avenue that achieves all of the following:
	 a) variety in vegetation species and sizes b) vegetation types and landscaping styles that complement the <i>streetscape</i> character, particularly street trees on The Valley Avenue, public spaces and reserves
	c) is appropriate to the bulk and scale of the development.

Precinct 4a - Southern transition

The following elements apply to precinct 4a shown in figure 12.

Element 25: Buildings


Rules	Criteria
25.1 Building envelope	
R54 All building elements, including lift overruns and roof top plant are contained within building envelope controls shown in figure 20.	This is a mandatory requirement. There is no applicable criterion.
Note: Building envelopes shown in figure 20 are applied to whole Sections in Precinct 4a and 4b.	
25.2 Redevelopment of sections 21 and 22 Gungah	ılin
R55 Redevelopment, other than for a single <i>dwelling</i> , requires the amalgamation of a minimum of six (6) adjoining <i>blocks</i> . The resulting <i>block</i> is required to have a minimum area of 3000 m² and approximately equal frontage to both The Valley Avenue and Delma View. Note: Where <i>block</i> amalgamation is approved, registered Lease and Development Conditions for individual <i>blocks</i> are no longer considered.	Amalgamation of less than six (6) blocks is permitted where less than six (6) adjoining single dwelling blocks remain in a section and these adjoining single dwelling blocks are all amalgamated. The resulting block is required to have approximately equal frontage to both The Valley Avenue and Delma View.
R56 Redevelopment of more than two <i>blocks</i> for other than a single <i>dwelling</i> is not permitted where it adjoins an existing single <i>dwelling</i> that has an existing or approved redevelopment on the other side boundary, unless the single <i>dwelling site</i> is included in the amalgamation of <i>sites</i> .	This is a mandatory requirement. There is no applicable criterion.
R57 Subdivision, amalgamation and boundary realignments of <i>blocks</i> resulting in single <i>dwelling</i> development is not permitted.	C57 Minor boundary realignments to the side boundaries of redevelopment <i>sites</i> shared with single <i>dwelling blocks</i> is only permitted where the resulting development on the affected <i>blocks</i> is consistent with Rule R56 and Rule R57 of this Code.
R58 Redevelopment shall not result in the reduction of the <i>dwelling</i> numbers on the subject <i>blocks</i> to below that the existing at the close of business on 30 November 2010.	This is a mandatory requirement. There is no applicable criterion.

Rules	Criteria
R59	C59
Development is built to a minimum 4m front boundary setback to all street frontages.	Minor encroachments into the front setback are permitted to allow for elements such as awnings, sun shading and roof overhang.
R60	
Articulation is provided to a minimum depth of 2m behind the front setback to all street frontages for all storeys in the development.	This is a mandatory requirement. There is no applicable criterion.
25.3 Bushfire	
R60a	
This rule applies to blocks or parcels in locations identified in Figure 20a.	This is a mandatory requirement. There is no applicable criterion.
Buildings are constructed in accordance with Australian Standard AS 3959 – Construction of buildings in bushfire–prone areas.	
Compliance with this rule is demonstrated by a report by a suitably qualified person.	

Element 26: Built form

26.1 Building design				
	C61			
There is no applicable rule.	Buildings are to contribute to the public realm that is safe and convenient by providing the following:			
	a) corner buildings are to provide focal points providing interest and variety			
	b) building entrances are to be at grade with the adjoining verges or finished <i>site</i> levels to provide level building access			
	c) entrances to commercial and residential uses are to provide a strong visual connection to the street			
	d) entrances ensure a high level of surveillance			

Authorised by the ACT Parliamentary Counsel—also accessible at www.legislation.act.gov.au



Note: The following illustration shows a potential built form within the building envelope




Figure 20 Building envelopes in Precinct 4a and Precinct 4b




Figure 20a Bushfire controls

Precinct 4b - Northern transition

The following elements apply to precinct 4b shown in figure 12.

Element 27: Buildings

Rules	Criteria
27.1 Building envelope and setbacks	
R62	
All building elements, including lift overruns and roof top plant are contained within building envelope controls shown in figure 20.	This is a mandatory requirement. There is no applicable criterion.
Note: Building envelopes shown in figure 20 are applied to whole Sections in Precinct 4a and 4b.	
R63	C63
Buildings are joined at party walls and built to the	Buildings achieve all of the following:
front property boundary along Anthony Rolfe Avenue and main pedestrian areas and routes identified in	a) strong urban edge for the town centre along Anthony Rolfe Avenue
figure 13.	b) compatibility with adjacent development
	c) consistency with desired planning outcomes

Element 28: Built form

Rules	Criteria	
28.1 Building design		
	C64	
There is no applicable rule.	Buildings are to contribute to the public realm that is safe and convenient by providing all of the following:	
	a) corner buildings are to provide focal points giving interest and variety	
	 b) building entrances are to be at grade with the adjoining verges or finished site levels to provide level building access 	
	c) entrances to commercial and lobbies to residential use are to provide a strong visual connection to the street and ensure a high level of surveillance	

Effective: 5 July 2019

Rules	Criteria
R65	
Where the building frontage incorporates commercial uses at ground floor, buildings much incorporate awnings that comply with the following:	This is a mandatory requirement. There is no applicable criterion.
a) cantilevered awnings for the full extent of the building frontage along main pedestrian areas and routes identified in figure 13	
b) awnings are to be a minimum of 3m in cantilever width	
c) awnings are to be a minimum height of 3m above finished pavement or ground level of the verge	
d) awnings are to be integrated into the building design at the first floor level	

RC2 - Mixed use commercial development area

This part applies to blocks and parcels identified in area RC2 shown on the Gungahlin Precinct Map.

Element 2: Use

Rul	es	Criteria			
2.1	2.1 Ground floor use				
R66	3	C66			
perr	or more of the following uses are not mitted above the ground floor:	Noise generating uses are located to minimise impacts on residential or commercial			
a) b)	COMMUNITY USE craft workshop	accommodation.			
c)	indoor entertainment facility				
d)	indoor recreation facility				
e)	NON RETAIL COMMERCIAL USE				
f)	restaurant				
g)	SHOP				
2.2	2.2 Ground floor use – floor area limit				
R67	7	C67			
	ere development includes one or more of the wing:	The scale of leisure, recreation, community and commercial activities included with multi unit			
a)	COMMUNITY USE	housing development achieves all of the			
b)	craft workshop	following:			
c)	indoor entertainment facility	a) ancillary to RESIDENTIAL USE			
d)	indoor recreation facility	b) services the local residents only			
e)	NON RETAIL COMMERCIAL USE				
f)	Restaurant				
g)	SHOP				
	maximum <i>gross floor area</i> per establishment enancy is 200 m ²				

Element 3: Buildings

Rules	Criteria	
3.1 Number of storeys		
R68	C68	
The maximum number of <i>storeys</i> is 3.	Buildings achieve all of the following: a) compatibility with the desired character b) reasonable solar access to dwellings on adjoining residential blocks and their	
	associated <i>private open space</i> The maximum number of storeys is 4.	

NI2008-27

page 49

Other ongoing provisions

This part applies to blocks and parcels identified as ongoing provisions (OPn) in the Gungahlin Precinct Map. It should be read in conjunction with the relevant zone development code and related codes.

OP1 - Gungahlin residential area

This part applies to blocks and parcels identified in area OP1 shown on the Gungahlin Precinct Map.




Figure 21 Gungahlin residential area ongoing provisions

NI2008-27

Appendix A – Road reservation

Table 1 Major collector street network requirements					
Street name	The Valley Avenue	The Valley Avenue extension (up to Gundaroo Drive)	Flemington Road (Kate Crace Street to Hamer Street)	Kate Crace Street	North-south leg of ring system at eastern end of the town centre (adjacent to Hamer Street, Manning Clark Crescent south to The Valley Avenue)
Carriageway	4 traffic lanes	4 traffic lanes	2 traffic lanes	4 traffic lanes	4 traffic lanes
Median	required (including turning)	required	required	required (including turning)	required (including turning)
On-street car parking	both sides	not required	both sides	western side only	not required
Verge width each side (m)	7 (northern side) 7 (southern side)	8 (northern side) 7 (southern side)	7 (northern side) 7 (southern side)	7 (western side) 5 (eastern side)	7 (western side) 7 (eastern side)
Bike path each side	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)
Service lane	on the southern side, with parking only on the northern side				
Bus lane each side			yes		

Table 2 Access street network requirements					
Street name	Ernest Cavanagh Street	Access streets (not specifically listed above)	Hibberson Street	Hinder Street	
Carriageway	2 traffic lanes	2 traffic lanes	continue current width	continue current width	
Median	not required	not required	Continue derion widen	Sonting Surrent Water	
On-street car parking each side (m)	yes (both sides)	yes (both sides)			
Verge	yes (both sides)	yes (both sides)			