


Bruce Precinct Map and Code

includes part Belconnen Town Centre

Effective: 17 December 2021





Effective: 17 December 2021

Assessment Tracks

The following tables identify the additional prohibited development and additional merit track development for blocks and parcels shown in the Bruce Precinct Map (identified as PDn or MTn). Development that is exempt from requiring development approval, other prohibited development and the minimum assessment track applicable to each development proposal is set out in the relevant zone development table.

The following tables constitute part of the relevant zone development table.

Table 1 – Additional prohibited development

Additional prohibited development		
Suburb precinct map label Zone Development		
PD1	CZ5	hotel

Table 2 – Additional merit track development

Additional merit track development that may be approved subject to assessment		
Suburb precinct map label	Zone	Development
		defence installation
		drink establishment
		light industry
MT1	CZ5	place of assembly
		scientific research establishment
		store
		warehouse
MT2	CZ5	club
MT3	CZ4	drink establishment
		car park
		club
		commercial accommodation unit
		communications facility
		craft workshop
		drinks establishment
		financial establishment
		hotel
		indoor entertainment facility
		light industry motel
		multi-unit housing
MT4	CFZ	nature conservation area
I WIT 4	0	place of assembly
		playing field
		pedestrian plaza
		produce market
		public transport facility
		restaurant
		scientific research establishment
		service station
		serviced apartment
		SHOP
		store
		veterinary hospital

Bruce Precinct Code

Contents

Introduction6			
Additional rules	s and	criteria	8
RC1 - Belconn	en Tov	vn Centre (part)	8
Element 1:	Use.		8
	1.1	SHOP – gross floor area	8
Element 2:	Build	lings	8
	2.1	Height of buildings	
	2.2	Materials and finishes	8
RC2 - Commer	cial M	ixed Use Area	9
Element 3:	Use.		9
	3.1	Club and hotel	
	3.2	Light industry	g
	3.3	SHOP – CZ5 – gross floor area	9
Element 4:	Build	lings	
	4.1	Number of storeys	
	4.2	Plot ratios	
	4.3	Front setbacks	
	4.4	Ground floor residential – commercial adaptability	
	4.5	Heat island	
Element 5:		ronment	
	5.1	Trees	
RC3 - Bruce Lo	ocal Co	entre	13
Element 5:	Build	lings	13
	5.1	Number of storeys	
	5.2	Plot ratio	13
RC4 - Universi	ty of C	anberra	14
Element 6:	Gene	eral Development Controls	14
	6.1	Storage	14
	6.2	Traffic Generation	
	6.3	Vehicular Access	
	6.4	Noise	
	6.5	WindLandscaping	
F1	6.6	, •	
Element 7:	Use. 7.1	SHOP – floor area limit	
	7.1 7.2	Produce Market	
	7.2	Business Agency, Public Agency and Office	
Element 8:		lings	
Lioinont o.	8.1	Height of buildings	
	8.2	Street Address	
	8.3	Building design and materials	
Element 9:	Resi	dential Development	20
	9.1	Non-Student Accommodation	20
	9.2	Multi Unit Housing	20

Element 10:	Other Development Controls	22
	10.1 Water sensitive urban design	
	10.2 Endorsement by government agencies (entities)	
	10.3 Endorsement by government agencies (entities)	
	10.4 Heritage	
Figures		
Figure 1 Super	market RC2 Bruce commercial mixed use area	12

Introduction

Name

The name of this code is **Bruce Precinct Code**.

Application

The code applies to the Division of Bruce.

Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain sub-parts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

NI2008-27

Acronyms

ACTPLA Planning and Land Authority within the ACT Environment and

Sustainable Development Directorate

EPA ACT Environment Protection Authority

ESA ACT Emergency Services Agency

ESDD ACT Environment and Sustainable Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TAMS ACT Territory and Municipal Services Directorate

Additional rules and criteria

This part applies to blocks and parcels identified in the Bruce Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

RC1 – Belconnen Town Centre (part)

This part applies to blocks and parcels identified in area RC1 shown on the Bruce Precinct Map. RC1 is part of the Belconnen Town Centre.

Element 1: Use

Rules	Criteria
1.1 SHOP – gross floor area	
R1	C1
The maximum <i>gross floor area</i> of <i>SHOP</i> per tenancy is 200m ² .	SHOPS are limited to a scale appropriate to providing convenient shopping and personal services for the local workforce and residents.

Element 2: Buildings

Rules	Criteria	
2.1 Height of buildings		
	C2	
There is no applicable rule.	Buildings achieve all of the following	
	a) consistency with the <i>desired character</i> of Belconnen Town Centre	
	b) scale appropriate to the function of the use	
	c) minimal detrimental impacts including overshadowing and excessive scale	
	Note: refer to Belconnen precinct map and code for the desired character of Belconnen Town Centre.	
2.2 Materials and finishes		
	C3	
There is no applicable rule.	Building colours and materials achieve consistency with existing development in the town centre.	

RC2 - Commercial Mixed Use Area

This part applies to blocks and parcels identified in area RC2 shown on the Bruce Precinct Map.

Element 3: Use

Rules	Criteria
3.1 Club and hotel	
R4 The following uses are only permitted along Battye Street, Braybrooke Street and Watkin Street:	This is a mandatory requirement. There is no applicable criterion.
a) club b) hotel	
3.2 Light industry	
R5 Light industry is for the purpose of electronic and micro-electronic systems, computer software and hardware, instrumentation and instruments, electronic communication and telecommunication systems and goods, biological, medical or paramedical goods, or other goods for scientific or technological use.	This is a mandatory requirement. There is no applicable criterion.
3.3 SHOP – CZ5 – gross floor area	
R6 The maximum gross floor area is: a) for SHOP – 500m² b) for supermarket – 200m² except where identified in Figure 1.	This is a mandatory requirement. There is no applicable criterion.
R6A This rule applies to the area identified on Figure 1. Development complies with all of the following: a) one <i>supermarket</i> larger than 200m² is permitted in the area identified in Figure 1 b) the maximum <i>gross floor area</i> for the <i>supermarket</i> is 1000m².	This is a mandatory requirement. There is no applicable criterion.

Element 4: Buildings

Rules	Criteria
4.1 Number of storeys	
•	C7
There is no applicable rule.	The maximum height of buildings is generally 2 to 3 storeys. Buildings up to 5 storeys may be considered where all of the following is achieved:
	 mark appropriate focal points and key activities in landmark locations such as in the vicinity of Haydon Drive, Battye Street, Watkins Street and Braybrooke Street, or the Intertown Public Transport Route
	 b) compatible with the desired character of, adjacent development and the visual and physical relationship between Bruce and the surrounding areas including the Belconnen Town Centre.
4.2 Plot ratios	
There is no applicable rule.	C8 Plot ratios comply with all of the following: a) compatibility with existing adjacent development
	b) appropriate to the scale and function of use
	c) do not cause detrimental impacts including overshadowing and excessive scale.
	The overall plot ratio in Bruce does not exceed 0.8 (80%) excluding public roads and public open space.
4.3 Front setbacks	
R9	C9
The minimum front setbacks are:	Buildings fronting the following streets achieve:
a) Battye Street and Braybrooke Street and Haydon Drive – 10 m	a) Thynne Street i) a strong built edge to reinforce its
b) Thynne Street and Watkin Street – 6 m.	circular form ii) continues the existing landscaped street setting
	b) Battye Street, Braybrooke Street and Watkin Street
	 i) a strong built edge to the Bruce mixed use area
	ii) provides space for a landscaped foreground to new buildings.

Rules	Criteria	
4.4 Ground floor residential – commercial adaptability		
There is no applicable rule.	C10 The ground floor level of residential buildings along Battye Street, Braybrooke Street, Watkin Street and Thynne Street are designed to be adaptable for commercial use.	
4.5 Heat island		
There is no applicable rule.	C10A This criterion applies to all development except single dwelling housing and dual occupancy housing developments. Development achieves no net gain of urban heat to the block on which development is occurring. Compliance with this criterion is demonstrated in a microclimate assessment report by a suitably qualified professional which details building and place design and use of mitigating measures such as: a) use of low thermal mass, high albedo and or high emissivity building materials and or finishes where exposed to solar radiation in summer b) inclusion of canopy trees in appropriate locations to maximise summer time shading and winter time warming c) permeable surfaces in appropriate locations, particularly around canopy trees d) use of water features e) appropriate location and spacing of open space and buildings f) other types of cooling measures such as green roofs, vertical gardens and shade structures. For the purpose of this criterion a 'suitably qualified professional' is a person with qualifications, experience and/or skills, relevant to urban climate science, urban modelling and microclimate assessment.	

Element 5: Environment

Rules	Criteria
5.1 Trees	
	C10B
There is no applicable rule.	This criterion applies to the area identified in Figure 1.
	Provide tree species on the site that are favoured by the Superb Parrot consistent with all of the following:
	a) replacement of the Acacia trees to be removed from the site at a ratio of 2:1 with a similar species composition as the removed trees and other species favoured by Superb Parrots
	b) provision for deep root planting for shade trees on the site in addition to the deep root planting on the periphery of the site.
	Compliance with this criterion is demonstrated in a landscape plan prepared by a qualified professional.




Figure 1 Supermarket RC2 Bruce commercial mixed use area

RC3 – Bruce Local Centre

This part applies to blocks and parcels identified in area RC3 shown on the Bruce Precinct Map.

Element 5: Buildings

Rules	Criteria	
5.1 Number of storeys		
R11	C11	
The maximum number of storeys is 2. Buildings achieve all of the following		
	a) consistency with the desired character	
	b) scale appropriate to the function of the use	
	c) minimal detrimental impacts including overshadowing and excessive scale	
	The maximum number of storeys is 3.	
5.2 Plot ratio		
R12	C12	
The maximum plot ratio is 80%.	Buildings achieve all of the following	
	a) consistency with the desired character	
	b) scale appropriate to the function of the use	
	c) minimal detrimental impacts including overshadowing and excessive scale.	

RC4 - University of Canberra

This part applies to blocks and parcels identified in area RC4 shown on the Bruce Precinct Map.

Element 6: General Development Controls

Rules	Criteria
6.1 Storage	
	C13
There is no applicable rule.	Where the proposed development requires open areas for storage of goods and materials, adequate provision is included in the design and layout of the site and should not encroach on car parking, driveways or landscape areas and be adequately screened from public view so it does not detract from the development or its surroundings.
6.2 Traffic Generation	
	C14
There is no applicable rule.	The existing road network can accommodate the amount of traffic that is likely to be generated by the development.
6.3 Vehicular Access	
R15	
This rule applies to all development not covered by the Parking and Vehicle Access General Code for the Community Facility Zone	This is a mandatory requirement. There is no applicable criterion.
Development complies with the Parking and Vehicle Access General Code for 'Commercial CZ5 mixed use zone'	
Where not covered elsewhere by this rule, parking requirements for development is subject to individual assessment.	

Rules Criteria 6.4 Noise R16 This rule applies to any of the following: This is a mandatory requirement. There is no applicable criterion. a) club b) drinks establishment c) emergency services facility d) e) indoor recreation facility f) indoor entertainment facility g) outdoor recreation facility h) restaurant Development complies with a noise management plan prepared by a suitably qualified person and endorsed by the Environment Protection Authority (EPA). The noise management plan will detail the proposed design, siting and construction methods that will be employed to ensure compliance with the Environment Protection Regulation 2005, based on the estimated noise levels when the facility is used. 6.5 Wind C17 There is no applicable rule. This criterion applies to buildings with a *height* of building greater than 19m but less than 28m. The wind patterns associated with the proposed building will not unreasonably reduce the safety and comfort of people in the public realm or other open spaces associated with the development, compared with a similar building on the site with a height of building of 19m. Compliance with this criterion will be demonstrated by a wind assessment report

prepared by a suitably qualified person.

Rules	Criteria
R18	
This rule applies to buildings with a <i>height of</i> building greater than 28m	This is a mandatory requirement. There is no applicable criterion.
As a consequence of the proposed development wind speeds do not exceed 16 m/s for all adjacent streets, public places and pedestrian areas.	
Compliance with this rule is demonstrated by a wind assessment report prepared by a suitably qualified person.	
6.6 Landscaping	
	C19
There is no applicable rule.	This criterion applies to all uses, excluding <i>multi</i> unit housing.
	Landscaping associated with the development achieves all of the following:
	a) responds to site attributes, including streetscapes and landscapes of documented heritage significance
	b) appropriate scale relative to the road reserve width and building bulk
	c) vegetation types and landscaping styles which complement the landscape character of the campus
	d) integration with park , reserves and public transport corridors
	e) does not adversely affect the structure of the proposed buildings or adjoining buildings
	f) contribution to energy efficiency and amenity by providing substantial shade in summer, particularly to west-facing windows, open car park areas, winter sunlight to outdoor and indoor living areas
	g) minimises the risk of damage to above and underground utilities and screen aboveground utilities
	h) provides adequate site lines for vehicles and pedestrians, especially near street corners and intersections
	i) does not obscure or obstruct building entries, paths and driveways to reduce the safety and security.

Element 7: Use

Rules	Criteria
7.1 SHOP – floor area limit	
R20 The maximum <i>gross floor area</i> per <i>SHOP</i> (excluding supermarket): 200m ²	C20 SHOPs are limited to a scale appropriate to providing convenience shopping and personal services for the local workforce, students and residents.
R21 The maximum <i>gross floor area</i> per supermarket: 1000m ²	This is a mandatory requirement. There is no applicable criterion
R22 The maximum <i>gross floor area</i> for all <i>SHOP</i> 's (including supermarket): 4000m ² .	C22 The maximum <i>gross floor area</i> for all <i>SHOP</i> 's (including supermarket) is limited to a scale that is appropriate to provide convenience shopping and personal services for the local workforce, students and residents or must not have a material adverse impact on the Belconnen Town Centre and other surrounding commercially viable group and local centres.
7.2 Produce Market	
There is no applicable rule.	C23 Produce market is limited to a scale appropriate to providing convenience shopping and personal services for the local workforce, students and residents or must not have a material adverse impact on similar uses within the Belconnen Town Centre.
7.3 Business Agency, Public Agency and Office	
R24 Rule 4 of the Community Facility Zone Development Code does not apply.	This is a mandatory requirement. There is no applicable criterion.

Criteria Rules R25 C25 This rules applies to any of the following: Where a business agency or public agency are not considered ancillary to the use of the land as a) business agency an educational establishment a report must be b) public agency prepared by a suitably qualified person The maximum gross floor area per business demonstrating that the proposal will not have a agency or public agency is: 2000m² material adverse impact on the Belconnen Town This rule does not apply where a business Centre. agency or public agency is considered an ancillary use to the use of the land as an educational establishment. Note: This rule applies instead of R5 of the Community Facility Zone Development Code. R26 C26 This rule applies to office. This rule does not Where a office is not considered as: apply where an office is a part of an educational a ancillary use to the use of the land as an establishment or is an ancillary use to the use of educational establishment, or the land as an educational establishment. b) part of an educational establishment. The maximum gross floor area per office A report must be prepared by a suitably qualified is: 5000m² person demonstrating that the proposal will not Note: This rule applies instead of R5 of the have a material adverse impact on the Community Facility Zone Development Code. Belconnen Town Centre. **R27** C27 This rule applies to office. Where a office is not considered as: a ancillary use to the use of the land as an The maximum gross floor area for all office is: 30 000m² educational establishment; or This rule does not apply where an office is a part b) part of an educational establishment. of an educational establishment or is an ancillary A report prepared by a suitably qualified person use to the use of the land as an educational and endorsed by the Strategic Planning Branch establishment. demonstrating that the cumulative impacts of Note: this rule applies instead of R5 of the additional office development will not have a

Community Facility Zone Development Code.

Centre.

material adverse impact on Belconnen Town

Element 8: Buildings

Rules	Criteria
8.1 Height of buildings	
R28	C28
The maximum height of building is 15m	The height of a building, may be increased:
Note: This rule replaces any other height rule mentioning height of building in metres or storeys.	 a) up to 28m, where the development complies with all of the following: i. minimises detrimental impacts, including overshadowing and excessive scale; and ii. provides reasonable solar access to pedestrian areas, surrounding residential dwellings and their associated private open space. b) up to 40m, where the development complies with all of the following: i. a) i. and a) ii. of this criteria; ii. the building responds to topography by limiting excessive building heights in elevated areas; and iii. where two or more buildings above 30m are within close proximity to one another they do not create excessive bulk and scale or are not the dominant built form.
8.2 Street Address	
There is no applicable rule.	C29 All buildings within 50m of a <i>front boundary</i> must provide to the street frontage: a) an interesting and/or articulated façade
	particularly to the front boundary; b) clearly identified public pedestrian access points; c) with either: i. no loading docks facing the front boundary; or ii. loading docks that do not dominate the street frontage and do not conflict with parking or pedestrian movements in front of the building.

Rules	Criteria
8.3 Building design and materials	
	C30
There is no applicable rule.	This criterion applies to all development excluding <i>multi unit housing</i> .
	Buildings are designed and built to achieve all of the following:
	a positive contribution to the amenity and character of adjacent public spaces
	b) interesting, functional and attractive facades that contribute positively to the build form and pedestrian experience; and
	c) articulated building forms
	Note: This criterion applies instead of rules and criteria relating to materials and finishes in the Community Facility Zone Development Code.

Element 9: Residential Development

Rules	Criteria
9.1 Non-Student Accommodation	
R31	
This rule does not apply to the following: hotel, motel, commercial accommodation unit, residential care accommodation, retirement village, supportive housing or development which is classified as 'student accommodation'. Total maximum number of dwellings - 3300.	This is a mandatory requirement. There is no applicable criterion.
9.2 Multi Unit Housing	
R32	C32
Multi unit housing or residential components of commercial mixed use comply with the Residential Zones – Multi Unit Housing Development Code.	Multi unit housing or residential components of commercial mixed use must be designed and built to comply with all of the following:
	Development is innovative, including high quality architectural design and materials, interesting facades which offer passive surveillance and easily distinguishable building entries
	b) Development is designed and built to a very high environmentally sustainable standard and may including the use of sustainable materials, embodied energy, renewable energy sources and rainwater

Rules	Criteria
	capture
	 Development is sensitive to its surroundings considering design, materials, height, bulk and scale
	 d) Development provides reasonable solar access to the main daytime living areas and private open space of proposed dwellings
	e) Retains reasonable solar access to adjoining dwellings and their associated private open space
	f) Development provides suitable private open space which is easy to access and high quality landscaped area which break up excessive non-permeable surfaces
	g) Development provides adequate site open space, communal areas and high quality landscaping for all residents
	h) Development provides adequate privacy to residents of the proposal and adjoining (wholly or partially) residential buildings
	 Vehicular parking, including visitor parking and access, is not a dominant feature or are obscured from public view
	 j) Development provides reasonable levels of residential amenity waste management and other services
	 b) Development must comply with the following provisions of the Multi Unit Housing Development Code that relate to:
	 i. 'Adaptability of dwelling for use by people with a disability'
	ii. 'Noise attenuation – external sources'
	iii. 'Heritage'
	iv. 'Tree Protection'
	v. 'Water Sensitive Urban Design'
	vi. Part D 'Endorsement by government agencies (entities)
	Note: If the development complies with this criterion the Multi Unit Housing Development Code, unless otherwise stated by this criterion, does not apply.

Element 10: Other Development Controls

Rules	Criteria
10.1 Water sensitive urban design	
R33	
This rule applies to <i>sites</i> 5000m ² or larger, excluding <i>multi unit housing</i> .	This is a mandatory requirement. There is no applicable criterion.
The average annual storm water pollutant export is reduced for all of the following:	
a) suspended solids by at least 60 percent	
b) total phosphorous by at least 45 percent	
c) total nitrogen by at least 40 percent	
compared with an urban catchment with no water quality management controls.	
Note: Compliance with this rule is demonstrated by a water sensitive urban design outcomes plan endorsed by a suitably qualified person.	
Note: Multi unit housing will need to comply with the rules and/or criteria (where relevant) for Water sensitive urban design located in the multi unit housing development code.	
R34	
This rule applies to <i>sites</i> 2000m ² or larger, excluding <i>multi unit housing.</i>	This is a mandatory requirement. There is no applicable criterion
Storm water management complies with one of the following:	
a) the capacity of the existing pipe (minor) storm water connection is not exceeded in 1-in-10 year storm event and the capacity of the existing major overland storm water system is not exceeded in the 1-in-100 year storm event	
b) the 1-in-5 year and 1-in-100 year storm water peak run off does not exceed predevelopment levels.	
Note: Compliance with this rule is demonstrated by a water sensitive urban design outcomes plan endorsed by a suitably qualified person	
Note: Multi unit housing will need to comply with the rules and/or criteria (where relevant) for Water sensitive urban design located in the multi unit housing development code.	

Rules	Criteria
R35	
This rule applies to <i>sites</i> 2000m ² or larger, excluding <i>multi unit housing</i> .	This is a mandatory requirement. There is no applicable criterion
Provision is made for one or more of the following:	
 the storage of storm water equivalent to at least 1.kl per 100m2 of impervious area and its release over a period of 1 to 3 days 	
b) runoff peak flow for the 3 month ARI storm to be no more than pre-development levels and release of captured flow over a period of 1 to 3 days.	
Note: Compliance with this rule is demonstrated by a water sensitive urban design outcomes plan endorsed by a suitably qualified person Note: <i>Multi unit housing</i> will need to comply with the rules and/or criteria (where relevant) for Water sensitive urban design located in the multi unit housing development code.	
R36	
This rule applies to all development excluding	This is a mandatory requirement. There is no
multi unit housing. Evidence is provided that shows the development achieves a minimum 40% reduction in mains water consumption compared to an equivalent development constructed in 2003 using the ACTPLA on-line assessment tool or another tool as included in the Water Ways: water Sensitive Urban Design General Code. The 40% target is met without any reliance on landscaping measures to reduce consumption.	applicable criterion
This requirement does not apply for extensions with an increase in the combined roof area, driveway, car maneuvering areas and car parking areas of less than 25% of the original area.	
Note: Multi unit housing will need to comply with the rules and/or criteria (where relevant) for Water sensitive urban design located in the multi unit housing development code.	
There is no applicable rule.	C37
	Underground piping of natural storm water overland flow paths is minimised.

Rules Criteria

10.2 Endorsement by government agencies (entities)

R38

This rule applies to all development excluding *multi-unit* housing.

Uses applicable to this rule complies with the Commercial Zones Development Code Part G – Endorsement by government agencies

This is a mandatory requirement. There is no applicable criterion

10.3 Endorsement by government agencies (entities)

R39

This rule applies to a development that has one or more of the following characteristics:

- a) requires groundwork within the tree protection zone of a *protected tree*
- is likely to cause damage to or removal of any protected trees

The authority shall refer the development application to the Conservator of Flora and Fauna

Notes:

- 1. Under the Planning and Development Regulation 2008 a development application for a declared site under the *Tree Protection Act* 2005, must be referred to the Conservator of Flora and Fauna.
- 2. The authority will consider any advice from the Conservator of Flora and Fauna before determining the application in accordance with the *Planning and Development Act 2007*.
- 3. Protected tree and declared site are defined under the *Tree Protection Act 2005*.

This is a mandatory requirement. There is no applicable criterion

10.4 Heritage

R40

In accordance with section 148 of the *Planning* and *Development Act 2007*, applications for developments on *land* or *buildings* subject to provisional registration or registration under s.41 of the *Heritage Act 2004* was accompanied by advice from the Heritage Council stating that the development meets the requirements of the *Heritage Act 2004*.

C40

If advice from the Heritage Council is required however not provided, the application will be referred to the Heritage Council and its advice considered before the determination of the application.

NI2008-27