

Australian Capital Territory

Gaming Machine Approval 2010 (No 14)

Notifiable instrument NI2010–158

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2010 (No 14)*

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) and/or peripheral equipment described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

29 March 2010

Game Name		Multiplay Dragon Time				
Specification Number		44.D0001				
Manufacturer		Ainsworth Game Technologies Limited				
Gaming Machine Type		MGGM – iSAP / 3				
Game Type		Spinning reels				
Progressive levels supported		iSAP - Yes Type - Random Levels - 2 Wins Transferred to 'Total Wins' meter - Yes				
Maximum Bet Value		\$10.00				
Base Credit Value		1c, 2c				
MCG	Line Configuration	BCV	CRP	Game Number	Var	SDB PRTP
01	40 lines	1c	91.58	01	19	91.63
				02	19	91.53
				03	19	91.61
02	40 lines	2c	91.91	01	29	91.96
				02	29	91.87
				03	29	91.94
03	40 lines	1c	93.74	01	11	93.70
				02	11	93.69
				03	11	93.79
04	40 lines	2c	94.07	01	21	94.04
				02	21	94.02
				03	21	94.13
05	50 lines	1c	91.58	01	19	91.63
				02	19	91.53
				03	19	91.61
06	50 lines	2c	91.91	01	29	91.96
				02	29	91.87
				03	29	91.94
07	50 lines	1c	93.74	01	11	93.70
				02	11	93.69
				03	11	93.79
08	50 lines	2c	94.07	01	21	94.04
				02	21	94.02
				03	21	94.13
Component Games Set Details: Game Number 1 – Dragon Festival Game Number 2 – Dragon Lines Game Number 3 – Dragon Lines Hold 'Em						
Platform/Cabinet			Ambassador Excell Ambassador SL			
Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. This game must be operated on the Ambassador Excell / SL platform with touch-screen functionality enabled. 3. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.						
Application Reference No.			44-A0558/S01			

Game Name	Roaming Reels	
Specification Number	44.F0306	
Manufacturer	Ainsworth Game Technology Limited	
Gaming Machine Type	Conventional / 1	
Game Type	Spinning Reels	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	88.21
	01	90.20
	02	92.20
	06	86.14
Platform/Cabinet	Ambassador Excell Ambassador SL	
Operational Conditions		
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 		
Application Reference No.	44-A0552/S01	

Game Name	Roaming Reels (2 iSap Levels)			
Specification Number	44.BF051			
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP / 1			
Game Type	Spinning Reels			
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (PRTP)				
Var	BCV	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
16	1c	86.14	3.416667	89.56
19	1c	88.21	3.416667	91.63
26	2c	86.14	3.750000	89.89
29	2c	88.21	3.750000	91.96
Platform/Cabinet		Ambassador Excell Ambassador SL		
Operational Conditions				
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 				
Application Reference No.	44-A0552/SO1			

Game Name		Year of the Tiger (2iSAP Levels)		
Specification Number		44.BF052		
Manufacturer		Ainsworth Game Technology Limited		
Gaming Machine Type		iSAP / 1		
Game Type		Spinning Reels		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c, 10c		
Var	BCV	Game PRTP	Progressive PRTP	Min/Max Total PRTP
51	1c, 2c, 5c	88.08	3.528684	91.61
52	1c, 2c, 5c	88.79	3.621111	92.41
53	1c, 2c, 5c	86.91	3.614509	90.52
61	5c	86.91	4.839921	91.75
62	5c	88.09	4.674872	92.76
71	10c	86.91	4.227215	91.14
72	10c	88.08	4.101778	92.18
Platform/Cabinet		Ambassador Excell Ambassador SL		
Operational Conditions				
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor. 				
Application Reference No.		44-A0571/SO1		

Game Name		Players Choice Ultimate			
Specification Number		1.DF001			
Manufacturer		Aristocrat Technologies Australia Pty Ltd			
Gaming Machine Type		MGGM – iSAP / 4			
Game Type		Spinning Reels			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value		\$9.00			
Base Credit Value		10c, 20c, 50c, \$1.00			
MGC	CRP	Game Number	BCV	Variation	SDB PRTP
99	91.40	01	10c	99	90.80
		02	20c	99	90.80
		03	50c	01	92.00
		04	\$1.00	01	92.00
Details for Component Games 01-02					
Game Name		Rhino Thunder			
Gaming Machine Type		iSAP / 2			
Var	Min/Max Game PRTP	iSAP RTP		Min/Max Total PRTP	
99	86.38	4.416667		90.80	
Details for Component Games 03-04					
Game Name		Super Bucks 3			
Gaming Machine Type		iSAP / 2			
Var	Min/Max Game PRTP	iSAP RTP		Min/Max Total PRTP	
01	87.58	4.416667		92.00	
Platform/Cabinet		Gen7 Viridian (with in-machine LCD; Stand alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant (with in-machine LCD; Stand alone) (Configured with Ticket Printer only)			
Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.		01-A1135/S01			

Device Name	Bill Acceptor
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	GM (Gaming Machine)
Category Type	Other (BNA Firmware)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Platform/Cabinet Details	Mk6 (XCite) – Casino Top, Lowboy (Configured with either Ticket Printer and/or Hopper option) Mk6 (XTreme) – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)
Operational Conditions	
1. The MEI Bill Acceptor (Cashflow SC Series SC6607) must be used in conjunction with the base software 21012901 or later versions.	
Application Reference No.	01-A1149/S01

Game Name		Flying Ace			
Specification Number		18.B0550			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP / 1			
Game Type		Spinning Reels			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c			
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total P RTP
02	1c	SC0	80.14	10.323191	90.47
	2c	SC2			
	5c	SC4			
03	1c	SC1	80.14	11.699165	91.85
	2c	SC3			
	5c	SC5			
Platform/Cabinet			AU1 – Video Top (Casino Top with in-machine LCD display) AU1CII Video Top		
Operational Conditions					
1. The “Ticket In” and “Cashless” facilities are not approved in the ACT.					
Application Reference No.		18-A5011/S01			

Game Name		Royal Heart			
Specification Number		18.B0549			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP / 1			
Game Type		Spinning Reels			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10			
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total P RTP
02	1c	SC1	67.66	23.226069	90.89
	2c	SC3			
	5c	SC5			
	10c	SC7			
03	1c	SC0	67.66	24.324979	91.99
	2c	SC2			
	5c	SC4			
	10c	SC6			
Platform/Cabinet		AVP BC20 AVP ST22			
Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.		18-A0998/S01			

Device Name	AVP ST22 Platform
Manufacturer	IGT (Australia) Pty Ltd
Category	GM (Gaming Machine)
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Platform/Cabinet Details	AVP ST22 – Video Slant Top
Application Reference No.	18-A1188/S01

Game Name	Emperor Guan – Grand Central Metro		
Specification Number	35.BF050		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP / 1		
Game Type	Spinning Reels		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	5c, 10c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
11	81.98	10.000000	91.98
12	80.16	10.000000	90.16
31	81.57	9.000000	90.57
32	80.52	9.000000	89.52
Platform/Cabinet	eStar PC4 – Low Top, Round Top (With in machine 17" LCD Display) PC4 – Mojo ST (Slant Top)		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 			
Application Reference No.	35-A0643/S01		

Game Name	Hey Presto – Potion Power		
Specification Number	35.BF051		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP / 1		
Game Type	Spinning Reels		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
99	86.16	3.944444	90.10-90.10
03	84.57	3.944444	88.51-88.60
15	87.65	3.944444	91.60-91.62
16	89.38	3.944444	93.32-93.32
Platform/Cabinet	eStar PC4 – Low Top, Round Top (With in machine 17" LCD Display) PC4 – Mojo ST (Slant Top)		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 3. When operating on the Round Top platform (with the in-machine 17" LCD), the above-mentioned games must be installed in conjunction with the Shuffle Master Australasia VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to the DV12 port on the EGM's Backplane Board. 			
Application Reference No.	35-A0644/S01		