Gaming Machine Approval 2010 (No 17)

Notifiable instrument NI2010-195

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 17)

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) and/or peripheral equipment described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2010-158.

Lesley Maloney Delegate ACT Gambling and Racing Commission

20 April 2010

Game Name	Multiplay Dragon Time
Specification Number	44.D0001
Manufacturer	Ainsworth Game Technologies Limited
Gaming Machine Type	MGGM – iSAP / 3
Game Type	Spinning reels
Progressive levels supported	iSAP - Yes
	Type - Random
	Levels - 2
	Wins Transferred to 'Total Wins' meter - Yes
Maximum Bet Value	\$10.00
Base Credit Value	1c, 2c

MCG	Line	BCV	CRP	Game	Var	SDB PRTP
	Configuration	20.		Number		
				01	19	91.63
01	40 lines	1c	91.58	02	19	91.53
				03	19	91.61
				01	29	91.96
02	40 lines	2c	91.91	02	29	91.87
				03	29	91.94
				01	11	93.70
03	40 lines	1c	93.74	02	11	93.69
				03	11	93.79
				01	21	94.04
04	40 lines	2c	94.07	02	21	94.02
				03	21	94.13
				01	19	91.63
05	50 lines	1c	91.58	02	19	91.53
				03	19	91.61
				01	29	91.96
06	50 lines	2c	91.91	02	29	91.87
				03	29	91.94
				01	11	93.70
07	50 lines	1c	93.74	02	11	93.69
				03	11	93.79
				01	21	94.04
08	50 lines	2c	94.07	02	21	94.02
				03	21	94.13

Component Games Set Details:

Game Number 1 – Dragon Festival

Game Number 2 – Dragon Lines

Game Number 3 – Dragon Lines Hold 'Em

Platform/Cabinet	Ambassador Excell
	Ambassador SL

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. This game must be operated on the Ambassador Excell / SL platform with touch-screen functionality enabled.
- 3. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.

Application Reference No.	44-A0558/S01

Game Name	Roaming Reels		
Specification Number	44.F0306		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	Conventional / 1		
Game Type	Spinning Reels		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)			
	99 88.21		
	01	90.20	
	02	92.20	
	06	86.14	
Platform/Cabinet	Ambassador Excell		
	Ambassador SL		
Operational Conditions			

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 44-A0552/S01

Game Name	Roaming	Reels (2 iSap Lev	vels)	
Specification Number	44.BF05	1		
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP / 1			
Game Type	Spinning Reels			
Progressive levels supported	iSAP - Y	Yes		
	Type - R			
	Levels -	_		
	Wins tra	Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (l	PRTP)			
Var BCV Min/Max Gan	ne PRTP	iSAP RTP	Min/Max Total PRTP	
16 1c 86.14		3.416667	89.56	
19 1c 88.21		3.416667	91.63	
26 2c 86.14		3.750000	89.89	
29 2c 88.21		3.750000	91.96	
Platform/Cabinet	Ambassa	Ambassador Excell		
	Ambassa	Ambassador SL		
Operational Conditions				
1. The "Ticket In" and "Cash	ess" facilit	ies are not approve	ed in the ACT.	
Application Reference No.	44-A0552/SO1			

Game Nan	ne		Players Ch	oice Ultima	te	
Specificati		ımber	1.DF001			
Manufactu			Aristocrat	Technologie	es Australia Pty Ltd	
Gaming M	Iachin	e Type	MGGM -		,	
Game Typ		V 1	Spinning F	Reels		
	Progressive levels supported iSAP - Yes					
		Type - Sta	ndard			
			Levels - 1			
			Wins trans	ferred to 'Te	otal Wins' meter - Yes	
Maximum	Bet V	alue	\$9.00			
Base Cred	lit Valı	ue	10c, 20c, 5	50c, \$1.00		
MGC C	RP	Game Number	BCV	Variation	SDB PRTP	
		01	10c	99	90.80	
		02	20c	99	90.80	
		03	50c	01	92.00	
99 9	1.40	04	\$1.00	01	92.00	
	-				-	
Details for	· Com	ponent Games 01-	02			
Game Nan	ne		Rhino Thu	nder		
Gaming M	Iachin	е Туре	iSAP/2			
Var M	Iin/Ma	ax Game PRTP	iSAP	RTP	Min/Max Total PRTP	
99		86.38	4.416667 90.80			
		ponent Games 03-	04			
Game Nan			Super Bucks 3			
Gaming M			iSAP/2			
	Iin/Ma	ax Game PRTP	iSAP		Min/Max Total PRTP	
01		87.58	4.416		92.00	
Platform/0	Cabine	et	Gen7 Viridian (with in-machine LCD; Stand alone) (Configured with either Ticket Printer and/or Hopper			
		Gen7 Slan	ption) Gen7 Slant (with in-machine LCD; Stand alone) Configured with Ticket Printer only)			
Operation	al Cor	nditions	Comiguiou	,, mi i i i i i i i i i i i i i i i i i	mer omj/	
_		In" and "Cashless	" facilities a	re not appro	oved in the ACT.	
Application Reference No.			01-A1135/		 -	

Device Name	Bill Acceptor	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	GM (Gaming Machine)	
Category Type	Other (BNA Firmware)	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Platform/Cabinet Details	Mk6 (XCite) – Casino Top, Lowboy (Configured	
	with either Ticket Printer and/or Hopper option)	
	Mk6 (XTreme) – Casino Top (with in-machine LCD)	
	(Configured with either Ticket Printer and/or Hopper option)	
Operational Conditions		
1. The MEI Bill Acceptor	(Cashflow SC Series SC6607) must be used in	
conjunction with the ba	se software 21012901 or later versions.	
Application Reference No.	01-A1149/S01	

Game	Name		Flying Ace			
Specif	ication I	Number	18.B0550			
Manu	facturer	•	IGT (Australia) Pty Ltd			
Gami	ng Mach	ine Type	iSAP/1			
Game	Туре		Spinning Reels			
Progr	essive le	vels supported	iSAP - Yes			
			Type - Stand	ard		
			Levels - 2			
			Wins transfer	rred to 'Total '	Wins' meter - Yes	
Maxir	num Bet	t Value	\$10.00			
Base (Credit V	alue	1c, 2c, 5c			
Var	BCV	Setting	Game RTP	iSAP RTP	Min/Max Total	
		Combination			PRTP	
	1c	SCO		10.323191	90.47	
02	2c	SC2	80.14			
	5c	SC4				
	1c	SC1		11.699165	91.85	
03	2c	SC3	80.14			
	5c	SC5				
Platfo	rm/Cabi	inet	AU1 – Video Top (Casino Top with in-machine LCD			
			display)			
			AU1CII Video Top			
Opera	tional C	Conditions				
1. Т	The "Tick	ket In" and "Cash	nless" facilities	s are not appro	oved in the ACT.	
Appli	cation R	eference No.	18-A5011/S0)1		

Game	Name		Royal Heart		
Specif	ication N	Number	18.B0549		
Manu	facturer		IGT (Australia) Pty Ltd		
Gamii	ng Mach	ine Type	iSAP/1		
Game	Type		Spinning Reels		
Progre	essive le	vels supported	iSAP - Yes		
			Type - Stand	ard	
			Levels - 3		
			Wins transfer	rred to 'Total V	Vins' meter - Yes
	num Bet		\$10.00		
Base (Credit V	alue	1c, 2c, 5c, 10)	
Var	BCV	Setting	Game RTP	iSAP RTP	Min/Max Total
		Combination			PRTP
	1c	SC1		23.226069	90.89
02	2c	SC3	67.66		
	5c	SC5			
	10c	SC7			
	1c	SC0			91.99
03	2c	SC2	67.66	24.324979	
	5c	SC4			
	10c	SC6			
Platfo	rm/Cabi	inet	AVP BC20		
			AVP ST22		
Opera	tional C	onditions			
1. T	he "Tick	et In" and "Cash	less" facilities	are not approv	ved in the ACT.
Applic	cation R	eference No.	18-A0998/S0)1	

Device Name	AVP ST22 Platform
Manufacturer	IGT (Australia) Pty Ltd
Category	GM (Gaming Machine)
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
	NSW CPTS 2.2
Platform/Cabinet Details	AVP ST22 – Video Slant Top
Application Reference No.	18-A1188/S01

Game	Name	Emperor Guan – Grand Central Metro				
-	ication Number	_	3F050			
	facturer	Shuffle Master Australasia Pty Ltd				
Gamir	ng Machine Type	iSAP/1				
Game		Spir	Spinning Reels			
	essive levels supported		P - Yes			
	• •	Тур	e - Standard			
		Lev	els - 3			
		Wins transferred to 'Total Wins' meter - Yes				
Maxin	num Bet Value	\$10	.00			
Base (Credit Value	5c,	10c			
Percei	ntage Return to Player ((PRT	(P)			
			D 1 D 111			
Var	Game PRTP		Progressive RTP	Min/Max Total PRTP		
Var 11	Game PRTP 81.98		10.000000	Min/Max Total PRTP 91.98		
11	81.98		10.000000	91.98		
11 12	81.98 80.16		10.000000 10.000000	91.98 90.16		
11 12 31 32	81.98 80.16 81.57		10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro	91.98 90.16 90.57		
11 12 31 32	81.98 80.16 81.57 80.52	17" I	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro LCD Display)	91.98 90.16 90.57 89.52 und Top (With in machine		
11 12 31 32 Platfo	81.98 80.16 81.57 80.52 rm/Cabinet	17" I	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro	91.98 90.16 90.57 89.52 und Top (With in machine		
11 12 31 32 Platfo	81.98 80.16 81.57 80.52 rm/Cabinet	17" I PC4	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro LCD Display) 1 – Mojo ST (Slant Top)	91.98 90.16 90.57 89.52 und Top (With in machine		
11 12 31 32 Platfo Opera 1. T	81.98 80.16 81.57 80.52 rm/Cabinet ational Conditions The "Ticket In" and "Cash	17" I PC4	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro LCD Display) 4 – Mojo ST (Slant Top) 2 facilities are not appr	91.98 90.16 90.57 89.52 und Top (With in machine		
11 12 31 32 Platfo Opera 1. T 2. T	81.98 80.16 81.57 80.52 rm/Cabinet ational Conditions The "Ticket In" and "Cash" The touch-screen option methods at the condition of the touch-screen option methods at the condition of the touch-screen option methods at the condition of the co	17" I PC4 nless" nust b	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro LCD Display) 1 – Mojo ST (Slant Top) 2 facilities are not apprope enabled (to allow the	91.98 90.16 90.57 89.52 und Top (With in machine		
11 12 31 32 Platfo Opera 1. T 2. T	81.98 80.16 81.57 80.52 rm/Cabinet ational Conditions The "Ticket In" and "Cash	17" I PC4 nless" nust b	10.000000 10.000000 9.000000 9.000000 ar PC4 – Low Top, Ro LCD Display) 1 – Mojo ST (Slant Top) 2 facilities are not apprope enabled (to allow the	91.98 90.16 90.57 89.52 und Top (With in machine		

Game Name		Hey Presto – Potion Power		
Specification Number		35.BF051		
Manufacturer		Shuffle Master Australasia Pty Ltd		
Gaming Machine Type		iSAP/1		
Game Type		Spinning Reels		
Progressive levels supported		iSAP - Yes		
		Type - Standard		
		Levels - 3		
		Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value		\$6.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (PRTP)				
Var	Game PRTP		Progressive RTP	Min/Max Total PRTP
99	86.16		3.944444	90.10-90.10
03	84.57		3.944444	88.51-88.60
15	87.65		3.944444	91.60-91.62
16	89.38		3.944444	93.32-93.32

Operational Conditions

Platform/Cabinet

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

17" LCD Display)

PC4 – Mojo ST (Slant Top)

- 2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).
- 3. When operating on the Round Top platform (with the in-machine 17" LCD), the above-mentioned games must be installed in conjunction with the Shuffle Master Australasia VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to the DV12 port on the EGM's Backplane Board.

eStar PC4 – Low Top, Round Top (With in machine

Application Reference No. | 35-A0644/S01