Gaming Machine Approval 2010 (No 23)

Notifiable instrument NI2010-272

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 23)

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) and/or peripheral equipment described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

31 May 2010

Game Name	Money Maze			
Specification Number	44.F0308			
Manufacturer	Ainsworth Game Techno	ology Limited		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Submission Standards	NS 10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standar	d V4.18		
Maximum Bet Value	\$5.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	99	88.51		
	01	90.23		
	02	92.03		
	06 86.21			
Platform/Cabinet	Ambassador Excell - Bench Top			
	Ambassador SL			

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.

Application Reference No. 44-A0557/S01

Game	Name		Mon	ey Maze (2 iSAP Lev	vels)
Specification Number 44.B		F055			
Manu	facturer		Ainsworth Game Technology Limited		
Gamii	ng Mach	ine Type	iSAP		
Game					
Submission Standards			NS 1	0.0 + NSW Appendi	x (dated 14/01/09)
			NSV	V CPTS 2.2	
		TITO	O Technical Standard	V4.18	
			NSV	V Jackpot Technical S	Standards Rev 1.1
Techn	ical Stan	ıdards	NS 10.0 + NSW Appendix (dated 14/01/09)		
			NSW CPTS 2.2		
			TITO	O Technical Standard	V4.18
			NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes			
		Type - Random			
			els - 2		
		Wins transferred to 'Total Wins' - Yes			
Maxin	Maximum Bet Value \$5.00				
Base Credit Value 1c, 2c					
Percentage Return to Player (PRTP)					
Var	BCV	Min/Max Game PRTP		iSAP RTP	Min/Max Total PRTP
16	1c	86.20		3.416667	89.62
19	1c	88.50		3.416667	91.92
26	2c	86.20		3.750000	89.96
29	2c	88.50		3.750000	92.26
Platform/Cabinet A		Ambassador Excell - Bench Top			
		Ambassador SL			
Operational Conditions					
1. T	he "Tick	et In" and "Cashle	ess" fa	acilities are not appro	ved in the ACT.
2. T	2. This game must be operated on the Ambassador Excell / SL platform fitted				

2. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.

Application Reference No. 44-A0557/S01

This is Page 3 (of 8 pages) of the Schedule to the $\it Gaming Machine Approval 2010 (No 23)$

Game Name	N	Mus	tang Money (2 iSAP	Levels)	
Specification Nu	ımber 4	44.BF057			
Manufacturer	A	Ainsworth Game Technology Limited			
Gaming Machin	e Type i	iSAP			
Game Type	S	Spin	ning Reels		
Submission Star	ndards N	NS 1	10.0 + NSW Append	ix (dated 14/01/09)	
	ı	NSW CPTS 2.2			
	7	TITO Technical Standard V4.18			
		NSW Jackpot Technical Standards Rev 1.1			
Technical Stand	ards	NS 10.0 + NSW Appendix (dated 14/01/09)			
	ı	NSW CPTS 2.2			
	7	TITO Technical Standard V4.18			
	l N	NSW Jackpot Technical Standards Rev 1.1			
Progressive leve	ls supported $ $ i	iSAP - Yes			
		• •	e - Random		
			els - 2		
		Wins transferred to 'Total Wins' - Yes			
Maximum Bet V	Value \$	\$10.00			
Base Credit Val	ue \$	\$1.00			
	Percentage Return to Player (PRTP)				
Var Min/M	ax Game PRTP	,	iSAP RTP	Min/Max Total PRTP	
99	87.75			92.30	
01	89.61		4.550000	94.16	
06	86.12			90.67	
Platform/Cabinet Ar		Ambassador Excell - Bench Top			
A		Ambassador SL			
_	Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Ref	Application Reference No. 44-A0574/S01				

Game Name	The King		
Specification Number	44.F0309		
Manufacturer	Ainsworth Game Techno	ology Limited	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS 10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	99 88.26		
	01 90.37		
	02 91.93		
	06 86.24		
Platform/Cabinet	Ambassador Excell - Bench Top		
	Ambassador SL		
Operational Conditions			
1 The "Ticket In" and "Cashless" facilities are not approved in the ACT			

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 44-A0536/S01

Game	Name		The King	(2 iSAP Leve	ls)	
Specification Number 44.BF0		44.BF056	5			
Manufacturer Air			Ainswort	Ainsworth Game Technology Limited		
Gaming Machine Type		iSAP				
			Spinning	Reels		
Submission Standards			NS 10.0 -	+ NSW Appen	dix (dated 14/01/09)	
			NSW CP			
				chnical Standar		
					Standards Rev 1.1	
Techn	ical Star	ndards	NS 10.0 + NSW Appendix (dated 14/01/09)			
			NSW CP			
			TITO Technical Standard V4.18			
			NSW Jackpot Technical Standards Rev 1.1			
Progr	Progressive levels supported		iSAP - Yes			
		Type - Random				
		Levels - 2				
			Wins transferred to 'Total Wins' - Yes			
Maximum Bet Value		\$10.00				
Base Credit Value		1c, 2c, 5c				
Percentage Return to Player (PRTP)						
Var	VarBCVMin/Max Game PRTP		ne PRTP	iSAP RTP	Min/Max Total PRTP	
16	1c	86.24		3.416667	89.65	
19	1c	88.26		3.416667	91.68	
26	2c	86.24		3.750000	89.99	
29	2c	88.26		3.750000	92.01	
56	5c	86.24		3.983333	90.22	
59	5c	88.26		3.983333	92.25	
Platform/Cabinet		Ambassador Excell - Bench Top				
		Ambassador SL				
	Operational Conditions					
The "Ticket In" and "Cashless"		facilities are not approved in the ACT.				
Application Reference No.		44-A0536/S01				

Game Name	Fire Light - Power Play		
Specification Number	1.F0057		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	99	87.99-93.01	
	01	85.17-90.20	

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).

Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 01-A1172/S01

Game Name	Fire Light - Power Play (Bonus Link)			
Specification Number	1.HF010			
Manufacturer	Aristocrat Technologies	Australia Pty Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
Submission Standards	NS 10.0 + NSW Appen	dix (dated 14/01/09)		
	NSW CPTS 2.2	* * ·		
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS 10.0 + NSW Appen	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
	NSW Jackpot Technical Standards Rev 1.1			
Maximum Bet Value	\$6.00			
Base Credit Value	1c			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	04 83.50-88.60			

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).

 $Gen7\ Upgrade\ XCite-Lowboy\ (with/\ without\ external\ LCD\ for\ Hyperlink)\ (Configured\ with\ either\ ticket\ printer\ and/or\ hopper).$

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 04 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. The above-mentioned game 'Fire Light Power Play (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.

8.1.1.	
Application Reference No.	01-A1172/S01

This is Page 8 (of 8 pages) of the Schedule to the Gaming Machine Approval 2010 (No 23)

Game Name	Lotus Flower			
Specification Number	18.A0583			
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Submission Standards	NS 10.0 + NSW Appen	dix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c, 10c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	99 87.90			
	02 90.90			
	03 91.90			
	05 88.90			
	07 89.90			
Platform/Cabinet	AVP BC20 – Video Top			
	AVP ST22 – Video Slant Top			
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	18-A5026/S01			