

Australian Capital Territory

# Gaming Machine (Peripheral Equipment) Approval 2010 (No 11)

Notifiable instrument NI2010– 355

made under the

**Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)**

---

**1 Name of instrument**

This instrument is the *Gaming Machine (Peripheral Equipment) Approval 2010 (No 11)*.

**2 Commencement**

This instrument commences the day after the date of notification.

**3 Approval**

I approve the peripheral equipment described in the attached Schedule to this instrument.

Lesley Maloney  
Delegate  
ACT Gambling and Racing Commission

1 July 2010

<b>System/Device Name</b>	AVP BC20 Platform Update #2
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Platform / Cabinet Details</b>	AVP BC20 – Video Top
<b>Application Reference Number</b>	18-A1191/S01

<b>System/Device Name</b>	IGT Systems Max (Bugfix)
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Support System
<b>Specification</b>	18.SET03
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	Release 3.1.0 Service Pack 5 (SP5)
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The System must be fitted with a compliance plate.</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>3. The system is approved for use in a local area network (LAN) configuration only.</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a “Smart” UPS capable of automatically shutting the system down in the case of a power failure.</li> <li>5. The IGT Systems Max must be configured in such a way that only authorised personnel have access to critical functions and sensitive information contained in the system.</li> </ol>	
<b>Additional Information</b>	
The system is approved to operate in a dual port environment with any approved Paltronics Branded Linked Progressive Jackpot Systems that support jackpot CCCE transfer capability.	
<b>Application Reference Number</b>	18-A1175/S01

<b>System/Device Name</b>	Sandwich Box Assembly
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Platform / Cabinet Details</b>	Game King – High Top, Casino Top, Lowboy GU4C – Casino Top, Lowboy
<b>Application Reference Number</b>	18-A1193/S01

<b>System/Device Name</b>	Marquee Assembly
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd
<b>Category</b>	Gaming Machine
<b>GM Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Marquee Assembly</b>	SM P/N: 10-162A SM P/N: HNS-4809
<b>Platform / Cabinet Details</b>	eStar – Round Top, Square Top, Low Top Round Top with Mystery Link LCD Square Top with Mystery Link LCD Round Top (with in-machine 17" LCD) eStar PC4 – Round Top, Square Top, Low Top Round Top (with in-machine 17" LCD)
<b>Application Reference Number</b>	35-A0654/S01