Australian Capital Territory

Gaming Machine Approval 2010 (No 3)

Notifiable instrument NI2010–50

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 3).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

James Mullan Delegate ACT Gambling and Racing Commission

4 February 2010

Game Name	Busta Bucks					
Specification Number	44.F0305					
Manufacturer	Ainsworth Game Techr	nology Limited				
Gaming Machine Type	Conventional/1					
Game Type	Spinning Reels					
Maximum Bet Value	\$10.00					
Base Credit Value	1c, 2c					
Percentage Return to Player	Variation Number	Min/Max PRTP				
(PRTP)	99	88.07				
	01	90.23				
	02 92.27					
	06 86.25					
Platform/Cabinet	Ambassador Excell - Bench Top					
	Ambassador SL					
Game Artwork Details	$401456 \text{ Rev } A^{(1)} \text{ or } 402$					
	401183 Rev A ⁽²⁾ or 401184 Rev A ⁽²⁾					
	⁽¹⁾ Belly Panel; ⁽²⁾ Topper					
Operational Conditions	Operational Conditions					
1. Gaming Machine variation number 06 is only approved to operate on a linked						
jackpot arrangement where the combined gaming machine percentage return to						
player and linked jackpot con	ntribution is a least 87%.					

plujer una mineu juenpor eor	terio actori in a rease (
Application Reference No.	44-A0528/S01

Game	Name		Busta Bucks (2 iSAP Levels)		
Specifi	cation N	umber	44.BF050		
Manuf	acturer		Ainsworth Game Technology Limited		
Gamin	g Machi	ne Type	iS	AP/1	
Game '	Туре		Sp	vinning Reels	
Maxim	um Bet '	Value	\$1	0.00	
Base C	redit Va	lue (BCV)	1c	, 2c	
Percen	tage Ret	urn to Player (F	R	(P)	
Var	BCV	Game RTP		iSAP RTP	Min/Max RTP
16	1c	86.25		3.416667	89.67
19	1c	88.07		3.416667	91.49
26	2c	86.25		3.750000	90.00
29	2c	88.07		3.750000	91.82
Platfor	Platform/Cabinet Ambassador Excell - Bench Top Ambassador SL				
Game Artwork Details			$401456 \text{ Rev } A^{(1)} \text{ or } 401457 \text{ Rev } E^{(1)} + 401183 \text{ Rev } A^{(2)} \text{ or } 401184 \text{ Rev } A^{(2)}$		
Applic	ation Ref	ference No.		Belly Panel; ⁽²⁾ Topper -A0528/S01	

Game	Name		Enchanted World (2 iSAP Levels)		
Specif	Specification Number 44.BF			BF043	
Manu	facturer		Ainsworth Game Technology Limited		
Gami	ng Machin	е Туре	iSA	P / 1	
Game	Туре		Spi	nning Reels	
Progr	essive leve	ls supported		AP - Yes	
			• •	be - Standard	
				vels - 2	
					al Wins' meter - Yes
		Value (BCV)	· ·	0.00	
	Credit Val			2c, 5c	
Perce	ntage Retu	irn to Player (P	RTP	•)	
Var	BCV	Game PRT	P	iSAP RTP	Min/Max Total PRTP
02	1c,2c,5c	88.79		3.191290	91.98
11	1c,2c,5c	88.08		3.098863	91.18
31	1c,2c,5c	86.91		3.154979	90.06
51	1c,2c,5c	88.08		3.528684	91.61
52	1c,2c,5c	88.79		3.621111	92.41
53	1c,2c,5c	86.91		3.614509	90.52
61	5c	86.91		4.839921	91.75
62	5c	88.08		4.674872	92.76
Platform/Cabinet			Ambassador Excell - Bench Top Ambassador SL		
Game Artwork Details			401405 Rev D ⁽¹⁾ or 401404 Rev A ⁽¹⁾ +		
			$\begin{array}{c} 401071 \text{ Rev } A^{(2)} \\ {}^{(1)}\text{ Belly Panel; } {}^{(2)}\text{ Topper} \end{array}$		
Appli	cation Ref	erence No.	44-	A0549/S01	

Carra	Nama	East	tune Foundair (2:CA)	D L avela)	
Game		Fortune Fountain (2 iSAP Levels) 44.BF041			
	ication Number				
	facturer		sworth Game Techno	logy Limited	
Game	ng Machine Type		AP / 1 nning Reels		
	essive levels supported		$\frac{1111110}{P}$ - Yes		
rrogro	essive levels supported		be - Standard		
			vels - 2		
			ns transferred to 'Tota	al Wins' meter - Yes	
Maxin	num Bet Value).00		
Base (Credit Value (BCV)	1c,	2c, 5c		
Percer	ntage Return to Player (PRT	(P)		
Var	Min/Max Game PRT	P	iSAP RTP	Min/Max Total PRTP	
02	88.80-88.98		3.318842	92.12-92.30	
11	88.09-88.27		3.226414	91.32-91.50	
31	87.14-87.31		2.850102	89.99-90.16	
51	88.09-88.27		3.612630	91.70-91.88	
52	88.80-88.97		3.705057	92.51-92.68	
53	87.13-87.31		3.216512	90.35-90.53	
61	87.14-87.32		4.193603	91.33-91.51	
62	88.09-88.27		4.642536	92.73-92.91	
Platform/Cabinet Game Artwork Details			bassador Excell - Ber bassador SL 402 Rev B ⁽¹⁾ or 4014 071 Rev A ⁽²⁾ elly Panel; ⁽²⁾ Topper	-	
Operational Conditions 1. The game must be operated on the Ambassador Excell/Ambassador SL platform fitted with an LCD Monitor. Application Reference No. 44-A0544/S01				l/Ambassador SL	
rrm					

Game	Game Name Inca Reef Triple Shot					
	ication Number		44.BF038			
	facturer	Ainsworth Game Technology Limited				
Gami	ng Machine Type		iSAP – Ante Bet/1			
Game			Spinning Reels			
-	essive levels		iSAP - Yes			
suppo			Type - Standard			
			Levels - 3			
			Wins transferred to	'Total Wins' meter - Yes		
Maxin	num Bet Value		\$9.00			
Base (Credit Value		1c, 2c, 5c			
Percer	ntage Return to P	layer	· (PRTP)			
Var	Game RTP	F	Progressive RTP	Min/Max PRTP		
02	84.82	2.	365762-2.548272	87.19-92.24		
04	86.04	2.	365762-2.548272	88.41-93.64		
11	83.58	2.	365762-2.548272 85.95-91.01			
Platfo	rm/Cabinet		Ambassador Excell - Bench Top			
			Ambassador SL			
Game	Artwork Details		$401343 \text{ Rev B}^{(1)}$ or $401344 \text{ Rev D}^{(1)}$ +			
			$401345 \text{ Rev } A^{(2)} + 1$			
0			⁽¹⁾ Belly Panel; ⁽²⁾ Topper;	⁽³⁾ Bash Button Label		
	tional Conditions		number 11 is only of	nnewed to ensure on a		
1. Gaming Machine variation number 11 is only approved to operate on a linked jackpot arrangement where the combined gaming machine						
percentage return to player and linked jackpot contribution is a least 87%.						
 2. The game must be operated on the Ambassador Excell/Ambassador SL 						
	Execut Anibassauor SL					
-	tform fitted with a		1			
Applio	cation Reference I	NO.	44-A0541/S01			

Game I	Name	Royal Diamonds (2 i	Royal Diamonds (2 iSAP Levels)				
Specifi	cation Number	44.BF025	44.BF025				
Manuf	acturer	Ainsworth Game Tec	chnology Limited				
Gamin	g Machine Type	iSAP/1					
Game 7	Гуре	Spinning Reels					
Progre	ssive levels	iSAP - Yes					
suppor	ted	Type - Standard					
		Levels - 2					
		Wins transferred to "	Total wins' meter - Yes				
Maxim	um Bet Value	\$10.00					
Base C	redit Value	1c, 2c, 5c					
Percent	tage Return to Play	ver (PRTP)					
Var	Game PRTP	Progressive PRTP	Min/Max PRTP				
02	88.80	3.318842	92.12-92.30				
11	88.09	3.226414	91.32-91.50				
31	87.13	2.850102	89.99-90.16				
51	88.09	3.612630	91.70-91.88				
52	88.80	3.705057	92.51-92.68				
53	87.13	3.216512	90.35-90.53				
61	87.13	4.193603	91.33-91.51				
62	88.09	4.642536	92.73-92.91				
Platfor	m/Cabinet	Ambassador Excell -	Bench Top				
		Ambassador SL	-				
Game A	Artwork Details	401072 Rev A ⁽¹⁾ or 4	01073 Rev $E^{(1)}$ +				
		401071 Rev A ⁽²⁾					
		⁽¹⁾ Belly Panel; ⁽²⁾ Topper					
-	ional Conditions						
1. This	s game must be oper	ated on the Ambassador	Excell/SL platform fitted with				

1. This game must be operated on the Ambassador Excell/SL platform fitted with an LCD Monitor.

Application Reference No.44-A0543/S01

Game Name	Space Ving And The C	Space King And The Crystals of Alteres Hit The			
Game Name	Space King And The Crystals of Altares – Hit The				
	Heights	Heights			
Specification Number	1.F0050				
Manufacturer	Aristocrat Technologie	s Australia Pty Ltd			
Gaming Machine Type	Conventional - Ante Be	et/1			
Game Type	Spinning Reels				
Maximum Bet Value	\$7.00				
Base Credit Value	1c, 2c				
Percentage Return to Player	Variation Number Min/Max PRTP				
(PRTP)	99 88.41-92.50				
	01 88.42-93.46				
	02	88.43-94.50			
Platform/Cabinet	Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone). (Configured with either Ticket Printer and/or Hopper option.)				
Game Artwork Details	a) Casino Top: 281940 ⁽¹⁾ + 281939 ⁽²⁾ + A100075 ⁽³⁾ + 278650 ⁽⁴⁾ ⁽¹⁾ Belly; ⁽²⁾ Topper (Wedge); ⁽³⁾ Topper (Sign); ⁽⁴⁾ Feature Button (UPI);				
Application Reference No.	01-A1140/S01				

Device Name	Viridian BNA Cage Assembly Yosemite
Viridian BNA Cage AssemblyYosemite details	ATA P/N: 04-15043 Rev A02
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Game Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/1/09)
Technical Standards	NS 10.0 + NSW Appendix (dated 14/1/09)
Platform/Cabinet	Gen7 Viridian - Chop Top, Casino Top (with in- machine LCD). (Configured with either Ticket Printer and/or Hopper option.)
Application Reference No.	01-A1141/S01

Game Na	me		Gold Fever Dolpl	hin Dreams	
Specificat	tion Number		18.B0548		
Manufact	turer		IGT (Australia) P	Pty Ltd	
Gaming I	Machine Type		iSAP/1		
Game Ty	ре		Spinning Reels		
Progressi	ve Levels Supp	oorted	iSAP - Yes		
			Type - Standar	rd	
			Levels - 2		
			Wins transferred	to 'Total Wins' meter - Yes	
Maximum	n Bet Value		\$5.00		
Base Cre	dit Value (BCV	/)	1c, 2c		
Percentag	ge Return to P	layer (I	PRTP)		
Var	Game RTP		iSAP RTP	Min/Max Total PRTP	
99	84.34		6.661667	91.00	
01	84.34		7.665000	92.00	
Platform/Cabinet			AVP BC20 – Video Top		
Game Artwork Details		a) Video Top: A731294PT Version $02^{(1)}$ +			
			A731299LBT Ver $03^{(2)}$ + A731299RBT Ver $03^{(2)}$		
			⁽¹⁾ Optional Poly Topper; ⁽²⁾ Optional Halo Panel		
Applicati	on Reference I	No.	18-A0995/S01		

pecification Number	35.BF048 Stargames Co	c – Potion Power				
Aanufacturer S						
	Stargames Co	monotion Dty I td				
Soming Mashing Trues	SAP/1	providence by Ltd				
8 1		1-				
	Spinning Ree	18				
8	SAP – Yes	,				
	Гуре – Standa	ard				
	Levels -3					
		red to 'Total Wins' meter - Yes				
	\$6.00					
	<u>1c, 2c</u>					
Percentage Return to Player (PR	,					
	AP RTP	Min/Max Total PRTP				
	944444	90.11-91.21				
	944444	88.01-88.18				
	944444	91.47-91.47				
	944444	93.53-93.59				
		ound Top (With in-machine 17" LCD Display).				
	PC4 - Mojo ST (Slant Top).					
Game Artwork Details						
) Round Top (With in-machine 17 " LC	CD Display): A	$RW-TPW/BE REV A^{(1)} +$				
ARW-PW/E REV A ⁽²⁾	(1)					
) Low Top: ARW-TPW/BE RE		W-PW/E REV A ⁽²⁾				
) Slant Top: On-screen artwork (1) Belly Panel; ⁽²⁾ Optional Marquee	only.					
Operational Conditions						
1. When operating on the Round Top platform (with in-machine 17" LCD Display), the						
above-mentioned gaming machine must be installed in conjunction with the						
Stargames VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable						
that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board.						
2. The touch-screen option must be enabled (to allow the help pages to be accessible						
via the on-screen buttons).						
Application Reference No.	35-A0638/S0	1				

Game	Name		Tig	er of Siam – Potion P	ower	
Specif	ication Nu	ımber	35.BF047			
Manufacturer Stargames Corporation Pty Ltd				Pty Ltd		
Gamiı	ng Machin	е Туре	iSA	.P/1	•	
Game	Туре		Spi	nning Reels		
Progr	essive Lev	els	iSA	P – Yes		
Suppo	rted		• •	be – Standard		
				vels - 3		
				ns transferred to 'Tota	al Wins' meter - Yes	
	num Bet V		\$6.0			
	Credit Val		1c,			
Percei	itage Ketu	irn to Playei	r (PF	(TP)		
Var	BCV	Game RT	P	Progressive RTP	Min/Max Total PRTP	
99	1c,2c	86.15		3.944444	90.10-90.20	
03	1c,2c	84.20		3.944444	88.14-88.28	
15	1c,2c	87.51		3.944444	91.45-91.54	
16	1c,2c	89.29		3.944444	93.23-93.35	
Platfo	rm/Cabin	et	eStar PC4 - Low Top, Round Top (With in-machine			
			17" LCD Display).			
0			PC ²	4 - Mojo ST (Slant Top).	•	
	Artwork					
		With in-machine 1 REPEV $A^{(1)}$		$RW-PW/E REV A^{(2)}$.		
				$V A^{(1)} + ARW-PW/F$	$F \mathbf{RFV} \mathbf{A}^{(2)}$	
		n-screen arty				
		Optional Marque)		
-	tional Co					
1. When operating on the Round Top platform (with in-machine 17" LCD Display), the						
above-mentioned gaming machine must be installed in conjunction with the						
Stargames VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA'						
cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane						
	Board.					
	2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).					
				,		
Application Reference No.35-A0637/S01						