Australian Capital Territory

Gaming Machine Approval 2010 (No 39)

Notifiable instrument NI2010–541

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 39).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2010-477.

Maureen Ogilvie Delegate ACT Gambling and Racing Commission

21 September 2010

Game Name	Party in Rio		
Specification Number	1.F0065		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	99 87.78-87.89		
	01	90.12-90.19	
	07 88.66-88.72		

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.01-A1176/S01

Game Name	Party in Rio (Bonus Lin	k)		
Specification Number	1.HF016			
Manufacturer	Aristocrat Technologies Australia Pty Ltd			
Gaming Machine Type	SFS			
Game Type Submission Standards	Spinning Reels	Une (1-4- 1 1 4 /01 /00)		
Submission Standards	NS10.0 + NSW Append	iix (dated 14/01/09)		
	NSW CPTS 2.2	1 374 10		
	TITO Technical Standar			
	NSW Jackpot Technical			
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar			
	NSW Jackpot Technical	Standards Rev 1.1		
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$4.80			
Base Credit Value	1c			
Percentage Return to Player	Variation Number Min/Max PRTF			
(PRTP)	06	85.66-85.72		
Platform/Cabinet				
Gen7 Viridian - Chop Top, Cas		CD for Hyperlink) (Configured		
with either ticket printer and/or hoppe				
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer				
only). Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured				
with either ticket printer and/or hoppe		for Hyperlink) (Configured		
Gen7 Upgrade XTreme - Casin		for Hyporlink) (Configurad		
with either ticket printer and/or hoppe		(Configured		
Operational Conditions				
1. The "Ticket In" and "Cashle	ess" facilities are not app	roved in the ACT		
2. The above-mentioned game	11			
conjunction with the Standa	•	· 1		
Specification Number 1.YA	0			
settings.		Longo Link Juckpor		
Application Reference No.	Reference No. 01-A1176/S01			
Application Reference 110.	01 /111/0/001			

Game Name			Rose Tattoo				
Specification	Numb	or	1.DF002				
Manufacture			Aristocrat Technologies Australia Pty Ltd				
Gaming Mac		vne	MGGM – iSAP				
Game Type		ype	Spinning Reels				
Submission St	andard	s	NS10.0 + NSW Apper	dix (dated 14	/01/09)		
	anuaru	3	NSW CPTS 2.2 TITO	,	· · · · · · · · · · · · · · · · · · ·		
			NSW Jackpot Technic				
Technical Star	ndards		NS10.0 + NSW Apper				
	iuui us		NSW CPTS 2.2 TITO	,	· · · · · · · · · · · · · · · · · · ·		
			NSW Jackpot Technic				
Progressive l	evels sı	ipported					
		-pp	Type - Standard				
			Levels - 2				
Maximum Bo	et Valu	e	\$10.00				
Base Credit			1c, 2c, 50c, \$1.00 (sele	ctable by pla	yer)		
Component (et Detail	, , , , ,		· ·		
Game Numb			Game Name]	BCV		
01		Rose Ta	ttoo (Reel Power)		1c		
02		Rose Ta	ttoo (Reel Power)		2c		
03		Rose Ta	ttoo (Line Play)	50c			
04		Rose Ta	ttoo (Line Play)	\$1.00			
Multi-Game	combir	nation	•				
MGC	CRP		Game Number	Variation	SDB PRTP		
99	91.5	57%	01, 02	99	91.55%		
<i></i>	71	5770	03, 04	99	91.59%		
Platform/Cal							
			vith in-machine LCD; Stand-al	lone) (Configure	ed with either		
ticket printer and							
Details for Co	ompon	ent Gam					
Game Name			Rose Tattoo (Reel Pow				
Game Numb	er		01		02		
Max Bet	7.1.		\$5.00		\$10.00		
Base Credit	V 91116		1c 2c				
Variation Da							
Variation De	tails	ne VDD	SAD DTD	Min/Mon T	otol VDD		
Var	tails Gai	ne VRP	iSAP RTP	Min/Max T			
Var 99	tails Gai 90.2	27-90.33	1.283750	Min/Max T 91.55-9			
Var 99 Details for Co	tails Gai 90.2	27-90.33	1.283750 es 03-04	91.55-9			
Var 99 Details for Co Game Name	tails Gai 90.2 ompon	27-90.33	1.283750 es 03-04 Rose Tattoo (Line Play	91.55-9	1.61		
Var 99 Details for Co Game Name Game Numb	tails Gai 90.2 ompon	27-90.33	1.283750 es 03-04 Rose Tattoo (Line Play 03	91.55-9 /)	04		
Var 99 Details for Co Game Name Game Numb Max Bet	tails Gai 90.2 ompon er	27-90.33	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00	91.55-9 /)	04 \$10.00		
Var 99 Details for Co Game Name Game Numb Max Bet Base Credit V	tails Gai 90.2 ompon er	27-90.33	1.283750 es 03-04 Rose Tattoo (Line Play 03	91.55-9 /)	04		
Var 99 Details for Co Game Name Game Numbo Max Bet Base Credit V Variation De	tails Gai 90.2 ompon er Value tails	27-90.33 ent Gam	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00 50c	91.55-9	04 \$10.00 \$1.00		
Var 99 Details for Co Game Name Game Numb Max Bet Base Credit V Variation De Var	tails Gai 90.2 ompon er Value tails Gai	27-90.33 ent Gam ne VRP	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00 50c	91.55-9 7) Min/Max T	04 \$10.00 \$1.00 otal VRP		
Var 99 Details for Co Game Name Game Numbo Max Bet Base Credit V Variation De Var 99	tails Gai 90.2 ompon er Value tails Gai	27-90.33 ent Gam me VRP 90.31	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00 50c	91.55-9	04 \$10.00 \$1.00 otal VRP		
Var 99 Details for Ca Game Name Game Numb Max Bet Base Credit V Variation De Var 99 Operational	tails Gau 90.2 ompon er Value tails Gau Condit	27-90.33 ent Gam ne VRP 90.31 ions	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00 50c iSAP RTP 1.283750	91.55-9 /) Min/Max T 91.5	04 \$10.00 \$1.00 otal VRP 9		
Var 99 Details for Ca Game Name Game Numb Max Bet Base Credit V Variation De Var 99 Operational	tails Gai 90.2 ompon er Value tails Gai Condit	27-90.33 ent Gam ne VRP 90.31 ions 'Cashless	1.283750 es 03-04 Rose Tattoo (Line Play 03 \$5.00 50c	91.55-9 /) Min/Max T 91.5	04 \$10.00 \$1.00 otal VRP 9		

		<u> </u>		
Game Name	Wheel of Gold Dolphin Dreams			
Specification Number	18.H0108			
Manufacturer	IGT (Australia) Pty Ltd	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
	NSW Jackpot Technica	l Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 4			
Maximum Bet Value	\$5.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	08 83.89			
Platform/Cabinet	AVP BC20 – Portrait Top			
Operational Conditions				
1. The "Ticket In" and "Casl	nless" facilities are not ap	proved in the ACT.		
2. The above-mentioned gan	ne must operate in conjun	ction with the Standard		
Linked Progressive Jackpo	ot System, Specification I	Number 18.YA008, with		
the approved jackpot setting	ng combinations.			
3. An overhead display must be used as part of the Linked Progressive Jackpot				
System.		_		
		- D Z Z		

- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

Application Reference No. 18-A5038/S01

Game Name	Wheel of Gold Eastern Empress		
Specification Number	18.H0105		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
	NSW Jackpot Technical	l Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 4		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	08	83.89	
Platform/Cabinet	AVP BC20 – Portrait Top		
Operational Conditions			
1. The "Ticket In" and "Casl	nless" facilities are not ap	proved in the ACT.	
2. The above-mentioned gan	ne must operate in conjun	ction with the Standard	
Linked Progressive Jackpo	ot System, Specification I	Number 18.YA008, with	
the approved jackpot setting	ng combinations.		
3. An overhead display must be used as part of the Linked Progressive Jackpot			
System.			

- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

Application Reference No. 18-A5037/S01

Game Name	Wheel of Gold Queen of Atlantis			
Specification Number	18.H0107			
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
	NSW Jackpot Technical	l Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
	NSW Jackpot Technical	l Standards Rev 1.1		
Progressive levels supported	LINKED - Yes			
	Type - Standard			
	Levels - 4			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	08 83.89			
Platform/Cabinet	AVP BC20 – Portrait Top			
Operational Conditions				
1. The "Ticket In" and "Cash	nless" facilities are not ap	proved in the ACT.		
2. The above-mentioned gan	ne must operate in conjun	ction with the Standard		
Linked Progressive Jackpo	• •	Number 18.YA008, with		
the approved jackpot setting	ng combinations.			
3. An overhead display must be used as part of the Linked Progressive Jackpot				
System.				
4 The AVD $DC20$ are in the	a alaina a anna ata dit - 41 1	DIC		

- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

Application Reference No. 18-A5035/S01

Device Name	AVP BC20 Portrait 32IN Top Box	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Platform	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NS 9.0 + NSW Appendix (dated 23/03/07)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Platform/Cabinet Details	AVP BC20 – Portrait 32IN Top Box	
Application Reference No.	18-A1195/S01	

Game Name	Tar	ami Track Dation D		
		Tanami Track – Potion Power		
Specification Number		35.BF048		
Manufacturer		Iffle Master Australas	1a Pty Ltd	
Gaming Machine Type	iSA			
Game Type	-	nning Reels		
Submission Standards		10.0 + NSW Appendi	x (dated 14/01/09)	
	NS	W CPTS 2.2		
	TIT	O Technical Standard	d V4.18	
	NS	W Jackpot Technical	Standards Rev 1.1	
Technical Standards	NS	10.0 + NSW Appendi	x (dated 14/01/09)	
	NS	W CPTS 2.2		
	TIT	O Technical Standard	1 V4.18	
	NS	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSA	iSAP - Yes		
		Type - Standard		
	Lev	Levels -3		
Maximum Bet Value	\$6.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	(PR]	(P)		
Var Game PRTP		iSAP RTP	Min/Max Total PRTP	
99 86.17		3.944444	90.11-90.21	
03 84.07		3.94444 88.01-88.18		
15 87.53		3.94444 91.47		
16 89.59		3.944444 93.53-93.59		
Platform/Cabinet	PC	4 - Equinox		
Operational Conditions		-		
The "Ticket In" and "Cashless	" faci	lities are not approved	l in the ACT.	
Application Reference No.				

Game Name	Tig	er of Siam – Potion P	ower	
Specification Number		Tiger of Siam – Potion Power 35.BF047		
		Shuffle Master Australasia Pty Ltd		
Manufacturer	-			
Gaming Machine Type	iSA			
Game Type		nning Reels	(1, (1, 1, 1, 4/01/00))	
Submission Standards		10.0 + NSW Appendi	x (dated 14/01/09)	
	1.0	W CPTS 2.2		
		O Technical Standard		
		W Jackpot Technical		
Technical Standards		10.0 + NSW Appendi	x (dated 14/01/09)	
	1.0	W CPTS 2.2		
	TIT	O Technical Standard	1 V4.18	
	NS	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSA	iSAP - Yes		
	Typ	Type - Standard		
	Lev	Levels - 3		
Maximum Bet Value	\$6.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	(PR]	(P)		
Var Game PRTP		iSAP RTP	Min/Max Total PRTP	
99 86.15		3.944444	90.10-90.20	
03 84.20		3.944444	88.14-88.28	
15 87.51	3.944444 91.45-91.54			
16 89.29	3.944444 93.23-93.35			
Platform/Cabinet	PC	4 - Equinox		
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 35-A0662/S01				

Game	Game Name Tiki Totems				
Specif	fication Number 35.BF054				
Manu	facturer	Shu	Shuffle Master Australasia Pty Ltd		
Gamir	ng Machine Type	iSA	P		
Game	Туре	Spi	nning Reels		
Submi	ssion Standards	NS	10.0 + NSW Appendix	x (dated 14/01/09)	
		NS	W CPTS 2.2		
		TIT	O Technical Standard	V4.18	
		NS	W Jackpot Technical S	Standards Rev 1.1	
Techni	cal Standards	NS	10.0 + NSW Appendix	x (dated 14/01/09)	
			W CPTS 2.2		
		TIT	O Technical Standard	V4.18	
			W Jackpot Technical S	Standards Rev 1.1	
Progre	essive levels supported	rted iSAP - Yes			
	Type - Random				
		Levels – 2			
Maxin	num Bet Value	\$8.00			
Base (Base Credit Value1c, 2c, 5c				
Percer	ntage Return to Player (PRI			
Var	Game PRTP		iSAP RTP	Min/Max Total PRTP	
99	90.00		3.000000	93.00	
01	85.14		3.000000	88.14	
02	87.15		3.000000	90.15	
03	3 88.13		3.000000	91.13	
07	07 86.17		3.000000	89.17	
Platfo	rm/Cabinet	PC ₄	4 - Equinox		
	tional Conditions				
The "T	Ticket In" and "Cashless"	faci	lities are not approved	in the ACT.	
Application Reference No. 35-A0679/S01					