Gaming Machine Approval 2010 (No 38)

Notifiable instrument NI2010-542

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 38).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie Delegate ACT Gambling and Racing Commission

21 September 2010

Game Name	Lucky 88 (FA FA FA)		
Specification Number	1.HF021		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	SFS		
Game Type	Spinning Reels		
LPJS Specification Number	1.YA002		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
	NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 4		
Maximum Bet Value	\$4.50		
Base Credit Value	1c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	06 78.08-83.11		

Platform/Cabinet

Gen7 Viridian - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink)(Configured with ticket printer only).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. The above mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Fa Fa Fa' jackpot settings.

Application Reference No. 01-A1191/S01

Game Name	The Bullet and the Badge – Power Pay		
Specification Number	1.F0067		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$7.50		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	99	85.17-90.19	
	01	87.62-92.69	

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 01-A1189/S01

Game Name	The Bullet and the Badge – Power Pay (Bonus		
	Link)		
Specification Number	1.HF019		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
Gaming Machine Type	SFS	j	
Game Type	Spinning Reels		
LPJS Specification Number	1.YA002		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
	NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 3		
Maximum Bet Value	\$6.00		
Base Credit Value	1c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	02	83.44-88.49	

Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 02 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. The above-mentioned game 'The Bullet and the Badge Power Pay (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.

Application Reference No. 01-A1189/S01

This is Page 4 (of 8 pages) of the Schedule to the Gaming Machine Approval 2010 (No 38)

Game Name	Imperial Lion			
Specification Number	18.A0586			
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2	,		
	TITO Technical Standar	rd V4.18		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
Maximum Bet Value	\$2.50			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	99	87.15		
	02	90.90		
	03	92.00		
	05	88.58		
	07	89.90		
Platform/Cabinet	AVP BC20 - Video Top			
	AVP ST22 - Video Slant Top			
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	18-A5064/S01			

This is Page 5 (of 8 pages) of the Schedule to the Gaming Machine Approval 2010 (No 38)

Game Name	Jack's Back		
Specification Number	18.A0585		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	99 87.23		
	02	90.98	
	03	91.72	
	05	88.73	
	07	89.88	
Platform/Cabinet	AVP BC20 - Video Top		
	AVP ST22 - Video Slant Top		
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	18-A5056/S01		

Game Name	Tik	i Queen		
Specification Number	18.	18.B0563		
Manufacturer	IGT	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSA	AP – Ante Bet		
Game Type	Spi	nning Reels		
Technical Standards	NS	10.0 + NSW Appendi	ix (dated 14/01/09)	
	NS	W CPTS 2.2		
	TIT	O Technical Standar	d V4.18	
	NS	W Jackpot Technical	Standards Rev 1.1	
Submission Standards	NS	10.0 + NSW Appendi	ix (dated 14/01/09)	
	NS	W CPTS 2.2		
		O Technical Standar		
	NS	W Jackpot Technical	Standards Rev 1.1	
Progressive levels supported	iSA	AP - Yes		
	1	Type - Standard		
	Levels - 3			
	Wii	Wins transferred to 'Total Wins' - Yes		
Maximum Bet Value	\$10.00			
Base Credit Value	5c, 10c			
Percentage Return to Player	(PRT	<u>(P)</u>		
Var Min/Max Game PR	ГР	iSAP RTP	Min/Max Total PRTP	
03 79.22-83.22		8.770051	87.99-91.99	
05 79.22-83.22	79.22-83.22		88.99-92.99	
Platform/Cabinet AV		AVP BC20 - Video Top		
A		AVP ST22 - Video Slant Top		
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 18-A5031/S01				

Device Name	Input/ Output Board	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Category	Gaming Machine	
Gaming Machine Type	Hardware Component	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
	NSW CPTS 2.2	
Input/Output Board	SM P/N: ASY-0161AW	
Platform/Cabinet Details	eStar PC4 – Round Top, Square Top, Low Top	
	Round Top (with in-machine 17" LCD)	
Application Reference No.	35-A0688/S01	

Game Name		Lucky Panda – Pink Panther Returns			
Specification Number		35.BF059			
Manufacturer		S	huffle Master Australas	ia Pty Ltd	
Gami	ng Machine '	Гуре	iS	SAP	
Game	Type	ŭ I	S	pinning Reels	
Submi	ssion Standar	ds	N	S10.0 + NSW Appendi	x (dated 14/01/09)
			NSW CPTS 2.2		
			TITO Technical Standard V4.18		
			N	SW Jackpot Technical	Standards Rev 1.1
Techni	ical Standards	S		S10.0 + NSW Appendi	x (dated 14/01/09)
				SW CPTS 2.2	
				ITO Technical Standard	
				SW Jackpot Technical	Standards Rev 1.1
Progr	essive levels	supported		SAP - Yes	
				ype - Standard	
			Levels - 3		
			Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value		\$6.25			
Base Credit Value		1c, 2c, 5c			
	ntage Return				15 05 E (100E)
Var	BCV	Game RT	<u>P</u>	Progressive RTP	Min/Max Total PRTP
21	1c, 2c	86.66		4.333333	90.99
22	1c, 2c	86.66		5.333167	91.99
23	1c, 2c	88.67		4.333333	93.00
24	1c, 2c	88.67		5.333167	94.00
51	1c, 2c, 5c	86.66		4.533167	91.19
52	1c, 2c, 5c	86.66		5.533500	92.19
53	1c, 2c, 5c	88.67		4.533167	93.20
54	1c, 2c, 5c	88.67	-	5.533500	94.20
			P	C4 - Equinox	
-	Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
					I in the ACT.
Application Reference No.		35	5-A0674/S01		

This is Page 8 (of 8 pages) of the Schedule to the Gaming Machine Approval 2010 (No 38)

Device Name	Power Supply Cooling Fan	
Manufacturer	Konami Australia Pty Ltd	
Category	Gaming Machine	
Gaming Machine Type	Hardware Component	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Hardware Details		
• Power Supply Cooling Fan	Konami P/N: K-0485(A)	
Platform/Cabinet Details	KGP 2.0 UVS Podium - Upper LCD Box,	
	Tombstone LCD Box, Short Top Box	
Application Reference No.	39-A0890/S01	