

Australian Capital Territory

Gaming Machine Approval 2010 (No 42)

Notifiable instrument NI2010–570

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2010 (No42)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2010-484.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

14 October 2010

Game Name	Gold Lion Triple Shot (3 iSAP Levels)		
Specification Number	44.BF064		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 3		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
01	84.04	6.085410	90.12
02	84.85	6.567353	91.41
11	84.43	6.314278	90.74
21	84.08	6.514596	90.58
22	84.89	6.996540	91.88
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
The “Ticket In” and “Cashless” facilities are not approved in the ACT.			
Application Reference No.	44-A0600/S01		

Game Name	Vegas Frenzy (BCV 1c)		
Specification Number	44.HF072		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Linked - yes Type - Standard Levels - 1		
Maximum Bet Value	\$3.75		
Base Credit Value	1c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings. 			
Application Reference No.	44-A0575/S01		

Game Name	Vegas Frenzy (BCV 2c)		
Specification Number	44.HF073		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Linked – yes Type – Standard Levels - 1		
Maximum Bet Value	\$7.50		
Base Credit Value	2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings. 			
Application Reference No.	44-A0575/S01		

Game Name	Vegas Frenzy (BCV 5c)		
Specification Number	44.HF074		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Linked – yes Type – Standard Levels - 1		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings. 			
Application Reference No.	44-A0575/S01		

Game Name	Year of the Tiger (2 iSAP Levels)			
Specification Number	44.BF065			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c, 10c			
Percentage Return to Player (PRTP)				
Var	BCV	Game PRTP	iSAP RTP	Min/Max Total PRTP
51	1c, 2c, 5c	88.08	3.528684	91.61
52	1c, 2c, 5c	88.79	3.621111	92.41
53	1c, 2c, 5c	86.91	3.614509	90.52
61	5c	86.91	4.839921	91.75
62	5c	88.09	4.674872	92.76
71	10c	86.91	4.227215	91.14
72	10c	88.08	4.101778	92.18
Platform/Cabinet	A560 – High Boy			
Operational Conditions The “Ticket In” and “Cashless” facilities are not approved in the ACT.				
Application Reference No.	44-A0596/S01			

Game Name	Year of the Ox (2 iSAP Levels)			
Specification Number	44.BF061			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c,			
Percentage Return to Player (PRTP)				
Var	BCV	Game PRTP	iSAP RTP	Min/Max Total PRTP
21	1c, 2c, 5c	87.89	3.776822	91.66
22	1c, 2c, 5c	88.60	3.850764	92.45
31	1c, 2c, 5c	86.93	3.449364	90.38
61	5c	86.93	4.501801	91.43
62	5c	87.89	4.882074	92.77
Platform/Cabinet	A560 – High Boy			
Operational Conditions The “Ticket In” and “Cashless” facilities are not approved in the ACT.				
Application Reference No.	44-A0507/S01			

Device Name	Topper Artwork
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Game Artwork Details	A101259
Game Details 1	
Game Name	50 Dragons (Fa Fa Fa)
Specification Number	1.HF004
Game Details 2	
Game Name	5 Dragons (Fa Fa Fa)
Specification Number	1.HF005
Application Reference No.	01-A1192/S01

Game Name	Gold Fever Apache Chief		
Specification Number	18.B0545		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c,		
Percentage Return to Player (PRTP)			
Var	Game PRTP	iSAP RTP	Min/Max Total PRTP
99	85.28	5.716701	91.00
01	85.28	6.717041	92.00
02	85.28	3.971020	89.25
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Operational Conditions The “Ticket In” and “Cashless” facilities are not approved in the ACT.			
Application Reference No.	18-A05067/S01		

Game Name	GF Ship Ahoy		
Specification Number	18.B0562		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	iSAP RTP	Min/Max Total PRTP
99	86.39	4.601361	90.99
01	86.39	5.606633	92.00
07	86.39	2.857680	89.25
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Operational Conditions The “Ticket In” and “Cashless” facilities are not approved in the ACT.			
Application Reference No.	18-A05034/S01		

Game Name	Ship Ahoy	
Specification Number	18.A0584	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c,	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.51
	02	90.92
	03	91.99
	05	88.50
	07	89.88
Device Details		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Operational Conditions		
The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	18-A05057/S01, 18-A0981/S01	