

Australian Capital Territory

Gaming Machine Approval 2010 (No 45)

Notifiable instrument NI2010–609

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2010 (No 45)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2010-311.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission
28 October 2010

Gaming Machine Software Bugfix		
Game Name	Dolphin Magic – Power Pay	
Specification Number	1.F0059	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.99-93.06
	01	85.96-90.98
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
1. The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
2. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	01-A1204/S01	

Gaming Machine Software Bugfix		
Game Name	Dolphin Magic – Power Pay (Bonus Link)	
Specification Number	1.HF012	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$6.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	03	83.56-88.61
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 03 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. The above-mentioned game ‘Dolphin Magic – Power Pay (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings. 		
Application Reference No.	01-A1204/S01	

Game Name	Fortune Princess	
Specification Number	1.F0058	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.99
	01	90.05
	07	88.53
	09	87.06
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	01-A1151/S01	

Game Name	Fortune Princess (Bonus Link)	
Specification Number	1.HF011	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	06	85.71
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. The above-mentioned game ‘Fortune Princess (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings. 		
Application Reference No.	01-A1151/S01	

Game Name	Jungle Joe Searching High and Low	
Specification Number	1.F0056	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.62-87.78
	01	90.03-90.20
	02	91.81-91.98
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	01-A1169/S01	

Game Name	Jungle Joe Searching High and Low (Bonus Link)	
Specification Number	1.HF009	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	06	85.55-85.70
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. The above-mentioned game ‘Jungle Joe Searching High and Low (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings. 		
Application Reference No.	01-A1169/S01	

Game Name	Werewolf Wild	
Specification Number	1.A0820	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.76-87.82
	01	90.13-90.18
	07	88.42-88.48
	09	87.12-87.19
Platform/Cabinet	<p>Mk 6 (XTra) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)</p> <p>Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either ticket printer or hopper option)</p> <p>Mk 6 (SER1RX) – Casino Top (Configured with either ticket printer or hopper option)</p> <p>Mk 6 (XCite) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)</p> <p>Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either hopper and/or ticket printer option)</p> <p>Slant Mk 6 – Round Top (Configured with ticket printer only)</p>	
Operational Conditions	The “Ticket In” and “Cashless” facilities are not approved in the ACT.	
Application Reference No.	01-A1174/S01	

Game Name	Diamond Club				
Specification Number	18.B0555				
Manufacturer	IGT (Australia) Pty Ltd				
Gaming Machine Type	iSAP				
Game Type	Spinning Reels				
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes				
Maximum Bet Value	\$10.00				
Base Credit Value	5c, 10c, 20c				
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total PRTP
02	5c	SC0	76.10%	14.367519%	90.46%
	10c	SC3			
	20c	SC6			
03	5c	SC1	76.10%	15.848185%	91.94%
	10c	SC4			
	20c	SC7			
07	5c	SC2	76.10%	13.013741%	89.11%
	10c	SC5			
	20c	SC8			
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top					
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.	01-A5013/S01				

Game Name	Genie of the Lamp	
Specification Number	18.A0572	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	03	87.97-91.97
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Operational Conditions	The “Ticket In” and “Cashless” facilities are not approved in the ACT.	
Application Reference No.	18-A5053/S01	

Game Name	Asgard (2 iSAP Levels)		
Specification Number	35.BF053		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter- Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	50c, \$1, \$2		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive PRTP	Min/Max Total PRTP
99	81.63%	8.511111	90.14
03	79.76%	8.511111	88.27
15	81.64%	9.872222	91.51
16	83.68%	9.872222	93.55
Platform/Cabinet			
eStar PC4 – Round Top, Square Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top			
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. When operating on the Round Top platform (with in-machine 17" LCD), the above-mentioned game must be installed in conjunction with the Stargames VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. 3. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons) 			
Application Reference No.	35-A0656/S01		