

Australian Capital Territory

Gaming Machine Approval 2010 (No 49)

Notifiable instrument NI2010–642

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2010 (No 49)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2010-485.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

11 November 2010

This is Page 1 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Royal Diamonds (2 iSAP Levels)			
Specification Number	44.BF062			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	Game RTP	BCV	iSAP RTP	Min/Max Total PRTP
02	88.80-88.98	1c, 2c, 5c	3.318842	92.12-92.30
11	88.09-88.27	1c, 2c, 5c	3.226414	91.32-91.50
31	87.13-87.30	1c, 2c, 5c	2.850102	89.99-90.16
51	88.09-88.27	1c, 2c, 5c	3.612630	91.70-91.88
52	88.80-88.97	1c, 2c, 5c	3.705057	92.51-92.68
53	87.13-87.31	1c, 2c, 5c	3.216512	90.35-90.53
61	87.13-87.31	5c	4.193603	91.33-91.51
62	88.09-88.27	5c	4.642536	92.73-92.91
Platform/Cabinet	A560 - High Boy			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	44-A0559/S01, /S02			

Device Name	LED RGB Topper Assembly
Manufacturer	Ainsworth Game Technology Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
LED RGB Topper Assembly	AGT P/N:220 109 The Bright Group
Platform/Cabinet Details	Ambassador SL A560 - High Boy
Application Reference No.	44-A0599/S01

Game Name	Aloha Paradise	
Specification Number	1.F0066	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.91
	01	90.19
	07	88.73
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with/without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	The "Ticket In" and "Cashless" facilities are not approved in the ACT.	
Application Reference No.	01-A1187/S01	

Game Name	Aloha Paradise (Bonus Link)	
Specification Number	1.HF018	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	1.YA002	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	06	85.67
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite - Lowboy (with/without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The above-mentioned game 'Aloha Paradise (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings. 		
Application Reference No.	01-A1187/S01	

This is Page 4 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Ye Grande Fortune		
Specification Number	1.B0620		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive PRTP	Min/Max PRTP
99	75.05	12.903705	87.96
01	75.05	15.117580	90.17
02	75.05	16.915609	91.97
03	75.05	19.911044	94.97
Platform/Cabinet	Mk 6 (XTreme) - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option) Slant Mk 6 - Casino Top (with in-machine LCD) (Configured with ticket printer only)		
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	01-A1188/S01		

Game Name	Pretty Pigs		
Specification Number	6.BF004		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
01	89.18	0.995158	90.18-90.28
02	91.19		92.19-92.29
03	93.19		94.19-94.29
04	95.20		96.20-96.30
05	97.29		98.29-98.39
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 1:			
Device Name	Genex G-Deluxe		
Category	Gaming Machine		
Gaming Machine Type	Hardware Platform		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Mega Top Box	EET000900		
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 2:			
Device Name	Title Board Assembly		
Category	Gaming Machine		
Gaming Machine Type	Hardware Component		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Title Board Details	CET013400		
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 3:			
Device Name	SDRAM Memory Module		
Category	Gaming Machine		
Gaming Machine Type	Hardware Component		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		

This is Page 6 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

SDRAM Dynamic Memory Module	ARF5300D-1GE (ADTEC 1GB) or F0891-10241UN-PC2 (INSTEAD 1GB)
Platform/Cabinet	GENEX – Midway, Lowboy, G-Deluxe
Device Details – 4:	
Device Name	Compact Flash Card
Specification Number	06-TPA13
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Hardware Details	ARZ-CFX8BT1G (ADTEC 1GB)
Platform/Cabinet	GENEX – Midway, Lowboy, G-Deluxe
Operational Conditions	
The “Ticket In” and “Cashless” facilities are not approved in the ACT.	
Application Reference No.	06-A0282/S01

Game Name	Memories of Love		
Specification Number	6.BF006		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
01	89.44	0.995158	90.44-90.47
02	91.43		92.43-92.46
03	93.43		94.43-94.46
04	95.42		96.42-96.45
05	97.43		98.43-98.45
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 1:			
Device Name	Genex G-Deluxe		
Category	Gaming Machine		
Gaming Machine Type	Hardware Platform		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Mega Top Box	EET000600		
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 2:			
Device Name	Title Board Assembly		
Category	Gaming Machine		
Gaming Machine Type	Hardware Component		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Title Board Details	CET013200		
Platform/Cabinet	GENEX – G-Deluxe		
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	06-A0281/S01		

This is Page 8 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Gold Fever Dolphin Dreams		
Specification Number	18.B0548		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
99	84.34	6.661667	91.00
01	84.34	7.665000	92.00
02	84.34	4.915000	89.25
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	18-A5068/S01		

Game Name	Jade Dynasty Link		
Specification Number	18.H0110		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	18.YA008		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
	Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
02	81.35	8.881355	90.23
03	81.35	9.982540	91.33
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot settings combinations. 3. An overhead display must be used as part of the Linked Progressive Jackpot System. 4. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 			
Application Reference No.	18-A5017/S01		

This is Page 10 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Russian Riches Link		
Specification Number	18.H0109		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	18.YA008		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter – Yes		
	Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
02	81.35	8.881355	90.23
03	81.35	9.982540	91.33
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot settings combinations. 3. An overhead display must be used as part of the Linked Progressive Jackpot System. 4. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 			
Application Reference No.	18-A5018/S01		

This is Page 11 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	African Diamond Double Deluxe Cash Carriage			
Specification Number	39.B0089			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$5.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (PRTP)				
Var	Game PRTP	Setting Combination	Progressive PRTP	Min/Max Total PRTP
01	82.18	1	7.800361	89.98
02	82.18	2	7.790464	89.97
03	82.18	3	7.780489	89.96
04	82.18	4	7.770470	89.95
05	82.18	5	7.760451	89.94
06	82.18	6	7.750028	89.93
07	82.18	7	8.020500	90.20
08	82.18	8	8.000470	90.18
Platform/Cabinet	K2V - Casino Top with LCD K2V 500 - Casino Top with LCD KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	39-A0880/S01			

Game Name		Black Rose Pirate's Jackpot					
Specification Number		39.B0091					
Manufacturer		Konami Australia Pty Ltd					
Gaming Machine Type		iSAP					
Game Type		Spinning Reels					
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1					
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1					
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes					
Maximum Bet Value		\$6.00					
Base Credit Value		1c, 2c, 5c					
Percentage Return to Player (PRTP)							
Var	Game RTP	Bonus RTP	Setting Combination			iSAP RTP	Min/Max Total PRTP
			1c	2c	5c		
01	82.16	2.58	11	21	31	5.422448	90.16
		1.83	12	22	32	6.169049	
		1.53	13	23	33	6.467008	
		1.46	14	24	34	6.538096	
		1.27	15	25	35	6.728300	
02	82.16	2.77	16	26	36	7.016695	91.95
		2.03	17	27	37	7.756641	
		1.75	18	28	38	8.037953	
		1.51	19	29	39	8.275246	
		1.31	20	30	40	8.483919	
Platform/Cabinet			KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box				
Device Details:							
Device Name			Topper Artwork				
Category			Gaming Machine				
Gaming Machine Type			Generic Artwork				
Technical Standards			NS 10.0 + NSW Appendix (dated 14/01/09)				
Submission Standards			NS 10.0 + NSW Appendix (dated 14/01/09)				
Topper Artwork Details			a) PIR-AW (PT) b) PIR-AW (E)				
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.							
Application Reference No.			39-A0860/S01				

Game Name	Double Tiki	
Specification Number	39.A0304	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.16
	01	90.18
	02	91.99
	03	94.03
	04	96.06
	05	85.11
	06	88.50
	08	88.00
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box	
Operational Conditions		
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0886/S01	

This is Page 14 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Double Tiki Lucky Garden		
Specification Number	39.B0092		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
11	85.11	5.150000	90.26
12	85.11	5.200000	90.31
13	85.11	5.250000	90.36
14	85.11	5.400000	90.51
15	87.16	4.400000	91.56
16	87.16	4.450000	91.61
17	87.16	4.500000	91.66
18	87.16	4.600000	91.76
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions Please note that player selectable multi-denomination functionality contained in the System Software NSW56146 is not a subject of this approval.			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0887/S01		

Game Name	Egyptian Sunset	
Specification Number	39.A0303	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.16
	01	90.03
	02	91.98
	03	94.06
	04	96.04
	05	85.11
	06	88.57
	08	88.09
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When the game “Egyptian Sunset” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 4. When the game “Egyptian Sunset” is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 		
Application Reference No.	39-A0878/S01	

This is Page 16 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Egyptian Sunset Lucky Garden		
Specification Number	39.B0088		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
11	85.11	5.150000	90.26
12	85.11	5.200000	90.31
13	85.11	5.250000	90.36
14	85.11	5.400000	90.51
15	87.16	4.400000	91.56
16	87.16	4.450000	91.61
17	87.16	4.500000	91.66
18	87.16	4.600000	91.76
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of this approval.			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0879/S01		

Game Name	Fists of Fire	
Specification Number	39.A0306	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$8.00	
Base Credit Value	10c, 20c, 50c, \$1.00	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.18
	01	90.19
	02	91.99
	03	94.05
	04	96.06
	05	85.20
	06	88.53
	08	88.10
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 4. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 		
Application Reference No.	39-A0876/S01	

Game Name	Fourteen Pearls	
Specification Number	39.A0305	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.10
	01	90.20
	02	91.93
	03	93.94
	04	95.91
	05	85.04
	06	88.56
	08	88.01
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
<ol style="list-style-type: none"> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 4. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 		
Application Reference No.	39-A0869/S01	

Game Name	Genie's Reward	
Specification Number	39.A0301	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.17
	01	90.19
	02	91.90
	03	94.08
	04	96.10
	05	85.19
	06	88.50
	08	88.10
Device Details:		
Device Name	System Software	
Category	Supporting Function (SF)	
SF Type	System Software	
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD		
K2V Upgrade – Casino Top, Low Boy		
K2V 500 – Casino Top, Low Boy, Casino Top with LCD		
K2V 500 Upgrade – Casino Top, Low Boy		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 4. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 		
Application Reference No.	39-A0872/S01, 39-A0873/S01	

Game Name	Genie's Reward Lucky Garden		
Specification Number	39.B0086		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
11	85.19	5.150000	90.34
12	85.19	5.200000	90.39
13	85.19	5.250000	90.44
14	85.19	5.400000	90.59
15	87.17	4.400000	91.57
16	87.17	4.450000	91.62
17	87.17	4.500000	91.67
18	87.17	4.600000	91.77
Device Details:			
Device Name	System Software		
Category	Supporting Function (SF)		
SF Type	System Software		
Platform/Cabinet			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW50146 is not a subject of this approval.			
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0874/S01, 39-A0875/S01		

Game Name	Straight and Arrow Cash Carriage			
Specification Number	39.B0090			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (P RTP)				
Var	Game P RTP	Setting Combination	Progressive P RTP	Min/Max Total P RTP
01	82.18	1	7.800361	89.98
02	82.18	2	7.790464	89.97
03	82.18	3	7.780489	89.96
04	82.18	4	7.770470	89.95
05	82.18	5	7.760451	89.94
06	82.18	6	7.750028	89.93
07	82.18	7	8.020500	90.20
08	82.18	8	8.000470	90.18
Platform/Cabinet	K2V - Casino Top with LCD K2V 500 - Casino Top with LCD KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	39-A0884/S01			

Game Name	Wiseman's Luck	
Specification Number	39.A0302	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.19
	01	90.20
	02	91.93
	03	94.09
	04	96.09
	05	85.20
	06	88.59
	08	88.10
Platform/Cabinet	<p>K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
Operational Conditions	<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 3. When the game "Wiseman's Luck" is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 4. When the game "Wiseman's Luck" is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 	
Application Reference No.	39-A0865/S01	

This is Page 23 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Wiseman's Luck Lucky Garden		
Specification Number	39.B0087		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	Progressive RTP	Min/Max Total PRTP
11	85.20	5.150000	90.35
12	85.20	5.200000	90.40
13	85.20	5.250000	90.45
14	85.20	5.400000	90.60
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions Please note that player selectable multi-denomination functionality contained in the System Software NSW56146 is not a subject of this approval.			
Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0866/S01		

This is Page 24 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010* (No 49)

Game Name	Aztec Pyramid - Potion Power		
Specification Number	35.BF058		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game RTP	Progressive RTP	Min/Max Total PRTP
99	86.33-86.33	3.944444	90.27-90.27
03	84.24-84.33	3.944444	88.18-88.27
15	87.49-87.61	3.944444	91.43-91.55
16	89.55-89.64	3.944444	93.49-93.58
Software Details		Firmware	Program ID
		Game:	APWNSW1C
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in machine 17" LCD Display) PC4 – Mojo ST (Slant Top)		
Operational Conditions			
<ol style="list-style-type: none"> 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 2. When operating on the Round Top platform (with in-machine 17" LCD Display), the above-mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. 3. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 			
Application Reference No.	35-A0666/S01		

This is Page 25 (of 25 pages) of the Schedule to the *Gaming Machine Approval 2010*
(No 49)

Game Name	Aztec Pyramid - Potion Power		
Specification Number	35.BF058		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game RTP	Progressive RTP	Min/Max Total PRTP
99	86.33-86.33	3.944444	90.27-90.27
03	84.24-84.33	3.944444	88.18-88.27
15	87.49-87.61	3.944444	91.43-91.55
16	89.55-89.64	3.944444	93.49-93.58
Software Details		Firmware	Program ID
		Game:	APWNSW2C
Platform/Cabinet	PC4 - Equinox		
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	35-A0667/S01		