Gaming Machine Approval 2010 (No 54)

Notifiable instrument NI2010-682

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 54).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

10 December 2010

This is Page 1 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New Gaming Machine and Add	ditional Player Tracking Pa	anel Artwork		
Game Name	Rio Gold (BCV 1c)			
Specification Number	44.HF088			
Manufacturer	Ainsworth Game Techno	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Appendi	x (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$3.75			
Base Credit Value	1c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02 86.45			
Device Details				
Device Name	Topper/Player Tracking	Panel Artwork		
Category	Gaming Machine			
Artwork	470120 Rev A			
Platform/Cabinet	A560 -H – High Boy			
	A560 -L – Low Boy (wit	h A560 Topper)		
Operational Conditions				

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0616/S01

This is Page 2 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New Gaming Machine				
Game Name	Rio Gold (BCV 2c)			
Specification Number	44.HF089			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$7.50			
Base Credit Value	2c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02	86.45		
Platform/Cabinet	A560 –H – High Boy			
	A560 –L – Low Boy (w	ith A560 Topper)		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0616/S01

This is Page 3 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2010* (No 54)

New Gaming Machine				
Game Name	Rio Gold (BCV 5c)			
Specification Number	44.HF090			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$10.00			
Base Credit Value	5c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02	86.45		
Platform/Cabinet	A560 –H – High Boy			
	A560 –L – Low Boy (w	ith A560 Topper)		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0616/S01

This is Page 4 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2010* (No 54)

New Gaming Machine				
Game Name	Rio Sunset (BCV 1c)			
Specification Number	44.HF079			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$3.75			
Base Credit Value	1c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02	86.20		
Platform/Cabinet	A560 –H – High Boy			
	A560 –L – Low Boy (w	ith A560 Topper)		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0605/S01; /S02

This is Page 5 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2010* (No 54)

New Gaming Machine				
Game Name	Rio Sunset (BCV 2c)			
Specification Number	44.HF080			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$7.50			
Base Credit Value	2c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02	86.20		
Platform/Cabinet	A560 –H – High Boy			
	A560 –L – Low Boy (w	ith A560 Topper)		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0605/S01; /S02

This is Page 6 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2010* (No 54)

New Gaming Machine				
Game Name	Rio Sunset (BCV 5c)			
Specification Number	44.HF081			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$10.00			
Base Credit Value	5c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	02	86.20		
Platform/Cabinet	A560 –H – High Boy			
	A560 –L – Low Boy (w	ith A560 Topper)		
0 4 10 14		** /		

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0605/S01; /S02

This is Page 7 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine	<u> </u>				
Game Name			Dragon Charm Cash Carriage			
Specification Number			39.B0100			
	facturer		Konami A	ustralia Pty Ltd		
Gamir	ng Machine Typ	pe	iSAP	,		
Game			Spinning I	Reels		
Submis	ssion Standards		NS10.0 +	NSW Appendix	(dated 14/01/09)	
Techni	cal Standards		NSW CPT	TS 2.2		
			TITO Tec	hnical Standard V	V4.18	
			NSW Jack	pot Technical St	andards Rev 1.1	
Progre	essive levels sup	ported	iSAP - Ye	es		
			Type - Sta			
			Levels - 2 \$5.00			
	Maximum Bet Value					
	Credit Value		1c, 2c			
	tage Return to			1		
Var	Game RTP	Setting Combination		Duognoggiya	Min/Morr Total	
v ai	Game KII		_	Progressive RTP	Min/Max Total PRTP	
01	82.19		_			
			bination	RTP	PRTP	
01	82.19		bination	RTP 7.800361	PRTP 89.99	
01 02	82.19 82.19		bination 1 2	7.800361 7.790464	PRTP 89.99 89.98	
01 02 03	82.19 82.19 82.19		bination 1 2 3	7.800361 7.790464 7.780489	PRTP 89.99 89.98 89.97	
01 02 03 04	82.19 82.19 82.19 82.19		bination 1 2 3 4	7.800361 7.790464 7.780489 7.770470	PRTP 89.99 89.98 89.97 89.96	
01 02 03 04 05	82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5	7.800361 7.790464 7.780489 7.770470 7.760451	PRTP 89.99 89.98 89.97 89.96 89.95	
01 02 03 04 05 06	82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028	PRTP 89.99 89.98 89.97 89.96 89.95 89.94	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V – Ca	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V - Ca K2V 500	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V - Ca K2V 500 - KGP 2.0 U	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with LU VS Podium – U	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD	
01 02 03 04 05 06 07 08 Platfor	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19	Com	bination 1 2 3 4 5 6 7 8 K2V - Ca K2V 500 - KGP 2.0 U	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD	
01 02 03 04 05 06 07 08 Platfor	82.19 82.19 82.19 82.19 82.19 82.19 82.19 rm/Cabinet	Com	bination 1 2 3 4 5 6 7 8 K2V – Ca K2V 500 – KGP 2.0 U Tombston	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with UVS Podium – Ue LCD Box	89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD pper LCD Box,	
01 02 03 04 05 06 07 08 Platfor	82.19 82.19 82.19 82.19 82.19 82.19 82.19 rm/Cabinet	Com ons Cashless'	bination 1 2 3 4 5 6 7 8 K2V – Ca K2V 500 – KGP 2.0 U Tombston	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with LC Casino Top with LC UVS Podium – U E LCD Box	89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD pper LCD Box,	

This is Page 8 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine	,				
Game Name			Wiseman's Luck Cash Carriage			
Specification Number			39.B0101			
Manufacturer			Konami A	ustralia Pty Ltd		
Gamin	ng Machine Ty	pe	iSAP			
Game		Spinning Reels				
	ssion Standards		NS10.0 +	NSW Appendix	(dated 14/01/09)	
Techni	cal Standards		NSW CPT	TS 2.2		
			TITO Tec	hnical Standard V	V4.18	
			NSW Jack	xpot Technical St	andards Rev 1.1	
Progre	essive levels sup	ported	iSAP - Ye	es		
			Type - Sta	ındard		
	Maximum Bet Value					
	Credit Value		1c, 2c			
-	tage Return to					
Var	Game RTP	Setting Combination		Duaguagiria	Min/Max Total	
v ai	Game K11		_	Progressive RTP		
			bination	RTP	PRTP	
01	82.19		bination 1	RTP 7.800361	PRTP 89.99	
	82.19 82.19		bination 1 2	7.800361 7.790464	PRTP 89.99 89.98	
01 02	82.19		bination 1	RTP 7.800361	PRTP 89.99	
01 02 03	82.19 82.19 82.19		bination 1 2 3	7.800361 7.790464 7.780489	PRTP 89.99 89.98 89.97	
01 02 03 04	82.19 82.19 82.19 82.19		bination 1 2 3 4	7.800361 7.790464 7.780489 7.770470	PRTP 89.99 89.98 89.97 89.96	
01 02 03 04 05	82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5	7.800361 7.790464 7.780489 7.770470 7.760451	PRTP 89.99 89.98 89.97 89.96 89.95	
01 02 03 04 05 06	82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028	PRTP 89.99 89.98 89.97 89.96 89.95 89.94	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V – Ca	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V - Ca K2V 500	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD	
01 02 03 04 05 06 07 08	82.19 82.19 82.19 82.19 82.19 82.19 82.19 82.19		bination 1 2 3 4 5 6 7 8 K2V - Ca K2V 500 - KGP 2.0 U	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with	PRTP 89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD th LCD	
01 02 03 04 05 06 07 08 Platfor	82.19 82.19 82.19 82.19 82.19 82.19 82.19 rm/Cabinet	Com	bination 1 2 3 4 5 6 7 8 K2V – Ca K2V 500 – KGP 2.0 U Tombston	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with LC Use LCD Box	89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD h LCD pper LCD Box,	
01 02 03 04 05 06 07 08 Platfor	82.19 82.19 82.19 82.19 82.19 82.19 82.19 rm/Cabinet	Com	bination 1 2 3 4 5 6 7 8 K2V – Ca K2V 500 – KGP 2.0 U Tombston	7.800361 7.790464 7.780489 7.770470 7.760451 7.750028 8.020500 8.000470 sino Top with LC Casino Top with LC VS Podium – U	89.99 89.98 89.97 89.96 89.95 89.94 90.21 90.19 CD h LCD pper LCD Box,	

This is Page 9 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine						
Game Name			Arctic Quest – Pink Panther Returns				
Specification Number			35.BF064				
Manuf	acturer		Shuffle Ma	aster Australasia I	Pty Ltd		
Gaming Machine Type iSAP							
Game			Spinning F	Reels			
	sion Standards		NS10.0 + 1	NSW Appendix (dated 14/01/09)		
Technic	cal Standards		NSW CPT	S 2.2			
			TITO Tech	nnical Standard V	4.18		
			NSW Jack	pot Technical Sta	ndards Rev 1.1		
Progre	ssive levels sup	ported	iSAP - Ye	es			
			Type - Star Levels - 3	ndard			
	Maximum Bet Value			\$10.00			
	redit Value		1c, 2c, 5c				
Percen	tage Return to	Player	(PRTP)				
		Game RTP					
Var	BCV	Gan	ne RTP	Progressive RTP	Min/Max Total PRTP		
Var 19	1c, 2c		4.75	C			
		8		RTP	PRTP		
19	1c, 2c	8	4.75	RTP 4.333333	PRTP 89.08		
19 21	1c, 2c 1c, 2c	8 8 8	4.75 6.67	4.333333 4.333333	PRTP 89.08 91.00		
19 21 22	1c, 2c 1c, 2c 1c, 2c	8 8 8	4.75 6.67 6.67	RTP 4.333333 4.333333 5.333167	PRTP 89.08 91.00 92.00		
19 21 22 24	1c, 2c 1c, 2c 1c, 2c 1c, 2c	8 8 8 8	6.67 6.67 88.74	RTP 4.333333 4.333333 5.333167 5.333167	PRTP 89.08 91.00 92.00 94.07		
19 21 22 24 49	1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c, 5c	8 8 8 8 8	64.75 66.67 68.74 64.75	RTP 4.333333 4.333333 5.333167 5.333167 4.533167	91.00 92.00 94.07 89.28		
19 21 22 24 49 51	1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c, 5c	8 8 8 8 8 8	64.75 66.67 68.74 64.75 66.67	RTP 4.333333 4.333333 5.333167 5.333167 4.533167 4.533167	PRTP 89.08 91.00 92.00 94.07 89.28 91.20		
19 21 22 24 49 51 52 54	1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c	8 8 8 8 8 8	64.75 66.67 68.74 64.75 66.67	RTP 4.333333 4.333333 5.333167 5.333167 4.533167 4.533167 5.533500 5.533500	PRTP 89.08 91.00 92.00 94.07 89.28 91.20 92.20		
19 21 22 24 49 51 52 54 Platfor	1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c m/Cabinet tional Conditio	8 8 8 8 8 8 8	64.75 66.67 8.74 44.75 66.67 66.67 8.74 PC4 - Equ	RTP 4.333333 4.333333 5.333167 5.333167 4.533167 4.533167 5.533500 5.533500 inox	91.00 92.00 94.07 89.28 91.20 92.20 94.27		
19 21 22 24 49 51 52 54 Platfor	1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c m/Cabinet tional Conditio	8 8 8 8 8 8 8	64.75 66.67 8.74 44.75 66.67 66.67 8.74 PC4 - Equ	RTP 4.333333 4.333333 5.333167 5.333167 4.533167 4.533167 5.533500 5.533500	91.00 92.00 94.07 89.28 91.20 92.20 94.27		

This is Page 10 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine	;					
Game Name			Lakota – Pink Panther Returns				
Specification Number			35.BF062				
Manuf	facturer		Shuffle M	aster Australasia I	Pty Ltd		
Gamin	Gaming Machine Type iSAP						
Game	Type		Spinning I	Reels			
	ssion Standards		NS10.0 +	NSW Appendix (dated 14/01/09)		
Technic	cal Standards		NSW CPT	TS 2.2			
			TITO Tec	hnical Standard V	4.18		
			NSW Jack	pot Technical Sta	ndards Rev 1.1		
Progre	essive levels sup	ported	iSAP - Ye	es			
			Type - Sta Levels - 3				
Maxin	Maximum Bet Value			\$10.00			
Base C	Credit Value		1c, 2c, 5c				
Percen	tage Return to						
Var	BCV	Game RTP		Progressive RTP	Min/Max Total PRTP		
19	1c, 2c	8	34.73	4.333333	89.06		
21	1c, 2c	8	6.66	4.333333	90.99		
22	1c, 2c	8	6.66	5.333167	91.99		
24	1c, 2c	8	88.73	5.333167	94.06		
49	1c, 2c, 5c	8	34.73	4.533167	89.26		
51	1c, 2c, 5c	8	6.66	4.533167	91.19		
52	1c, 2c, 5c	8	6.66	5.533500	92.19		
54	1c, 2c, 5c	8	88.73	5.533500	94.26		
, ,			PC4 - Equ	inox			
-	tional Conditio	ns					
Opera			' facilities a	re not approved in	the ACT.		

This is Page 11 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine						
Game Name		Lucky Panda – Pink Panther Returns					
Specification Number			35.BF063				
Manuf	facturer		Shuffle M	aster Australasia I	Pty Ltd		
Gamin	g Machine Typ	рe	iSAP				
Game	Type		Spinning I	Reels			
	ssion Standards		NS10.0 +	NSW Appendix (dated 14/01/09)		
Technic	cal Standards		NSW CPT	TS 2.2			
			TITO Tec	hnical Standard V	4.18		
			NSW Jack	xpot Technical Sta	ndards Rev 1.1		
Progre	essive levels sup	ported	iSAP - Ye	es			
			Type - Sta Levels - 3				
Maxim	Maximum Bet Value			\$6.25			
Base C	Credit Value		1c, 2c, 5c				
Percen	tage Return to	Player	(PRTP)				
Var	BCV	Game RTP		Progressive RTP	Min/Max Total PRTP		
19	1c, 2c	8	34.74	4.333333	89.07		
21	1c, 2c		6.66	4.333333	90.99		
22	1c, 2c		86.66	5.333167	91.99		
24	1c, 2c	8	88.67	5.333167	94.00		
49	1c, 2c, 5c	8	34.74	4.533167	89.27		
51	1c, 2c, 5c	8	6.66	4.533167	91.19		
52	1c, 2c, 5c	8	6.66	5.533500	92.19		
54	1c, 2c, 5c	8	88.67	5.533500	94.20		
, ,			PC4 - Equ	uinov			
Platfor	rm/Cabinet		I C+ - Lqu	IIIOX			
-	rm/Cabinet tional Conditio	ns	TC+-Lqu	imox			
Opera	tional Conditio		<u> </u>	re not approved in	the ACT.		

This is Page 12 (of 12 pages) of the Schedule to the Gaming Machine Approval 2010 (No 54)

New G	aming Machine	;					
Game Name			Texas Star – Pink Panther Returns				
Specification Number			35.BF065				
Manuf	acturer		Shuffle M	aster Australasia I	Pty Ltd		
Gamin	ig Machine Typ	pe	iSAP				
Game	Type		Spinning I	Reels			
	ssion Standards		NS10.0 +	NSW Appendix (dated 14/01/09)		
Technic	cal Standards		NSW CPT	TS 2.2			
			TITO Tec	hnical Standard V	4.18		
			NSW Jack	xpot Technical Sta	ndards Rev 1.1		
Progre	essive levels sup	ported	iSAP - Ye	es			
			Type - Sta Levels - 3				
Maxin	Maximum Bet Value			\$10.00			
Base C	Credit Value		1c, 2c, 5c				
Percen	tage Return to	Player	(PRTP)				
Var	BCV	Game RTP		Progressive RTP	Min/Max Total PRTP		
19	1c, 2c	8	34.70	4.333333	89.03		
21	1c, 2c		6.66	4.333333	90.99		
22	1c, 2c	8	6.66	5.333167	91.99		
24	1c, 2c	8	88.75	5.333167	94.08		
49	1c, 2c, 5c	8	34.70	4.533167	89.23		
51	1c, 2c, 5c	8	6.66	4.533167	91.19		
52	1c, 2c, 5c	8	86.66	5.533500	92.19		
54	1c, 2c, 5c	8	88.75	5.533500	94.28		
Platfor	rm/Cabinet		PC4 - Equ	inox			
Opera	tional Conditio	ns					
					1 4 000		
The "T	icket In" and "C	<u> Cashless'</u>	' facilities a	re not approved in	the ACT.		