

Australian Capital Territory

# Gaming Machine (Peripheral Equipment) Approval 2011 (No 6)

Notifiable instrument NI2011– 114

made under the

**Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)**

---

## **1 Name of instrument**

This instrument is the *Gaming Machine (Peripheral Equipment) Approval 2011 (No 6)*.

## **2 Commencement**

This instrument commences the day after the date of notification.

## **3 Approval**

I approve the peripheral equipment described in the attached Schedule to this instrument.

Lesley Maloney  
Delegate  
ACT Gambling and Racing Commission

1 March 2011

|  |                    |  |            |             |              |
|--|--------------------|--|------------|-------------|--------------|
| Monitoring System Machine Communication Interface “MCI” Software Bugfix  |                    |  |            |             |              |
| <b>Device Name</b>   |                    | MCI (Machine Communication Interface)                    |            |             |              |
| <b>Manufacturer</b>  |                    | Aristocrat Technologies Australia Pty Ltd                |            |             |              |
| <b>Category</b>  |                    | SE (Subsidiary Equipment)                                |            |             |              |
| <b>Gaming Machine Type</b>   |                    | SEI (Subsidiary Equipment Interface Card)                |            |             |              |
| <b>Submission Standards</b>  |                    | NS10.0 + NSW Appendix (dated 14/01/09)                   |            |             |              |
| <b>Technical Standards</b>   |                    | NSW CPTS Rev 2.2<br>TITO Technical Standard Version 4.18 |            |             |              |
| <b>Software Details</b>  |                    |  |            |             |              |
| <b>Device</b>  | <b>Software ID</b> | <b>Device Type</b>                                       | <b>Pos</b> | <b>Ver.</b> | <b>CRC32</b> |
| MCI 225  | MCIXC225.BIN       | EPROM  | U4         | 2.25        | C694EF55     |
| The above identified MCI version 2.25 is approved to operate with the following approved monitoring system:  |                    |  |            |             |              |
| <b>System Name</b>   |                    | SYSTEM 7000  |            |             |              |
| <b>Category</b>  |                    | SE (Subsidiary Equipment)                                |            |             |              |
| <b>Specification Number</b>  |                    | 01-SET06 & 01-SEZ07                                      |            |             |              |
| <b>System Software Identifier</b>  |                    | 7.2.100.26 and above                                     |            |             |              |
| <b>Submission Standards</b>  |                    | NS 10.0 + NSW Appendix dated 14/01/09                    |            |             |              |
| <b>Technical Standards</b>   |                    | NSW CPTS 2.2<br>TITO Technical Standard Version 4.18     |            |             |              |
| <b>Operational Conditions</b>  |                    |  |            |             |              |
| <ol style="list-style-type: none"> <li>1. The machine communication interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.</li> <li>2. The “Ticket In” and “Cashless” facilities are not approved in the ACT.</li> </ol> |                    |  |            |             |              |
| <b>Application Reference Number</b>  |                    | 01-A1228/S01   |            |             |              |

|   |   |   |               |
|---|---|---|---------------|
| Monitoring System “System 7000” Software Bugfix                           |   |   |               |
| <b>System Details 1</b>   |   | SYSTEM 7000                                   |               |
| <b>Manufacturer</b>   |   | Aristocrat Technologies Australia Pty Ltd     |               |
| <b>Category</b>   |   | SF (Supporting Function)                      |               |
| <b>Specification Number</b>   |   | 01-SET06 & 01-SEZ07                           |               |
| <b>System Software Identifier</b>   |   | 7.3.0.1                                       |               |
| <b>Submission Standards</b>   |   | NS 10.0 + NSW Appendix dated 14/01/09         |               |
| <b>Technical Standards</b>  |   | NSW CPTS 2.2<br>TITO Technical Standard V4.18 |               |
| <b>Software Details 1</b>   |   |   |               |
| <b>File Name</b>  | <b>System 7000 Floor Server Description</b> | <b>Version</b>                                | <b>CRC 32</b> |
| Dacom Install   | Dacom-install-5.31.tar                      | 5.31  | c098e5e8      |
| Install Dacom   | Install-dacom-5.31.zip                      | 5.31  | f062f4fc      |
| Master  | Master-5.31.zip                             | 5.31  | 6b9f00cd      |
| <b>System Details 2</b>   |   |   |               |
| <b>System Name</b>  |   | SYSTEM 7000                                   |               |
| <b>Category</b>   |   | SF (Supporting Function)                      |               |
| <b>Specification Number</b>   |   | 01-SET06 & 01-SEZ07                           |               |
| <b>System Software Identifier</b>   |   | 7.2.100.26                                    |               |
| <b>Submission Standards</b>   |   | NS 10.0 + NSW Appendix dated 14/01/09         |               |
| <b>Technical Standards</b>  |   | NSW CPTS 2.2<br>TITO Technical Standard V4.18 |               |
| <b>Software Details 2</b>   |   |   |               |
| <b>File Name</b>  | <b>System 7000 Floor Server Description</b> | <b>Version</b>                                | <b>CRC 32</b> |
| Dacom Install   | Dacom-install-5.23.tar                      | 5.23  | D1169DFD      |
| Install Dacom   | Install-dacom.zip                           | 5.23  | B737188D      |
| Master  | Master-5.23.zip                             | 5.23  | 4F7A9489      |
| <b>Operational Conditions</b>   |   |   |               |
| 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. |   |   |               |
| <b>Application Reference Number</b>                                       |   | 01-A1227/S01                                  |               |

|   |  |
|---|--|
| <b>Standard Linked Progressive Jackpot System Jackpot Parameter Update</b>  |  |
| <b>System Name</b>  | Standard LPJS  |
| <b>Manufacturer</b>   | IGT (Australia) Pty Ltd  |
| <b>Category</b>   | PC (Progressive Controller)  |
| <b>PC Type</b>  | STD (Standard Progressive Controller)  |
| <b>Specification Number</b>   | 18.YA008   |
| <b>LPJS Description</b>   | 4 level Standard Linked Progressive Jackpot Controller and Interface Card with CCCE Port Sharing Functionality |
| <b>Technical Standards</b>  | NS10.0 + NSW Appendix (dated 14/01/09)   |
| <b>Submission Standards</b>   | NSW CPTS 2.2<br>NSW Jackpot Technical Standards Rev 1.1  |
| <b>Controller Firmware</b>  | Version 3.08   |
| <b>Interface Card Firmware</b>  | Version 1.21   |
| <b>Jackpot Themes</b>   | Wheel of Gold  |
| <b>Operational Conditions</b>   |  |
| <ol style="list-style-type: none"> <li>1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of the IGT Standard Linked Progressive Jackpot System with the “Wheel of Gold” jackpot theme.</li> <li>2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with the “Wheel of Gold” game / shell combination.</li> <li>3. When using an overhead display with the VGA Display Driver, the following conditions must be complied: <ol style="list-style-type: none"> <li>a) The system is to be run only under Windows XP operating system.</li> <li>b) The keyboard and mouse is to be attached only when performing maintenance and must be removed at all other times.</li> <li>c) The PC housing must have a provision to seal all points where the controller cables may be disconnected.</li> <li>d) The write filter application must be loaded on the hard drive at start up.</li> </ol> </li> <li>4. The system interface card must be enclosed in a sealed enclosure.</li> </ol> |  |
| <b>Application Reference Number</b>   | 18-A1215/S01   |