Australian Capital Territory

Gaming Machine Approval 2011 (No 7)

Notifiable instrument NI2011–178

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 7).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

30 March 2011

Altornot	Alternate Belly Panel Artwork					
Game Name			Enchanted World Deluxe (2 iSAP Levels)			
Specification Number						
Manufa		ľ	44.BF080 Ainsworth Game Technology Limited			
				(Integrated St		
	Machine Ty	be		ν U	and-alone Prog	gressive)
Game T	ype al Standards		Spinning Reels			
Technica	al Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2			
) Technical Sta	n dand VI 10	
						Day 1.1
Variatio	n Details		TNO W	Jackpot Tech	incai Stanuard	NCV 1.1
Var	BCV	Game	RTP	iSA	AP RTP	Min/Max PRTP
02	1c, 2c	89.10			875864	91.98%
15	1c, 2c	90.35		3.	152002	93.50%
Platforn	n/Cabinet De			-H – High Boy		
				-L – Low Boy		per)
Softwar	e Details			-		
Firmwa	re	PSD Labe	HID POS HMAC-SHA1		1	
Game Co	ompact Flash	GDNSE11	С	CFD2	d27422d2 739fafc8 2504aa48	
Card	-				3a80fd41 0d00d64b	
Base Con	mpact Flash	NX1A2C9	PC CFD1		1dff3246 d39ef50a 951914cb	
Card	-				01db1999 166a8620	
BIOS Fla	ash ROM	A003E002	2	Main Board	rd 86b1a8ec a6e0fc67 fc0add20	
				U44	5c0d8a8a a52b4d5a	
	rtwork Detai					
, 0	•			Rev B + 40107		
			657 R	ev A or 470194	$4 \operatorname{Rev} B + 470$	018 Rev A
	Approval Co					
1. All promotional material associated with this game intended for release into ACT, must						
carry a warning on its high volatility.						
-	onal Conditio					
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the						
game 'Enchanted World Deluxe (2 iSAP Levels)'.						
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
Application Reference No.44-A0638/S01						

New Poker Machine Game				
Game Name	2Can			
Specification Number	1.F0079			
Manufacturer	Aristocrat Technologies Aus	stralia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	4.18		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details	Var	Min / Max PRTP		
	99	87.85%		
	01	90.04%		
	07	88.33%		
Platform/Cabinet Details	07 88.35% Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with /without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	01-A1214/S01			

Addit	Additional Platforms For Previously Approved Poker Machine Game					
Game	e Name	Chariot Cha	Chariot Champion			
Speci	fication Number	1.BF018				
Manu	ıfacturer	Aristocrat 7	Technologies Australia	Pty Ltd		
Gami	ng Machine Type	iSAP (Integ	grated Stand-alone Prog	gressive)		
Game	е Туре	Spinning R	eels			
Tech	nical Standards	NS 10.0 + N	NSW Appendix (dated	14/01/09)		
		NSW CPTS	5 2.2			
		TITO Tech	nical Standard V4.18			
		NSW Jackp	ot Technical Standard	Rev 1.1		
Varia	tion Details					
Var	Game RTP	iSAP RTP	Min Total PRTP	Max Total PRTP		
99	80.74% - 80.77%	9.419990%	90.16%	90.19%		
01	82.50% - 82.59%	9.401003%	91.90%	91.99%		
02	83.57% - 83.60%	11.393896%	94.96%	94.99%		
03	83.79% - 83.84%	9.649975%	93.44%	93.49%		
Platform/Cabinet Details Gen7 Viridian – Casino Top (with in-machine LCD; Stand- alone) (Configured with either Ticket Printer and/or Hopper option Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)				Ater and/or Hopper option) Aachine LCD; Stand-alone) Fop (with in-machine er Ticket Printer and/or To Top (with in-machine		
-	ational Conditions					
Appli	cation Reference No.	01-A1217/S	501			

Additional Platforms For Previously Approved Poker Machine Game				
Game Name	Dragon Emperor			
Specification Number	1.F0070			
Manufacturer		rat Technologies Australi	a Ptv Ltd	
Gaming Machine Type	Conven	U		
Game Type	Spinnin	g Reels		
Technical Standards	NS 10.0) + NSW Appendix (date	d 14/01/09)	
		2PTS 2.2		
	TITO T	echnical Standard V4.18		
Variation Details	Var	Min PRTP	Max PRTP	
	99	87.69%	87.88%	
	01	90.13%	90.24%	
	07	88.65%	88.85%	
Platform/Cabinet Details	0788.65%88.85%Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)Gen7 Upgrade XCite – Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
Operational Conditions 1. The "Ticket In" and "Cashless	" faciliti	a are not annround in the	ACT	
		11	ACI.	
Application Kelerence No.	Application Reference No.01-A1220/S01			

Additional Platforms For Previously Approved Poker Machine Game					
Game Name	Dragon Emperor (Bonus Link)				
Specification Number	Ŭ	1.HF023			
Manufacturer	Aristoc	rat Technologies Australi	a Pty Ltd		
Gaming Machine Type	SFS	C	2		
Game Type	Spinnin	g Reels			
Technical Standards	NS 10.0) + NSW Appendix (date	d 14/01/09)		
	NSW C	2PTS 2.2			
	TITO T	echnical Standard V4.18			
		ackpot Technical Standar	ds Rev 1.1		
LPJS	1.YA00)2			
Variation Details	Var	Min PRTP	Max PRTP		
	06	85.55%	85.67%		
Platform/Cabinet Details Operational Conditions	Gen7 Viridian –Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)				
-	Dragon E	mperor (Bonus Link)' mi	ist operate in		
5	1. The above-mentioned game 'Dragon Emperor (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification				
Number 1.YA002, with the approved 'Bonus Link' jackpot system, specification					
2. The "Ticket In" and "Cashless					
Application Reference No.	01-A12	11			

New Poker Machine Game				
Game Name	Hidden Reef			
Specification Number	1.A0823			
Manufacturer	Aristocrat Technologies Au	stralia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	4.18		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details	Var	Min/Max PRTP		
	99	87.73%		
	01	90.12%		
	07	88.53%		
Platform/Cabinet Details	Mk 6 (XTra) – Low Boy, C either Ticket Printer and/or Hoppe			
	Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either Ticket Printer or Hopper option) Mk 6 (SER1RX) – Casino Top (Configured with either Ticket Printer or Hopper option)			
	Mk 6 (XCite) – Low Boy, C either Hopper and/or Ticket Printe			
	 Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Slant Mk 6 – Round Top (Configured with Ticket Printer only) 			
Operational Conditions				
1. The "Ticket In" and "Cashless"		the ACT.		
Application Reference No.	01-A1223/S01			

Additional Platforms For Previously Approved Poker Machine Game				
Game Name	Jackpot Catcher			
Specification Number				
Manufacturer	1.BF017	Technologies Australia	Dty I tol	
		Ť.	•	
Gaming Machine Type		grated Stand-alone Prog	gressive)	
Game Type	Spinning I			
Technical Standards		NSW Appendix (dated	14/01/09)	
Submission Standards	NSW CPT	TS 2.2		
	TITO Tec	hnical Standard V4.18		
	NSW Jack	pot Technical Standard	Rev 1.1	
Variation Details				
Var Game RTP	iSAP RTP	Min PRTP	Max PRTP	
99 82.03% - 82.11%	9.870511%	91.90%	91.98%	
01 82.03% - 82.11%	8.167861%	90.20%	90.28%	
Platform/Cabinet Details Gen7 Viridian – Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option Gen7 Slant – Casino Top (with in-machine LCD; Standalone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			ter and/or Hopper option) achine LCD; Stand-alone) Fop (with in-machine er Ticket Printer and/or no Top (with in-machine	
Operational Conditions	• • •	-		
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No				

Additional Platforms For Previously Approved Poker Machine Game					
Game Name	Stuck On You				
Specification Number	1.F0068				
Manufacturer	Aristocrat Technologies Au	stralia Pty I td			
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix ((dated 14/01/09)			
Technical Standarus	NSW CPTS 2.2	(ualed 14/01/09)			
	TITO Technical Standard V	4 18			
Variation Details	Var	Min / Max PRTP			
	99	88.00%			
	01	90.14%			
	02	91.96%			
	07	88.71%			
Platform/Cabinet Details					
Operational Conditions	" foo:11:4:00 one not one 1 :	a tha ACT			
	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.01-A1212/S01					

New Poker	Machine Game			
Game Nan	ne	Firework Fortune Ship Ahoy		
Specificati	on Number	18.B0576		
Manufactu		IGT (Australia) Pty Ltd		
Gaming M	achine Type	iSAP (Integrated Stand-	alone Progressive)	
Game Typ	e	Spinning Reels	.	
Technical	Standards	NS 10.0 + NSW Append	dix (dated 14/01/09)	
Submission	n Standards	NSW CPTS 2.2		
		TITO Technical Standar	rd V4.18	
		NSW Jackpot Technical	Standard Rev 1.2	
Progressiv	e Levels Supported	iSAP: Yes		
		Type: Standard		
		Levels: 2		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum	Bet Value	\$5.00		
Base Cred	it Value	1c, 2c		
Variation 2	Details			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
99	88.57%	1.916667%	90.50%	
03	88.57%	3.166667%	91.75%	
Platform/C	Cabinet Details	AVP BC20 – Portrait Top		
Operation	al Conditions			
1. The "Ti	cket In" and "Cashless'	' facilities are not approve	ed in the ACT.	
Application Reference No. 18-A5096/S01				

New Poker Machine Game				
Game Name	Golder	Golden Clovers		
Specification Number	18.B05	18.B0575		
Manufacturer	IGT (A	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP (iSAP (Integrated Stand-alone Progressive)		
Game Type	Spinni	ng Reels		
Technical Standards	NS 10.	0 + NSW Appendix	(dated 14/01/09)	
Submission Standards		CPTS 2.2		
	-	Technical Standard		
		Jackpot Technical St	tandard Rev 1.2	
Progressive Levels Support	ted iSAP:	Yes		
		Standard		
		Levels: 2		
	Wins t	Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00	\$10.00		
Base Credit Value	1c, 2c,	1c, 2c, 5c, 10c		
Variation Details				
Var BCV C	Game RTP	iSAP RTP	Min / Max Total PRTP	
02 1c, 2c, 5c, 10c		5.612276%	90.43%	
03 1c, 2c, 5c	84.81%	7.180018%	91.99%	
07 1c, 2c, 5c		4.827934%	89.64%	
Platform/Cabinet Details	AVP B	AVP BC20 – Video Top		
	AVP S	AVP ST22 – Video Slant Top		
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	18-A5	18-A5105/S01		

Additional Artwork				
Device Name	d' Facade	Artwork		
Manufacturer		'Wheel Of Gold' Façade Artwork IGT (Australia) Pty Ltd		
Category	GM (Gaming N			
Category Type	Hardware Com			
Technical Standards			x (dated 14/01/09)	
Hardware Details			(
Hardware Component			Part Number	
2 X Bracket Housing 32" Top Be	ox Portrait BC20		A700149896 Rev A	
2 X LED Array 32" Portrait Faci			A3200711 Rev A	
Bracket Art 32" T/Box F			A700149996 Rev B	
LED Strip 12V 3M			A6001278 Rev A	
2 X Trim 32" Top Box Portrait E	SC20		A690112794 Rev A	
Edge Lit Panel 32" Top Box Por			A7100368 Rev A	
Artwork Front LED BC20 AUS	Γ		A7100369 Rev A	
Harness Power Lighting 32" Top	Box BC20		A3010589 Rev A	
Artwork Details				
Descript	ion		Artwork Part Number	
	çade Left Side		A731381LBF	
Fa	çade Right Side		A731381RBF	
Platform / Cabinet Details	AVP BC20 – P		1	
List of previously approved ga	mes that use the '			
Game Name		Specification Number		
Wheel Of Gold Eastern Empress	18.H010			
Wheel Of Gold Queen Of Atlant	18.H0107			
Wheel Of Gold Dolphin Dreams	18.H0108			
Wheel Of Gold Wild Girls	18.H01			
Wheel Of Gold Ancient Troy	18.H0113			
Wheel Of Gold Pamplona	18.H01	4		
Application Reference No.18-A1216/S01				