### **Gaming Machine Approval 2011 (No 10)**

### Notifiable instrument NI2011-215

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

### 1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 10).

#### 2 Commencement

This instrument commences the day after the date of notification.

### 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie Delegate ACT Gambling and Racing Commission

27 April 2011

# This is Page 1 (of 11 pages) of the Schedule to the Gaming Machine Approval 2011 (No 10)

New Poker Machine Game					
Game Name	e Name Harlequin Hearts – Emperor Penguin			uin	
Specification Number 1.BF020					
Manufacturer		Aristocrat 7	Technologies Australia	Pty Ltd	
Gaming Machine Type		iSAP - Ant	te Bet		
Game Type		Spinning R	eels		
Technical Standards		NS 10.0 + 1	NSW Appendix (dated	14/01/09)	
Submission Standards		NSW CPTS			
		TITO Tech	nical Standard V4.18		
		NSW Jackp	oot Technical Standard	Rev 1.1	
Progressive Levels Support	ted	iSAP: Yes			
		Type: Standard			
		Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value		\$8.75			
Base Credit Value		1c, 2c, 5c			
Variation Details					
Var Game PRTP	iS	AP RTP	Min Total PRTP	Max Total PRTP	
99 85.54% - 88.60%			89.92%	92.98%	
01 85.74% - 89.37%	4.3	380952%	90.12%	93.75%	
02 87.19% - 90.40%	02 87.19% - 90.40%		91.57%	94.78%	
Platform/Cabinet Details  Gen7 Viridian Widescreen – Casino Top (with in-1 LCD) (Configured with either Ticket Printer and/or Hopper					
Operational Conditions  1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
<b>Application Reference No.</b>		01-A1219/S	501		

# This is Page 2 (of 11 pages) of the Schedule to the Gaming Machine Approval 2011 (No 10)

New Poker Machine Game						
Game Name Polynesian Bounty – Emperor Penguin			ıguin			
Specification Number 1.BF019						
Manuf	facturer		Aristocrat 7	Technologies Australia	Pty Ltd	
Gamin	ng Machine Type		iSAP - Ant	te Bet		
Game	Type		Spinning R	eels		
Techn	ical Standards		NS 10.0 + N	NSW Appendix (dated	14/01/09)	
Submi	ssion Standards		NSW CPTS	S 2.2		
			TITO Tech	nical Standard V4.18		
			NSW Jackp	oot Technical Standard	Rev 1.1	
Progre	essive Levels Suppor	ted	iSAP: Yes			
			Type: Standard			
			Levels: 2			
			Wins transferred to 'Total Wins' meter: Yes			
Maxin	num Bet Value		\$8.75			
Base C	Credit Value		1c, 2c, 5c			
Variat	ion Details					
Var	Game PRTP	iS	AP RTP	Min Total PRTP	Max Total PRTP	
99	85.14% - 88.58%			89.52%	92.96%	
01	85.72% - 89.41%	4.3	380952%	90.10%	93.79%	
02	02   87.24% - 90.44%			91.62%	94.82%	
Platform/Cabinet Details         Gen7 Viridian Widescreen – Casino						
LCD) (Configured with either Ticket Printer and/or Hopper of			ter and/or Hopper option)			
	Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			ACT.			
<b>Application Reference No.</b> 01-A1218/S01						

New Poker Machine Game				
Game Name	Trails Of Gold			
Specification Number	1.F0074			
Manufacturer		at Technologies Australi	ia Pty I td	
Gaming Machine Type	Convent		ia i ty Liu	
Game Type				
Technical Standards	Spinning		.1.1/01/00)	
Submission Standards	NSW CI	+ NSW Appendix (date	su 14/01/09)	
Submission Standards		echnical Standard V4.18		
Maximum Bet Value	\$4.50	cillical Standard V4.16	1	
Base Credit Value	1c, 2c			
	ŕ	Min DDTD	M DDTD	
Variation Details	Var	Min PRTP	Max PRTP	
	99	88.54%	93.63%	
	01	87.88%	93.03%	
	02	86.87%	92.02%	
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)  Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)  Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)  Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)			
<b>Operational Conditions</b>				
1. Gaming machine variation nur				
arrangement where the combin			eturn to player and	
linked jackpot contribution is at least 87%.				
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	01-A122	22/S01		

Alternate Hardware Assemblies	
System/Device Name	Door Reflector & Door PCB
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	GM (Gaming Machine)
GM Type	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	
Hardware Details	
Alternate Door PCB:	P/N: CEK0A7000; Model: P509021-0202YA
Belly Door Panel Reflector:	P/N: CEK0B0100
Platform/Cabinet Details	GENEX – Midway, Lowboy, G-Deluxe
<b>Application Reference Number</b>	06-A0308/S01

Addi	Additional Regression Tested Games With Previously Approved Game Shell Software						
Devi			AVP BC	VP BC20 Shell (Shell, OS & BIOS)			
Manufacturer IGT (Au		Γ (Australia) Pty Ltd					
Category SF (Supp		orting Func	tion)				
Cate			ystem Softw	are)			
Subn	nission Sta	ndards	NS 10.0	+ NSW App	endix (d	lated 14/01/09)	
Tech	nical Stand	dards	NSW CF	PTS 2.2			
			TITO Te	echnical Star	ndard V4	.18	
			NSW Jac	ckpot Techn	ical Stan	dard Rev 1.1	
Softv	ware Detail	s			_		
	ıware	Program ID	POS		1	C-SHA1	
Shell		AP010603	Hard Disl			96 81026dba 9bff897c	
		0000000		on Partition		e8 15d086dc	
OS X	Pe	OS000006	Hard Disl			83 9eecf48c b02670d2	
OS		N/A	OS Partit			b1 0b0e3b0f d7 b580cf78 48a66701	
	entication	(filename:	OS Hash	<del>-</del>		36 3d92d36a	
Secto		auth_sector.bin)	ob masir	1 00111011	002507	30 240 34	
Main	BIOS	AD0PRD26	EEPROM	I U17	0db796	e2 1619ed83 041537cf	
Iviaiii	ыоз		Processor			49 3e662458	
Exten	sion BIOS	BIOSP006	FLASH U	J15 PCI		aa de212e9e c7319c22	
		27/4	Card			767d00b1 a05ff035	
FPGA	<b>\</b>	N/A (filename:	FPGA U1			3832d 6c7ea1a1 16695783 f92fe 5582398a	
	guration	SysInterfaceFPGA	r Ci Caiu			6458 708eb408 6ec3d9bf	
Comi	Surumon	ver2rev15.pof)				300c6 7cd917cb	
		AVP BC	220 – Video				
			22 – Video S				
List	of previous	ly approved games					
Vers	ion:						
Gam	e Name			Specification		Program ID	
				Number			
1	Russian R	ciches Link		18.H0109		X45800GA, RA	
2	Jade Dyna			18.H0110		X45700GA, RA	
3	Multistar	J		18.C0025		X44800GA, RA	
4	Multistar.			18.D0015		X44010GA, RA	
5	Triple Pot	of Gold		18.B0539		X41100GA, RA	
6	Spartan			18.B0540		X42600GA, RA	
7	Cooee Country		18.B0542		X42700GA, RA		
8	Gold Fever 100 Pandas			18.B0543		X41800GA, RA	
9	Gold Fever Flower of Mexico			18.B0544		X41900GA, RA	
10				18.B0546		X41600GA, RA	
11	3			18.B0549		X43100GA, RA	
12	Jade Dynasty			18.B0551		X44700GA, RA	
13	Russian Riches			18.B0552		X44600GA, RA	
14	Age of Shogun			18.B0553		X44500GA, RA	
15	Tiger Dra			18.B0554		X46200GA, RA	
16	Diamond	Club		18.B0555		X45100GA, RA	

$\sim$	. •	7
Con	tın.	นคส

17	Diamond Club VIP	18.B0557	X48400GA, RA		
18	EC Cash Climb	18.B0558	X46100GA, RA		
19	Aztec Jewels	18.B0559	X47300GA, RA		
20	Duelling Progressive Dolphin Dre	eams 18.B0560	X46700GA, RA		
21	Dragon Master	18.B0561	X48300GA, RA		
22	Treasure Bounty	18-B0537	X37700GA, RA		
			B37710GA, RA		
23	Celtic Riches	18-B0538	X40900GA, RA		
Oper	Operational Conditions				
1. Th	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Appl	<b>Application Reference No.</b> 18-A5108/S01, 18-A5116/S01, 18-A5109/S01				

	20 Supporting Soft				
			C20 Shell (Shell, OS & BIOS)		
Manufacturer	<b>Manufacturer</b> IGT (A		stralia) Pty L	td	
Category		SF (Sup)	porting Functi	ion)	
Category Type		Other (S	ystem Softwa	re)	
<b>Submission Stand</b>	dards	NS 10.0	+ NSW Appe	endix (d	lated 14/01/09)
Technical Standa	rds	NSW CPTS 2.2			
		TITO Te	echnical Stand	lard V4	1.18
		NSW Jac	ckpot Technic	al Stan	dard Rev 1.2
<b>Software Details</b>			_		
Firmware	Program ID	POS		HMA	C-SHA1
Shell	AP010701	Hard Di	isk	b113e	fd7 8ce93e51 ac557199
			tion Partition		9d8 fe86608b
OS XPe	OS000006	Hard D			b83 9eecf48c b02670d2
OB 7H C		OS Part			7b1 0b0e3b0f
OS Authentication	N/A	Hard D		376badd7 b580cf78 48a66701	
Sector	(filename:	OS Hash Partition		ce296	736 3d92d36a
	auth_sector.bin)	EEDDO	3.4.111.7	0.11.70	AC 2 1610 102 041527 C
Main BIOS	AD0PRD26	EEPROM U17			6e2 1619ed83 041537cf 1149 3e662458
	BIOSP006	Processor Board FLASH U15			daa de212e9e c7319c22
Extension BIOS	DIOSI 000	PCI Car			0b1 a05ff035
	N/A	FPGA U			b3832d 6c7ea1a1
EDG 4	(filename:	PCI Card		,	6695783 49bf92fe
FPGA	SysInterfaceFPGA			55	582398a
Configuration	ver2rev15.pof)			b) fd3	3f6458 708eb408 6ec3d9bf
	_			989300c6 7cd917cb	
Platform/Cabinet	t Details		20 – Video T		•
			22 – Video Sl		
	approved games	recommo	ended for ope	eration	with this Shell
Version:					
Game Name			Specificatio	n	Program ID
			Number		
100 Pandas	100 Pandas				X37800GA, RA
<b>Operational Con</b>	ditions				
1. The "Ticket In"	and "Cashless" fac	<u>cilities a</u> re	e not approve	d in the	ACT.
<b>Application Refe</b>	rence No.	18-A510	01/S01		

# This is Page 6 (of 11 pages) of the Schedule to the Gaming Machine Approval 2011 (No 10)

New Poker Machine Game						
Game Name	King Of Sparta	King Of Sparta				
Specification Number	18.B0577	18.B0577				
Manufacturer	IGT (Australia) Pty Lto	i				
Gaming Machine Type	iSAP (Integrated Stand	-alone Progressive)				
Game Type	Spinning Reels					
Technical Standards	NS 10.0 + NSW Apper	ndix (dated 14/01/09)				
Submission Standards	NSW CPTS 2.2					
	TITO Technical Standa	ard V4.18				
	NSW Jackpot Technica	al Standard Rev 1.2				
Progressive Levels Supported	iSAP: Yes	iSAP: Yes				
	Type: Standard	Type: Standard				
	Levels: 2	Levels: 2				
	Wins transferred to 'To	Wins transferred to 'Total Wins' meter: Yes				
Maximum Bet Value	\$10.00	\$10.00				
Base Credit Value	20c, 50c, \$1.00					
Variation Details						
Var Game RTP	iSAP RTP	Min / Max Total PRTP				
02 88.17%	3.200163%	3.200163% 91.37%				
Platform/Cabinet Details	AVP BC20 – Video Top					
	AVP ST22 – Video Slant Top					
<b>Operational Conditions</b>	Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
Application Reference No.	18-A5117/S01					

New Poker Machine Game					
Game Name	King Of The Castle 2				
Specification Number	18.A0591				
Manufacturer	IGT (Australia) Pty Ltd				
<b>Gaming Machine Type</b>	Conventional				
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix (	dated 14/01/09)			
Submission Standards	NSW CPTS 2.2				
	TITO Technical Standard V <sup>2</sup>	4.18			
Maximum Bet Value	\$10.00				
Base Credit Value	20c, 50c, \$1.00				
Variation Details	Var Min / Max PRTP				
	02	90.98%			
	03	92.96%			
	04	94.23%			
	06	96.52%			
Platform/Cabinet Details	AVP BC20 – Video Top				
	AVP ST22 – Video Slant Top				
Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.	18-A5107/S01				

New Poker Machine Game Game Name	Jumpin' Jala	Jumpin' Jalapenos Prize Plus				
Specification Number	39.A0313	<u> </u>				
Manufacturer	Konami Aus	stralia Pty Ltd				
<b>Gaming Machine Type</b>		al – Ante Bet				
Game Type	Spinning Re	els				
Technical Standards		NS 10.0 + NSW Appendix (dated 14/01/09)				
<b>Submission Standards</b>	NSW CPTS					
	TITO Techn	ical Standard V4.18				
Maximum Bet Value	\$9.00	\$9.00				
<b>Base Credit Value</b>	1c, 2c, 5c					
Variation Details	Var	Min PRTP	Max PRTP			
	10	85.04%	90.12%			
	11	86.86%	91.91%			
	12	88.06%	93.19%			
	13	90.03%	95.04%			
DI-46/O-1-14 D-4-11-	K2V – Casir	no Top, Low Boy				
Platform/Cabinet Details	K2V Upgrade – Casino Top, Low Boy					
Platform/Cabinet Details	K2V Upgrad	de – Casino Top, Low	Boy			
Platform/Cabinet Details		de – Casino Top, Low Casino Top, Low Boy	Boy			
Platform/Cabinet Details	K2V 500 - C	_	•			
Platform/Cabinet Details	K2V 500 - C K2V 500 U <sub>I</sub> KGP 2.0 UV	Casino Top, Low Boy	ow Boy			

2. The "Ticket In" and "Cashless" facilities are not approved in the ACT

39-A0918/S01

jackpot arrangement where the combined gaming machine percentage return to player

and linked jackpot contribution is at least 87%.

**Application Reference No.** 

New Poker Machine Game						
Game Name	Lion Festival	Lion Festival				
Specification Number	39.A0314					
Manufacturer	Konami Australia Pty Ltd					
<b>Gaming Machine Type</b>	Conventional					
Game Type	Spinning Reels					
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (	(dated 14/01/09)				
Submission Standards	NSW CPTS 2.2	·				
	TITO Technical Standard V	4.18				
Maximum Bet Value	\$5.00					
Base Credit Value	1c, 2c					
Variation Details	Var	Min/Max PRTP				
	99	87.20%				
	01 90.19%					
	02 92.00%					
	03	03 94.09%				
	04	96.10%				
	05	85.19%				
	06	88.53%				
	08	88.09%				
Platform/Cabinet Details	K2V – Casino Top, Low Boy, Casino Top with LCD					
	K2V Upgrade – Casino Top, Low Boy					
	K2V 500 - Casino Top, Low Boy, Casino Top with LCD					
	K2V 500 Upgrade - Casino Top, Low Boy					
	KGP 2.0 UVS Podium – Up	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone				
	LCD Box, Short Top Box					

#### **Operational Conditions**

- 1. When this game is installed in the K2V or the K2V500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT

Application Reference No.	39-A0914/S01
---------------------------	--------------

Now Polean Mash	ina Gama and II	ndo	ted System Software						
Game Name	me Game and U	•		orden					
	mhon	_	Lion Festival Lucky Garden 39.B0107						
Specification Nu	mber			1.4					
Manufacturer	- T	_	onami Australia Pty						
Gaming Machin	e Type	iSAP (Integrated Stand-alone Progressive)							
Game Type	_		pinning Reels	11 (1 11 (01 (00)					
Technical Stands				ndix (dated 14/01/09)					
Submission Stan									
				TITO Technical Standard V4.18					
D	1.0 . 1		NSW Jackpot Technical Standard Rev 1.1						
Progressive Leve	els Supported		SAP: Yes						
			ype: Random						
			evels: 2	. 1 ****					
		_		otal Wins' meter: Yes					
Maximum Bet V			5.00						
Base Credit Valu		10	e, 2c						
Variation Details									
<del> </del>	ne RTP		Progressive RTP	Min / Max PRTP					
<del> </del>	.19%		5.150000%	90.34%					
<del> </del>	.19%		5.200000%	90.39%					
13 85	.19%		5.250000%	90.44%					
14 85	.19%		5.400000%	90.59%					
15 87	.20%		4.400000%	91.60%					
16 87	.20%		4.450000%	91.65%					
17 87	.20%		4.500000%	91.70%					
18 87	.20%		4.600000%	91.80%					
Platform/Cabinet Details K			GP 2.0 UVS Podium	– Upper LCD Box, Tombstone					
		L	CD Box						
<b>Device Details</b>									
<b>Device Name</b> System Software									
Category			F (Supporting Function	on)					
			ther (System Softwar						
Technical Standards NS 10.0 + NSW Appendix (dated 14/01/09)									
<b>Submission Stan</b>	Submission Standards  NSW CPTS 2.2								
TITO Technical Standard V4.18				ard V4.18					
	NSW Jackpot Technical Standard Rev 1.1								
Software Details									
Firmware	Eprom / Flas	h	Position	HMAC-SHA1					
	Label ID								
System EPROM	NSW56346.		MMB (ROM1) /	b6faedf9 e7602fde 6d2aa58b					
	ROM1	MPU (Master)		b1e7f15c cd541e72					
System EPROM	NSW56346.	MMB (ROM2) /		b61fa344 57b630d6 7891c476					
	ROM2		MPU (Master)	2a6516e 174c48e0					
Platform/Cabinet Details		K	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone						
LCD Box									
Specific Approva	Specific Approval Conditions								
1. Please note that player selectable, multi-denomination functionality, contained in the									
System Software NSW56346 is not a subject of this approval.									
Operational Con									
_		s" fa	acilities are not appro	ved in the ACT.					
<b>Application Reference No.</b> 39-A0916/S01; 39-A0915/S01									
37 110/10/001, 37 110/10/001									

Game NameUltimate 1812Specification Number35.HF009ManufacturerShuffle Master Australasia Pty LimitedGaming Machine TypeSFS - iSAPGame TypeSpinning ReelsLPJS35-YA001Technical StandardsNS 10.0 + NSW Appendix (dated 14/01/09)Submission StandardsNSW CPTS 2.2TITO Technical Standard V4.18NSW Jackpot Technical Standard Rev 1.1Progressive Levels SupportediSAP: YesType: Standard						
ManufacturerShuffle Master Australasia Pty LimitedGaming Machine TypeSFS - iSAPGame TypeSpinning ReelsLPJS35-YA001Technical StandardsNS 10.0 + NSW Appendix (dated 14/01/09)Submission StandardsNSW CPTS 2.2TITO Technical Standard V4.18NSW Jackpot Technical Standard Rev 1.1Progressive Levels SupportediSAP: Yes						
Gaming Machine Type Game Type Spinning Reels LPJS 35-YA001 Technical Standards NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1 Progressive Levels Supported iSAP: Yes						
Game Type  LPJS  35-YA001  Technical Standards Submission Standards NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1  Progressive Levels Supported iSAP: Yes						
LPJS35-YA001Technical StandardsNS 10.0 + NSW Appendix (dated 14/01/09)Submission StandardsNSW CPTS 2.2TITO Technical Standard V4.18NSW Jackpot Technical Standard Rev 1.1Progressive Levels SupportediSAP: Yes						
LPJS35-YA001Technical StandardsNS 10.0 + NSW Appendix (dated 14/01/09)Submission StandardsNSW CPTS 2.2TITO Technical Standard V4.18NSW Jackpot Technical Standard Rev 1.1Progressive Levels SupportediSAP: Yes						
Submission Standards  NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1  Progressive Levels Supported  iSAP: Yes						
Submission Standards  NSW CPTS 2.2  TITO Technical Standard V4.18  NSW Jackpot Technical Standard Rev 1.1  Progressive Levels Supported iSAP: Yes						
NSW Jackpot Technical Standard Rev 1.1  Progressive Levels Supported iSAP: Yes						
NSW Jackpot Technical Standard Rev 1.1  Progressive Levels Supported iSAP: Yes						
State of the French   The state   The st						
1 ypc. Dundurd						
Levels: 3						
Wins transferred to 'Total Wins' meter: Yes						
Linked: Yes						
Type: Standard						
Levels: 1						
Maximum Bet Value \$10.00						
Base Credit Value \$1.00						
Variation Details						
Var         Game PRTP         iSAP PRTP         Min/Max Total PRT						
99 82.88% 6.810401% 89.69%						
03 80.85% 6.810401% 87.66%						
15 83.00% 7.556622% 90.56%						
16         85.02%         7.556622%         92.58%						
Software Details						
Firmware Program ID Media Position HMAC-SHA1						
Game U18NSW2B Compact Flash Main Board f64777a7 43bbab78 572bf794						
Card IDE1 9712651a 10c70cc6						
Kernel W4NWX02A Compact Flash Main Board 8f9a2b4e 40598983 debc88c4						
Card IDE1 0e7d98c0 06888e89						
BIOS   SBGEN024   Flash ROM   Main Board   6bf72b22 495b9fc2 f51e0f1a   u16   abe76bda c7449f0f						
Platform/Cabinet Details eStar PC4 – Round Top (with in-machine 17" LCD)						
PC4 Mojo ST – Slant Top						
PC4 - Equinox						
Operational Conditions						
1. The above-mentioned game must operate in conjunction with the Standard Linked						
Progressive Jackpot System, Specification Number 35-YA001, with the approved						
jackpot settings.						
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.						

Updated Standard Linked Progressive Poker Machine Game Software								
Game Na	me		Ultimat	e Amazonia				
Specificat	ion Number		35.HF006					
Manufact			Shuffle Master Australasia Pty Limited					
Gaming N	<b>Machine Type</b>		SFS - iS			-		
Game Ty			Spinnin	g Reels				
LPJS			35-YA(					
	Standards		NS 10.0 + NSW Appendix (dated 14/01/09)					
Submission	on Standards		NSW CPTS 2.2					
			TITO Technical Standard V4.18					
			NSW Jackpot Technical Standard Rev 1.1					
Progressi	ve Levels Supp	orted	iSAP: Y	<i>Y</i> es				
			Type: S	tandard				
			Levels:					
				ansferred to 'To	tal W	ins' meter: Yes		
			Linked:	Yes				
				tandard				
			Levels: 1					
	n Bet Value		\$10.00					
Base Cred			\$1.00					
Variation								
Var	Game P			iSAP PRTP		Min/Max Total PRTP		
99		82.85%		6.810401%		89.66%		
03	80.87	80.87%		6.810401% 87.68%				
15	83.12	2%		7.556622%		90.68%		
16	85.13	3%		7.556622%		92.69%		
Software	Details							
Firmware	Program ID	Media		Position		AC-SHA1		
Game	UAMNSW2B		ct Flash	Main Board	d7bd4e20 6acad982 bbf25eab			
Kernel	WANIWAYOO A	Card	. 4 T21 1.	IDE1		24590 1b5fd110		
Kernei	W4NWX02A	Card	ct Flash	Main Board IDE1		8f9a2b4e 40598983 debc88c4 0e7d98c0 06888e89		
BIOS	SBGEN024	Flash R	OM	Main Board	6bf72b22 495b9fc2 f51e0f1a			
BIOD BEEL (02)					6bda c7449f0f			
Platform/	Cabinet Details	5	eStar Po	C4 – Round Top	(with	in-machine 17" LCD)		
	PC4 Mojo ST – Slant Top							
PC4 - Equinox								
	nal Conditions							
1. The above-mentioned game must operate in conjunction with the Standard Linked								
Progressive Jackpot System, Specification Number 35-YA001, with the approved								
	jackpot settings.							
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.								
<b>Application Reference No.</b> 35-A0718/S01								