Gaming Machine Approval 2011 (No 11)

Notifiable instrument NI2011-228

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 11).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2011-178 dated 30 March 2011 and notified under the Legislation Register on 31 March 2011.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

3 May 2011

This is Page 1 (of 10 pages) of the Schedule to the $Gaming\ Machine\ Approval\ 2011\ (No\ 11)$

Alternate Belly Panel Artwork Game Name	A1, , D 11 D 1 A , 1							
Specification Number		I						
Manufacturer				, , , , , , , , , , , , , , , , , , , ,				
Gaming Machine Type Game Type Spinning Reels NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1 Variation Details Var BCV Game RTP iSAP RTP Min/Max PRTP 02 1c, 2c 89.10% 2.875864 91.98% 15 1c, 2c 90.35% 3.152002 93.50% Platform/Cabinet Details A560-H - High Boy A560-L - Low Boy (with A560 Topper) Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 1dff3246 d39ef50a 951914cb 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.								
Spinning Reels					Ainsworth Game Technology Limited			
NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1			pe	iSAP	(Integ	grated St	and-alone Prog	gressive)
NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1								
TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	Technica	al Standards			NS 10.0 + NSW Appendix (dated 14/01/09)			
NSW Jackpot Technical Standard Rev 1.1 Variation Details					_			
Variation Details Var BCV Game RTP iSAP RTP Min/Max PRTP 02 1c, 2c 89.10% 2.875864 91.98% 15 1c, 2c 90.35% 3.152002 93.50% Platform/Cabinet Details A560-H – High Boy A560-L – Low Boy (with A560 Topper) Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 1dff3246 d39ef50a 951914cb Card 01db1999 166a8620 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy pl				TITO	Tech	nical Sta	ındard V4.18	
Var BCV Game RTP iSAP RTP Min/Max PRTP 02 1c, 2c 89.10% 2.875864 91.98% 15 1c, 2c 90.35% 3.152002 93.50% Platform/Cabinet Details A560-H - High Boy A560-L - Low Boy (with A560 Topper) Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 1dff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions				NSW	Jack	pot Tech	nical Standard	Rev 1.1
02 1c, 2c 89.10% 2.875864 91.98% 15 1c, 2c 90.35% 3.152002 93.50% Platform/Cabinet Details A560-H - High Boy A560-L - Low Boy (with A560 Topper) Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash Card NX1A2C9C CFD1 Idff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 Earne Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Variatio	n Details						
Software Details	Var	BCV	Game	RTP		iSA	AP RTP	Min/Max PRTP
Platform/Cabinet Details A560-H - High Boy A560-L - Low Boy (with A560 Topper) Software Details Firmware PSD Label ID Game Compact Flash Card Base Compact Flash Card	02	1c, 2c	89.1	0%		2.3	875864	91.98%
Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 ldff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 U44 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	15	1c, 2c	90.3	5%		3.	152002	93.50%
Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 Idff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Platforn	n/Cabinet De	tails	A560-	-H – l	High Boy	7	
Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash GDNSE11C CFD2 d27422d2 739fafc8 2504aa48 Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 Idff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 U44 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				A560-				
Game Compact Flash Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 1dff3246 d39ef50a 951914cb 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Software	e Details						
Card 3a80fd41 0d00d64b Base Compact Flash NX1A2C9C CFD1 1dff3246 d39ef50a 951914cb Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Firmwa	re	PSD Labo	I ID POS HMAC-SHA1			1	
Base Compact Flash Card CFD1 1dff3246 d39ef50a 951914cb 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Game Co	ompact Flash	GDNSE1	1C	CFD2 d27422d2 739		9fafc8 2504aa48	
Card 01db1999 166a8620 BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Card						3a80fd41 0d0	00d64b
BIOS Flash ROM A003E002 Main Board 86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Base Cor	mpact Flash	NX1A2C9	9C	CFD) 1	1dff3246 d39	ef50a 951914cb
Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Card							
Game Artwork Details a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	BIOS Fla	ash ROM	A003E002	2 Main Board		86b1a8ec a6e0fc67 fc0add20		
a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					U44		5c0d8a8a a52b4d5a	
b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Game A	rtwork Deta	ils					
Specific Approval Conditions 1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	a) High	Boy: 401657	Rev A or 47	70194 R	Rev B	+ 40107	1 Rev A + 470	0018 Rev A
 All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility. Operational Conditions The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 	b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A							
carry a warning on its high volatility. Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	•							
Operational Conditions 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	1. All promotional material associated with this game intended for release into ACT, must							
 The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 	carry a warning on its high volatility.							
game 'Enchanted World Deluxe (2 iSAP Levels)'. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	Operational Conditions							
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	1. The A560 Topper must be installed on the A560 Low Boy platform when operating the							
**	game 'E							
Application Perference No. 44 A0638/S01	2. The "	**						
Application Neter ence 110. 44-A0030/S01								

New Poker Machine Game				
Game Name	2Can			
Specification Number	1.F0079			
Manufacturer	Aristocrat Technologies Aus	tralia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	4.18		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details	Var	Min / Max PRTP		
	99	87.85%		
	01	90.04%		
	07	88.33%		
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with /without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	Application Reference No. 01-A1214/S01			

Additional Platforms For Previously Approved Poker Machine Game					
Game Name	Chariot Cha	Chariot Champion			
Specification Number	1.BF018	1.BF018			
Manufacturer	Aristocrat T	Cechnologies Australia	Pty Ltd		
Gaming Machine Type	iSAP (Integ	rated Stand-alone Prog	gressive)		
Game Type	Spinning Re				
Technical Standards	NS 10.0 + N	NSW Appendix (dated	14/01/09)		
	NSW CPTS	\$ 2.2			
	TITO Tech	nical Standard V4.18			
	NSW Jackp	ot Technical Standard	Rev 1.1		
Variation Details					
Var Game RTP	iSAP RTP	Min Total PRTP	Max Total PRTP		
99 80.74% - 80.77%	9.419990%	90.16%	90.19%		
01 82.50% - 82.59%	9.401003%	91.90%	91.99%		
02 83.57% - 83.60%	11.393896%	94.96%	94.99%		
03 83.79% - 83.84%	9.649975%	93.44%	93.49%		
Platform/Cabinet Details Gen7 Viridian – Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option Gen7 Slant – Casino Top (with in-machine LCD; Standalone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No. 01-A1217/S01					

Additional Platforms For Previous	Additional Platforms For Previously Approved Poker Machine Game			
Game Name	Dragon Emperor			
Specification Number	1.F0070			
Manufacturer	Aristoc	rat Technologies Australi	ia Pty Ltd	
Gaming Machine Type	Conven	tional		
Game Type	Spinnin	g Reels		
Technical Standards) + NSW Appendix (date	d 14/01/09)	
		PTS 2.2		
	TITO T	echnical Standard V4.18		
Variation Details	Var	Min PRTP	Max PRTP	
	99	87.69%	87.88%	
	01	90.13%	90.24%	
	07	88.65%	88.85%	
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 01-A1220/S01				

Additional Platforms For Previously Approved Poker Machine Game					
Game Name	Dragon Emperor (Bonus Link)				
Specification Number	1.HF02	1.HF023			
Manufacturer	Aristoc	rat Technologies Australi	ia Pty Ltd		
Gaming Machine Type	SFS				
Game Type	Spinnin	g Reels			
Technical Standards) + NSW Appendix (date	d 14/01/09)		
		PTS 2.2			
		echnical Standard V4.18			
	1	ackpot Technical Standar	ds Rev 1.1		
LPJS	1.YA00				
Variation Details	Var	Min PRTP	Max PRTP		
	06	85.55%	85.67%		
Platform/Cabinet Details Operational Conditions	Gen7 Viridian –Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)				
The above-mentioned game 'Dragon Emperor (Bonus Link)' must operate in					
_	conjunction with the Standard Linked Progressive Jackpot System, Specification				
Number 1.YA002, with the approved 'Bonus Link' jackpot settings.					
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.	01-A12	**			

Addit	Additional Platforms For Previously Approved Poker Machine Game					
Game	e Name	tcher				
Speci	fication Number	1.BF017				
Manı	ıfacturer	Aristocrat 7	Aristocrat Technologies Australia Pty Ltd			
Gami	ing Machine Type	iSAP (Integ	grated Stand-alone Prog	gressive)		
Game	е Туре	Spinning R	eels			
Techi	nical Standards	NS 10.0 + 1	NSW Appendix (dated	14/01/09)		
Subm	nission Standards	NSW CPTS	S 2.2			
		TITO Tech	nical Standard V4.18			
		NSW Jack	oot Technical Standard	Rev 1.1		
Varia	ntion Details		T			
Var	Game RTP	iSAP RTP	Min PRTP	Max PRTP		
99	82.03% - 82.11%	9.870511%	91.90%	91.98%		
01	02.0370 - 02.1170	8.167861%	90.20%	90.28%		
Platfo	Platform/Cabinet Details Gen7 Viridian — Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant — Casino Top (with in-machine LCD; Standalone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme — Casino Top (with in-machine LCD; Standalone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen — Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)					
Oper	Operational Conditions					
_	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
	Application Reference No. 01-A1215/S01					

Additional Platforms For Previous	Additional Platforms For Previously Approved Poker Machine Game			
Game Name	Stuck On You			
Specification Number	1.F0068			
Manufacturer	Aristocrat Technologies Aus	stralia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix ((dated 14/01/09)		
	NSW CPTS 2.2			
	TITO Technical Standard V	4.18		
Variation Details	Var	Min / Max PRTP		
	99	88.00%		
	01	90.14%		
	02	91.96%		
	07	88.71%		
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with /without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
_	Operational Conditions			
	1. The mental was commented in the most up provided in the mental in			
Application Reference No. 01-A1212/S01				

This is Page 8 (of 10 pages) of the Schedule to the $\it Gaming\ Machine\ Approval\ 2011\ (No\ 11)$

New Poker	New Poker Machine Game				
Game Nam	e	Firework Fortune Ship Ahoy			
Specification	on Number	18.B0576			
Manufactu	rer	IGT (Australia) Pty Ltd	IGT (Australia) Pty Ltd		
Gaming Ma	achine Type	iSAP (Integrated Stand-al	one Progressive)		
Game Type	2	Spinning Reels			
Technical S	Standards	NS 10.0 + NSW Appendi	x (dated 14/01/09)		
Submission	Standards	NSW CPTS 2.2			
		TITO Technical Standard	V4.18		
		NSW Jackpot Technical S	Standard Rev 1.2		
Progressive	Levels Supported	iSAP: Yes			
		Type: Standard			
		Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes			
Maximum 1	Bet Value	\$5.00			
Base Credi	t Value	1c, 2c			
Variation I	Details				
Var	Game RTP	iSAP RTP	Min / Max Total PRTP		
99	88.57%	1.916667%	90.50%		
03	88.57%	3.166667% 91.75%			
Platform/C	abinet Details	AVP BC20 – Portrait Top			
Operational Conditions					
1. The "Tic	ket In" and "Cashless	" facilities are not approved	in the ACT.		
Application	Reference No.	18-A5096/S01			

New Poker Machine Game					
Game Name	Golder	Golden Clovers			
Specification Number	18.B05	18.B0575			
Manufacturer	IGT (A	IGT (Australia) Pty Ltd			
Gaming Machine Type	iSAP (iSAP (Integrated Stand-alone Progressive)			
Game Type	Spinni	ng Reels			
Technical Standards	NS 10.	.0 + NSW Appendix	(dated 14/01/09)		
Submission Standards	NSW (CPTS 2.2			
	TITO '	Technical Standard \	V4.18		
		Jackpot Technical St	andard Rev 1.2		
Progressive Levels Supported	iSAP:	Yes			
		Standard			
	Levels	: 2			
	Wins t	Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c,	1c, 2c, 5c, 10c			
Variation Details					
Var BCV Game	RTP	iSAP RTP	Min / Max Total PRTP		
02 1c, 2c, 5c, 10c		5.612276%	90.43%		
03 1c, 2c, 5c 84.8	31%	7.180018%	91.99%		
07 1c, 2c, 5c		4.827934%	89.64%		
Platform/Cabinet Details	AVP BC20 – Video Top				
	AVP ST22 – Video Slant Top				
Operational Conditions			·		
1. The "Ticket In" and "Cashles	s" faciliti	ies are not approved	in the ACT.		
Application Reference No.	18-A5105/S01				

This is Page 10 (of 10 pages) of the Schedule to the $Gaming\ Machine\ Approval\ 2011\ (No\ 11)$

Additional Artwork					
Device Name	'Wheel Of Gol	d' Façade	l' Façade Artwork		
Manufacturer	IGT (Australia)	Pty Ltd			
Category	GM (Gaming N	Machine)			
Category Type	Hardware Com	ponent			
Technical Standards	NS 10.0 + NSV	V Appendi	ix (dated 14/01/09)		
Hardware Details					
Hardware Component			Part Number		
2 X Bracket Housing 32" Top	Box Portrait BC20		A700149896 Rev A		
2 X LED Array 32" Portrait Fa	cia Light Panel		A3200711 Rev A		
Bracket Art 32" T/Box	Portrait BC20		A700149996 Rev B		
LED Strip 12V 3M			A6001278 Rev A		
2 X Trim 32" Top Box Portrait	BC20		A690112794 Rev A		
Edge Lit Panel 32" Top Box Po	ortrait BC20		A7100368 Rev A		
Artwork Front LED BC20 AUS	ST		A7100369 Rev A		
Harness Power Lighting 32" To	op Box BC20		A3010589 Rev A		
Artwork Details					
Descrip			Artwork Part Number		
	Façade Left Side		A731381LBF		
	açade Right Side		A731381RBF		
Platform / Cabinet Details	AVP BC20 – P				
List of previously approved g	ames that use the '				
Game Name		-	Specification Number		
Wheel Of Gold Eastern Empres	18.H010				
Wheel Of Gold Queen Of Atlan	18.H010				
Wheel Of Gold Dolphin Dream		18.H0108			
Wheel Of Gold Wild Girls		18.H0112			
Wheel Of Gold Ancient Troy		18.H0113			
Wheel Of Gold Pamplona		18.H011	14		
Application Reference No.	18-A1216/S01				