## **Gaming Machine Approval 2011 (No 13)**

#### Notifiable instrument NI2011-247

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

#### 1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 13).

#### 2 Commencement

This instrument commences the day after the date of notification.

### 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

11 May 2011

| New Poker Machine Game              |   |   |                      |
|-------------------------------------|---|---|----------------------|
| Game Name                           | cimic Game  | Duelling Progressives Lotus Flower          |                      |
|                                     |   |   |                      |
| Specification N                     |   | 18.B0579                                    |                      |
| Manufacturer                        |   | IGT (Australia) Pty Ltd                     |                      |
| Gaming Mach                         | ine Type  | iSAP (Integrated Stand-al                   | one Progressive)     |
| Game Type                           |   | Spinning Reels                              |                      |
| <b>Technical Star</b>               | ndards  | NS 10.0 + NSW Appendix                      | x (dated 14/01/09)   |
| Submission St                       | andards   | NSW CPTS 2.2                                |                      |
|                                     |   | TITO Technical Standard                     | V4.18                |
|                                     |   | NSW Jackpot Technical S                     | tandard Rev 1.2      |
| <b>Progressive Levels Supported</b> |   | iSAP: Yes                                   |                      |
|                                     |   | Type: Standard                              |                      |
|                                     |   | Levels: 4                                   |                      |
|                                     |   | Wins transferred to 'Total Wins' meter: Yes |                      |
| Maximum Bet                         | Value   | \$10.00                                     |                      |
| Base Credit V                       | alue  | 1c, 2c, 5c                                  |                      |
| Variation Deta                      | ails  |   |                      |
| Var                                 | Game RTP  | iSAP RTP                                    | Min / Max Total PRTP |
| 02                                  | 87.51%  | 3.986128%                                   | 91.50%               |
| Platform/Cabinet Details            |   | AVP BC20 – Video Top                        |                      |
|                                     |   | AVP ST22 – Video Slant Top                  |                      |
| <b>Operational C</b>                | Operational Conditions  |   |                      |
| 1. The "Ticke                       | 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |   |                      |
|                                     | Application Reference No. 18-A5118/S01                                    |   |                      |

| New Poker Ma  | New Poker Machine Game |   |                      |  |  |
|---|------------------------|---|----------------------|--|--|
| Game Name   |                        | Gold Fever Wild Girls                       |                      |  |  |
| Specification 1   | Number                 | 18.B0582                                    |                      |  |  |
| Manufacturer  | •                      | IGT (Australia) Pty Ltd                     |                      |  |  |
| Gaming Mach   | nine Type              | iSAP (Integrated Stand-a                    | alone Progressive)   |  |  |
| Game Type   |                        | Spinning Reels                              |                      |  |  |
| Technical Star  | ndards                 | NS 10.0 + NSW Append                        | lix (dated 14/01/09) |  |  |
| Submission St   | andards                | NSW CPTS 2.2                                |                      |  |  |
|   |                        | TITO Technical Standar                      | d V4.18              |  |  |
|   |                        | NSW Jackpot Technical                       | Standard Rev 1.2     |  |  |
| Progressive L   | evels Supported        | iSAP: Yes                                   |                      |  |  |
|   |                        | Type: Standard                              |                      |  |  |
|   |                        | Levels: 2                                   |                      |  |  |
|   |                        | Wins transferred to 'Total Wins' meter: Yes |                      |  |  |
| Maximum Be  | t Value                | \$10.00                                     |                      |  |  |
| Base Credit V   | alue                   | 5c  |                      |  |  |
| Variation Det   | ails                   |   |                      |  |  |
| Var   | Game RTP               | iSAP RTP                                    | Min / Max Total PRTP |  |  |
| 02  | 85.35%                 | 5.634200%                                   | 90.99%               |  |  |
| 03  | 85.35%                 | 6.634267%                                   | 91.99%               |  |  |
| 07  | 85.35%                 | 4.144333%                                   | 89.50%               |  |  |
| Platform/Cabinet Details  |                        | AVP BC20 – Video Top                        |                      |  |  |
|   |                        | AVP ST22 – Video Slant Top                  |                      |  |  |
| Operational C   | Operational Conditions |   |                      |  |  |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |                        |   |                      |  |  |
| <b>Application Reference No.</b> 18-A5100/S01                             |                        |   |                      |  |  |
|   |                        |   |                      |  |  |

| New Poker Machine Game  |   |  |  |
|---|---|--|--|
| New I oke Machine Game  |   |  |  |
| Game Name Gold Fever Turtle Bay   | Gold Fever Turtle Bay                     |  |  |
| Specification Number 18.B0581   | 18.B0581                                  |  |  |
| Manufacturer IGT (Australia) Pty Ltd  | IGT (Australia) Pty Ltd                   |  |  |
| Gaming Machine Type iSAP (Integrated Stand-alone Progressive)                   | iSAP (Integrated Stand-alone Progressive) |  |  |
| Game Type Spinning Reels  | Spinning Reels                            |  |  |
| <b>Technical Standards</b> NS 10.0 + NSW Appendix (dated 14/01/09)              |   |  |  |
| Submission Standards NSW CPTS 2.2   |   |  |  |
| TITO Technical Standard V4.18   |   |  |  |
| NSW Jackpot Technical Standard Rev 1.2  |   |  |  |
| Progressive Levels Supported iSAP: Yes  |   |  |  |
| Type: Standard  |   |  |  |
|   | Levels: 2                                 |  |  |
| Wins transferred to 'Total Wins' meter: Yes                                     |   |  |  |
| Maximum Bet Value \$5.00  |   |  |  |
| Base Credit Value 1c, 2c, 5c  |   |  |  |
| Variation Details   |   |  |  |
| Var         BCV         Game RTP         iSAP RTP         Min / Max Total Plant | RTP                                       |  |  |
| 99 5c 88.05% 3.249772% 91.30%   |   |  |  |
| 01 1c, 2c 88.05% 3.232303% 91.29%   |   |  |  |
| Platform/Cabinet Details AVP BC20 – Video Top                                   | AVP BC20 – Video Top                      |  |  |
| AVP ST22 – Video Slant Top  | AVP ST22 – Video Slant Top                |  |  |
| Operational Conditions  |   |  |  |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.       |   |  |  |
| <b>Application Reference No.</b> 18-A5122/S01                                   | 18-A5122/S01                              |  |  |

| New Poke  | New Poker Machine Game                           |   |                      |  |
|---|--|---|----------------------|--|
| Game Na   | me   | Hot Shot Red Lions                          |                      |  |
| Specificat  | tion Number                                      | ber 18.B0578                                |                      |  |
| Manufact  | turer  | IGT (Australia) Pty Ltd                     |                      |  |
| Gaming N  | Machine Type                                     | iSAP (Integrated Stand-alo                  | ne Progressive)      |  |
| Game Ty   | pe   | Spinning Reels                              |                      |  |
| Technical   | Standards  | NS 10.0 + NSW Appendix                      | (dated 14/01/09)     |  |
| Submission  | on Standards                                     | NSW CPTS 2.2                                |                      |  |
|   |  | TITO Technical Standard V                   | <i>V</i> 4.18        |  |
|   |  | NSW Jackpot Technical St                    | andard Rev 1.2       |  |
| Progressi   | ve Levels Supported                              | iSAP: Yes                                   |                      |  |
|   |  | Type: Standard                              |                      |  |
|   |  | Levels: 3                                   |                      |  |
|   |  | Wins transferred to 'Total Wins' meter: Yes |                      |  |
| Maximun   | n Bet Value                                      | \$5.00                                      |                      |  |
| Base Cree   | dit Value  | 5c  |                      |  |
| Variation   | Details  |   |                      |  |
| Var   | Game RTP   | iSAP RTP                                    | Min / Max Total PRTP |  |
| 02  | 86.15%   | 4.805108%                                   | 90.95%               |  |
| 03  | 86.15%   | 5.822974%                                   | 91.97%               |  |
| 07  | 86.15%   | 3.404170% 89.55%                            |                      |  |
| Platform/   | Platform/Cabinet Details AVP BC20 - Portrait Top |   |                      |  |
| Operation   | Operational Conditions                           |   |                      |  |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |  |   |                      |  |
| Application   | <b>Application Reference No.</b> 18-A5094/S01    |   |                      |  |

| New Poker Machine Game  |   |                      |  |  |
|---|---|----------------------|--|--|
| Game Name   | Jade Princess                               |                      |  |  |
| Specification Number  | Specification Number 18.B0583               |                      |  |  |
| Manufacturer  | IGT (Australia) Pty Ltd                     |                      |  |  |
| <b>Gaming Machine Type</b>  | iSAP (Integrated Stand-alo                  | one Progressive)     |  |  |
| Game Type   | Spinning Reels                              |                      |  |  |
| Technical Standards   | NS 10.0 + NSW Appendix                      | (dated 14/01/09)     |  |  |
| Submission Standards  | NSW CPTS 2.2                                |                      |  |  |
|   | TITO Technical Standard                     | V4.18                |  |  |
|   | NSW Jackpot Technical St                    | andard Rev 1.2       |  |  |
| Progressive Levels Supported  | iSAP: Yes                                   |                      |  |  |
|   | Type: Standard                              |                      |  |  |
|   | Levels: 2                                   |                      |  |  |
|   | Wins transferred to 'Total Wins' meter: Yes |                      |  |  |
| Maximum Bet Value   | \$10.00                                     |                      |  |  |
| Base Credit Value   | 1c, 2c, 5c                                  |                      |  |  |
| Variation Details   |   |                      |  |  |
| Var Game RTP  | iSAP RTP                                    | Min / Max Total PRTP |  |  |
| 02  | 5.401535%                                   | 90.47%               |  |  |
| 03 85.07%   | 6.885465%                                   | 91.96%               |  |  |
| 07  | 4.401535%                                   | 89.47%               |  |  |
| Platform/Cabinet Details  | AVP BC20 - Video Top                        |                      |  |  |
|   | AVP ST22 – Video Slant Top                  |                      |  |  |
| Operational Conditions  |   |                      |  |  |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |   |                      |  |  |
| Application Reference No. 18-A5124/S01                                    |   |                      |  |  |

| New Multi             | igame Poker M       | lachine Game |                     |                 |  |
|-----------------------|---------------------|--------------|---------------------|-----------------|--|
| Game Nai              | me                  | Multistar Ro | ock'n Jaguar        |                 |  |
| Specification Number  |                     | 18.C0028     | Š                   |                 |  |
| Manufact              | urer                | IGT (Austra  | lia) Pty Ltd        |                 |  |
| Gaming M              | <b>Tachine Type</b> | MGGM (Mu     | ılti-Game Gamir     | ng Machine)     |  |
| Game Typ              |                     | Spinning Re  | els                 | ,               |  |
|                       | Standards           |              | ISW Appendix (      | dated 14/01/09) |  |
| Submissio             | n Standards         | NSW CPTS     |                     | ,               |  |
|                       |                     | TITO Techn   | ical Standard V     | 4.18            |  |
| Maximum               | Bet Value           | \$10.00      |                     |                 |  |
| Base Cred             | lit Value           | 1c, 2c, 5c   |                     |                 |  |
| Variation             |                     | , ,          |                     |                 |  |
| MGC                   | CRP                 | Game Number  | Var                 | SDB PRTP        |  |
|                       |                     | 01           | 99                  | 87.50%          |  |
| 01                    | 86.51%              | 02           | 99                  | 87.20%          |  |
|                       |                     | 03           | 01                  | 85.53%          |  |
|                       |                     | 01           | 99                  | 87.50%          |  |
| 02                    | 87.37%              | 02           | 99                  | 87.20%          |  |
| ~ <del>-</del>        |                     | 03           | 99                  | 87.55%          |  |
|                       |                     | 01           | 02                  | 90.21%          |  |
| 03                    | 90.56%              | 02           | 02                  | 90.91%          |  |
| ~~                    |                     | 03           | 02                  | 90.54%          |  |
|                       |                     | 01           | 03                  | 91.99%          |  |
| 04                    | 91.92%              | 02           | 03                  | 91.86%          |  |
|                       |                     | 03           | 03                  | 91.98%          |  |
|                       |                     | 01           | 03                  | 91.99%          |  |
| 05                    | 05 93.66%           | 02           | 03                  | 91.86%          |  |
| 00                    |                     | 03           | 04                  | 95.47%          |  |
|                       |                     | 01           | 05                  | 88.50%          |  |
| 06                    | 88.55%              | 02           | 05                  | 88.61%          |  |
| 00                    | 00.0070             | 03           | 05                  | 88.49%          |  |
|                       |                     | 01           | 07                  | 89.16%          |  |
| 07                    | 89.53%              | 02           | 07                  | 89.59%          |  |
| 0,                    | 07.0070             | 02           | 07                  | 89.91%          |  |
| Platform/             | Cabinet Detail      |              |                     | 07.7170         |  |
| _ 100101111/          | Casinot Detail      |              | - Video Slant To    | D               |  |
| Details for           | r Component         |              |                     | r               |  |
| Game Nai              |                     | Rock Lobste  | er 2                |                 |  |
| Category              |                     |              | GM (Gaming Machine) |                 |  |
| Category              | Type                | Conventiona  |                     |                 |  |
| Game Type             |                     |              | Spinning Reels      |                 |  |
| Game Nu               |                     | 01           |                     |                 |  |
| Variation <b>Same</b> |                     |              | ar                  | Min / Max PRTP  |  |
|                       |                     |              | 9                   | 87.20%          |  |
|                       |                     |              | 2                   | 90.21%          |  |
|                       |                     |              | 3                   | 91.99%          |  |
|                       |                     |              | 05 88.509           |                 |  |
|                       |                     |              | 07 89.16%           |                 |  |

#### Continued

| Game Name         Wild Jaguar           Category         GM (Gaming Machine)           Came Type         Spinning Reels           Game Number         Var         Min / Max PRTP           99         87.50%           02         90.91%           03         91.86%           05         88.61%           07         89.59%           Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           04         95.47%           05         88.49% | Details for Component Game 02           |                       |                    |  |  |  |
|--|---|-----------------------|--------------------|--|--|--|
| Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         02           Variation Details         Var         Min / Max PRTP           99         87.50%           02         90.91%           03         91.86%           05         88.61%           07         89.59%           Details for Component Game 03         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%     |   |                       |                    |  |  |  |
| Category Type         Conventional           Game Type         Spinning Reels           Variation Details         Var         Min / Max PRTP           99         87.50%           02         90.91%           03         91.86%           05         88.61%           07         89.59%           Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   |   |                       |                    |  |  |  |
| Game Type         Spinning Reels           Variation Details           Var         Min / Max PRTP           99         87.50%           02         90.91%           03         91.86%           05         88.61%           07         89.59%           Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%         01         85.53%           01         85.53%         02         90.54%           03         91.98%         04         95.47%           04         95.47%         05         88.49%  |   |                       |                    |  |  |  |
| Game Number         02           Variation Details         Var         Min / Max PRTP           99         87.50%         02         90.91%           03         91.86%         05         88.61%           07         89.59%         07         89.59%           Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%  |   | <u> </u>              |                    |  |  |  |
| Variation Details         Var         Min / Max PRTP           99         87.50%           02         90.91%           03         91.86%           05         88.61%           07         89.59%           Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%  | • |                       |                    |  |  |  |
| 99   87.50%  |   |                       |                    |  |  |  |
| 02   90.91%     03   91.86%     05   88.61%     07   89.59%  | Variation Details                       | Var                   | Min / Max PRTP     |  |  |  |
| 03   91.86%   05   88.61%   07   89.59%  |   | 99                    | 87.50%             |  |  |  |
| 05   88.61%   07   89.59%  |   | 02                    | 90.91%             |  |  |  |
| O7   89.59%  |   | 03                    | 91.86%             |  |  |  |
| Details for Component Game 03           Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   |   | 05                    | 88.61%             |  |  |  |
| Game Name         Major Money In The Lost Civilisation 2           Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   |   | 07                    | 89.59%             |  |  |  |
| Category         GM (Gaming Machine)           Category Type         Conventional           Game Type         Spinning Reels           Game Number         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%  | <b>Details for Component G</b>          | ame 03                |                    |  |  |  |
| Category Type         Conventional           Game Type         Spinning Reels           Variation Details           Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   | Game Name                               | Major Money In The Lo | ost Civilisation 2 |  |  |  |
| Game Type         Spinning Reels           Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   | Category                                | GM (Gaming Machine)   |                    |  |  |  |
| Game Number         03           Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%  | Category Type                           | Conventional          |                    |  |  |  |
| Variation Details         Var         Min / Max PRTP           99         87.55%           01         85.53%           02         90.54%           03         91.98%           04         95.47%           05         88.49%   | Game Type                               | Spinning Reels        |                    |  |  |  |
| 99     87.55%       01     85.53%       02     90.54%       03     91.98%       04     95.47%       05     88.49%  | Game Number                             | 03                    |                    |  |  |  |
| 01     85.53%       02     90.54%       03     91.98%       04     95.47%       05     88.49%  | Variation Details                       | Var                   | Min / Max PRTP     |  |  |  |
| 02     90.54%       03     91.98%       04     95.47%       05     88.49%  |   | 99                    | 87.55%             |  |  |  |
| 03       91.98%         04       95.47%         05       88.49%  |   | 01                    | 85.53%             |  |  |  |
| 04     95.47%       05     88.49%  |   | 02                    | 90.54%             |  |  |  |
| 05 88.49%  |   | 03                    | 91.98%             |  |  |  |
|  |   | 04                    | 95.47%             |  |  |  |
| 07 89.91%  |   | 05                    | 88.49%             |  |  |  |
|  |   | 07                    | 89.91%             |  |  |  |

#### **Operational Conditions**

- 1. When the above-mentioned game is operating with a Static Button Panel, all component games must be configured with the same maximum bet and line options in the setup mode after a RAM Clear.
- 2. Touch screen must be enabled in the Configuration Menu after a RAM Clear.
- 3. Multi-Game Combination number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| 1. The Tieket in and Casinesi | racinities are not approved in the rier. |
|-------------------------------|--|
| Application Reference No.     | 18-A5075/S01                             |

| New Poker Machine Game              |   |                            |                      |  |
|-------------------------------------|---|----------------------------|----------------------|--|
| Game Name                           | Game Name Phoenix Dragon  |                            |                      |  |
| Specification N                     | Number  | 18.B0580                   |                      |  |
| Manufacturer                        |   | IGT (Australia) Pty Ltd    |                      |  |
| <b>Gaming Mach</b>                  | ine Type  | iSAP (Integrated Stand-al  | lone Progressive)    |  |
| Game Type                           |   | Spinning Reels             |                      |  |
| <b>Technical Star</b>               | ndards  | NS 10.0 + NSW Appendi      | x (dated 14/01/09)   |  |
| Submission St                       | andards   | NSW CPTS 2.2               |                      |  |
|                                     |   | TITO Technical Standard    | V4.18                |  |
|                                     |   | NSW Jackpot Technical S    | Standard Rev 1.2     |  |
| <b>Progressive Levels Supported</b> |   | iSAP: Yes                  |                      |  |
|                                     |   | Type: Standard             |                      |  |
|                                     |   | Levels: 2                  |                      |  |
|                                     |   | Wins transferred to 'Tota' | l Wins' meter: Yes   |  |
| Maximum Bet                         | Value   | \$10.00                    |                      |  |
| Base Credit V                       | alue  | 1c, 2c, 5c                 |                      |  |
| Variation Deta                      | ails  |                            |                      |  |
| Var                                 | Game RTP  | iSAP RTP                   | Min / Max Total PRTP |  |
| 03                                  | 86.44%  | 4.757289% 91.20%           |                      |  |
| Platform/Cabinet Details            |   | AVP BC20 – Video Top       |                      |  |
|                                     |   | AVP ST22 – Video Slant Top |                      |  |
| Operational Conditions              |   |                            |                      |  |
| 1. The "Ticke                       | 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |                            |                      |  |
| Application R                       | eference No.  | 18-A5123/S01               |                      |  |

| New Poker Machine Game           |   |                         |  |
|----------------------------------|---|-------------------------|--|
| Game Name                        | Dynasty Of Gold Free Spin Festival                |                         |  |
| Specification Number             | 39.A0312  |                         |  |
| Manufacturer                     | Konami Australia Pty Ltd                          |                         |  |
| <b>Gaming Machine Type</b>       | Conventional                                      |                         |  |
| Game Type                        | Spinning Reels                                    |                         |  |
| <b>Technical Standards</b>       | NS 10.0 + NSW Appendix                            | x (dated 14/01/09)      |  |
| Submission Standards             | NSW CPTS 2.2                                      |                         |  |
|                                  | TITO Technical Standard V4.18                     |                         |  |
| Maximum Bet Value                | \$10.00   |                         |  |
| Base Credit Value                | 1c, 2c, 5c  |                         |  |
| Variation Details                | Var   | Min / Max PRTP          |  |
|                                  | 10  | 92.18%                  |  |
| Platform/Cabinet Details         | KGP 2.0 UVS Podium - U                            | pper LCD Box, Tombstone |  |
|                                  | LCD Box   |                         |  |
| Operational Conditions           |   |                         |  |
| 1. The "Ticket In" and "Cashless | Cashless" facilities are not approved in the ACT. |                         |  |
| Application Reference No.        | <b>Reference No.</b> 39-A0910/S01, /S02           |                         |  |

| V 21 V 11 G                            |   |   |                |  |  |
|--|---|---|----------------|--|--|
|  | New Poker Machine Game  |   |                |  |  |
| Game Name                              |   | ica Prize Plus                                |                |  |  |
| Specification Number                   | 39.B0106  |   |                |  |  |
| Manufacturer                           | Konami A  | Australia Pty Ltd                             |                |  |  |
| Gaming Machine Type                    | iSAP – A  | nte Bet                                       |                |  |  |
| Game Type                              | Spinning  | Reels   |                |  |  |
| Technical Standards                    | NS 10.0 +   | - NSW Appendix (date                          | d 14/01/09)    |  |  |
| Submission Standards                   | NSW CP  | ΓS 2.2  |                |  |  |
|  | TITO Tec  | hnical Standard V4.18                         |                |  |  |
|  | NSW Jacl  | xpot Technical Standar                        | d Rev 1.1      |  |  |
| <b>Progressive Levels Supported</b>    | iSAP: Yes   | S   |                |  |  |
|  | Type: Sta   | ndard   |                |  |  |
|  | Levels: 2   |   |                |  |  |
|  | Wins tran   | Wins transferred to 'Total Wins' meter: Yes   |                |  |  |
| Maximum Bet Value                      | \$10.00   |   |                |  |  |
| Base Credit Value                      | 1c, 2c, 5c  | 1c, 2c, 5c                                    |                |  |  |
| Variation Details                      |   |   |                |  |  |
| Var Game PRTP is                       | SAP PRTP  | Min Total PRTP                                | Max Total PRTP |  |  |
| 01 82.65%-86.65%                       | 5.340909%   | 87.99%  | 91.99%         |  |  |
| 02 84.67%-88.81%                       | 0.340909%   | 90.01%  | 94.15%         |  |  |
| Platform/Cabinet Details               | K2V – Ca  | K2V – Casino Top with LCD                     |                |  |  |
|  | K2V 500   | K2V 500 – Casino Top with LCD                 |                |  |  |
|  | KGP 2.0 U   | KGP 2.0 UVS Podium – Upper LCD Box, Tombstone |                |  |  |
|  | LCD Box   | LCD Box                                       |                |  |  |
| Operational Conditions                 |   |   |                |  |  |
| 1. The "Ticket In" and "Cashle         | 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. |   |                |  |  |
| Application Reference No. 39-A0905/S01 |   |   |                |  |  |

| New Poker Machine Game Include | ding Additional Topper Artwo                   | ork                     |  |
|--------------------------------|--|-------------------------|--|
| Game Name                      | Money Bell                                     |                         |  |
| Specification Number           | 39.A0315                                       |                         |  |
| Manufacturer                   | Konami Australia Pty Ltd                       |                         |  |
| <b>Gaming Machine Type</b>     | Conventional                                   |                         |  |
| Game Type                      | Spinning Reels                                 |                         |  |
| Technical Standards            | NS 10.0 + NSW Appendix                         | (dated 14/01/09)        |  |
| Submission Standards           | NSW CPTS 2.2                                   |                         |  |
|                                | TITO Technical Standard V                      | V4.18                   |  |
| Maximum Bet Value              | \$4.50   |                         |  |
| Base Credit Value              | 1c, 2c   |                         |  |
| Variation Details              | Var  | Min / Max PRTP          |  |
|                                | 99   | 87.15%                  |  |
|                                | 01   | 90.17%                  |  |
|                                | 02   | 91.97%                  |  |
|                                | 03   | 94.07%                  |  |
|                                | 04   | 96.07%                  |  |
|                                | 05   | 85.17%                  |  |
|                                | 06   | 88.51%                  |  |
|                                | 08   | 88.06%                  |  |
| Platform/Cabinet Details       | K2V – Casino Top, Low B                        | oy, Casino Top with LCD |  |
|                                | K2V Upgrade – Casino To                        | p, Low Boy              |  |
|                                | K2V 500 – Casino Top, Low Boy, Casino Top with |                         |  |
|                                | LCD  |                         |  |
|                                | K2V 500 Upgrade – Casino Top, Low Boy          |                         |  |
|                                | KGP 2.0 UVS Podium – Upper LCD Box, Tombstone  |                         |  |
|                                | LCD Box, Short Top Box                         |                         |  |

#### **Operational Conditions**

- 1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| Ap | plica | tion Refer | ence l | No. | 39-A0912/S01 |
|----|-------|------------|--------|-----|--------------|

| New Poker   | New Poker Machine Game Including Updated System Software Standard   |  |  |  |  |
|---|---|--|--|--|--|
| Game Nam  | ne  | Money Bell Lucky Garden  |  |  |  |
| Specification   | on Number   | 39.B0108   |  |  |  |
| Manufactu   | rer   | Konami Australia Pty Ltd   |  |  |  |
| Gaming Ma   | achine Type   | iSAP (Integrated Stand-alor  | ne Progressive)  |  |  |
| Game Type   | e   | Spinning Reels   |  |  |  |
| Technical S   | Standards   | NS 10.0 + NSW Appendix   | (dated 14/01/09)   |  |  |
| Submission  | n Standards   | NSW CPTS 2.2   |  |  |  |
|   |   | TITO Technical Standard V  | 74.18  |  |  |
|   |   | NSW Jackpot Technical S  | Standard Rev 1.2   |  |  |
| Progressive   | e Levels Supported  | iSAP: Yes  |  |  |  |
|   |   | Type: Random   |  |  |  |
|   |   | Levels: 2  |  |  |  |
|   |   | Wins transferred to 'Total V   | Vins' meter: Yes   |  |  |
| Maximum   | Bet Value   | \$4.50   |  |  |  |
| Base Credi  | t Value   | 1c, 2c   |  |  |  |
| Variation I   | Details   |  |  |  |  |
|   |   |  | l  |  |  |
| Var   | Game RTP  | Progressive RTP  | Min / Max PRTP   |  |  |
| 11  | <b>Game RTP</b> 85.17%  | 5.150000%  | 90.32%   |  |  |
|   |   | <u> </u>   |  |  |  |
| 11  | 85.17%  | 5.150000%  | 90.32%   |  |  |
| 11<br>12  | 85.17%<br>85.17%<br>85.17%<br>85.17%  | 5.150000%<br>5.200000%   | 90.32%<br>90.37%   |  |  |
| 11<br>12<br>13  | 85.17%<br>85.17%<br>85.17%  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%  | 90.32%<br>90.37%<br>90.42%   |  |  |
| 11<br>12<br>13<br>14  | 85.17%<br>85.17%<br>85.17%<br>85.17%  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%   | 90.32%<br>90.37%<br>90.42%<br>90.57%   |  |  |
| 11<br>12<br>13<br>14<br>15  | 85.17%<br>85.17%<br>85.17%<br>85.17%<br>87.15%  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%   |  |  |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18  | 85.17%<br>85.17%<br>85.17%<br>85.17%<br>87.15%<br>87.15%<br>87.15%  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%<br>4.450000%<br>4.500000%  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%   |  |  |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18  | 85.17%<br>85.17%<br>85.17%<br>85.17%<br>87.15%<br>87.15%<br>87.15%  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%<br>4.450000%<br>4.600000%<br>KGP 2.0 UVS Podium – Up   | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%   |  |  |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18<br>Platform/C                              | 85.17%<br>85.17%<br>85.17%<br>85.17%<br>87.15%<br>87.15%<br>87.15%<br>87.15%<br>2abinet Details   | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%<br>4.450000%<br>4.500000%  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%   |  |  |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18<br>Platform/C                              | 85.17%<br>85.17%<br>85.17%<br>85.17%<br>87.15%<br>87.15%<br>87.15%<br>87.15%<br>2abinet Details   | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%<br>4.500000%<br>4.600000%<br>KGP 2.0 UVS Podium – Up<br>LCD Box  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%<br>oper LCD Box, Tombstone                                    |  |  |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18<br>Platform/C                              | 85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% 20 Eabinet Details  Suppose Conditions Suppose that player selectal                                 | 5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%<br>oper LCD Box, Tombstone                                    |  |  |
| 11 12 13 14 15 16 17 18 Platform/C Specific Ap 1. Please n System                       | 85.17% 85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% 20 Babinet Details 20 Conditions 20 Software NSW56346  | 5.150000%<br>5.200000%<br>5.250000%<br>5.400000%<br>4.400000%<br>4.500000%<br>4.600000%<br>KGP 2.0 UVS Podium – Up<br>LCD Box  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%<br>oper LCD Box, Tombstone                                    |  |  |
| 11 12 13 14 15 16 17 18 Platform/C Specific Ap 1. Please m System Operationa            | 85.17% 85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% cabinet Details  proval Conditions note that player selectal Software NSW56346 al Conditions | 5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box ble, multi-denomination function of the subject of this approv | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%<br>oper LCD Box, Tombstone<br>tionality, contained in the al. |  |  |
| 11 12 13 14 15 16 17 18 Platform/C Specific Ap 1. Please n System Operationa 1. The "Ti | 85.17% 85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% cabinet Details  proval Conditions note that player selectal Software NSW56346 al Conditions | 5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up  | 90.32%<br>90.37%<br>90.42%<br>90.57%<br>91.55%<br>91.60%<br>91.65%<br>91.75%<br>oper LCD Box, Tombstone<br>tionality, contained in the al. |  |  |

| Mary Dalvan Maala                  | C              |                              |                       |            |                        |               |
|------------------------------------|----------------|------------------------------|-----------------------|------------|------------------------|---------------|
| New Poker Machi                    | ne Game        | D                            | D 1 D D' ( ) T 1 (    |            |                        |               |
| Game Name                          |                | Panda Power Pirate's Jackpot |                       |            |                        |               |
| Specification Nu                   |                | B0109                        | 1' Di                 | T . 1      |                        |               |
| Manufacturer                       | TD.            |                              | nami Aust             |            |                        |               |
| Gaming Machine                     | e Type         |                              |                       |            | d-alone Progressi      | ive)          |
| Game Type                          |                | Spi                          | nning Ree             | els        | 11 /1 11/0             | 4 (0.0)       |
| Technical Standa                   |                | NS                           | 10.0 + NS             | SW Appe    | ndix (dated 14/0       | 1/09)         |
| Submission Stand                   | dards          |                              | W CPTS                |            | 1771.10                |               |
|                                    |                |                              |                       |            | ard V4.18              |               |
| D . T                              | <b>1</b> G 4   |                              |                       | t Technic  | al Standard Rev        | 1.1           |
| Progressive Leve                   | is Supporte    |                              | AP: Yes               | 1          |                        |               |
|                                    |                |                              | pe: Standa<br>vels: 2 | ra         |                        |               |
|                                    |                |                              |                       | d 4a (T    | atal Wina' matan       | . Vaa         |
| Maximum Dat V                      | alua           |                              |                       | rea to 1   | otal Wins' meter       | : 1 es        |
| Maximum Bet V                      |                |                              | 0.00                  |            |                        |               |
| Base Credit Valu Variation Details |                | 1C,                          | 2c, 5c                |            |                        |               |
|                                    |                |                              | Catting               |            | iSAP RTP               | Min / Max     |
| Var   Game<br>  RTP                | Bonus<br>RTP   | C                            | Setting ombination    | o <b>n</b> | ISAP KIP               | Total PRTP    |
| KII                                | KII            | 1c                           | 2c                    | 5c         |                        | Total FK1F    |
|                                    |                |                              | 21                    | 31         | 5.422448%              |               |
|                                    | 2.58%<br>1.83% | 11<br>12                     | 22                    | 32         | 6.169049%              |               |
| 01 82.10%                          | 1.53%          | 13                           | 23                    | 33         | 6.467008%              | 90.10%        |
| 01   82.10%                        |                | 14                           | 24                    | 34         | -                      | 90.10%        |
|                                    | 1.46%          | 15                           | 25                    | 35         | 6.538096%<br>6.728300% |               |
|                                    |                |                              | 26                    | 36         | 7.016695%              |               |
|                                    | 2.77%          | 16                           |                       |            |                        |               |
| 02 02 100/                         | 2.03%          | 17                           | 27                    | 37         | 7.756641%              | 01.000/       |
| 02   82.10%                        | 1.75%          | 18                           | 28                    | 38         | 8.037953%              | 91.89%        |
|                                    | 1.51%          | 19                           | 29                    | 39         | 8.275246%              |               |
| DI 46 /C 1                         | 1.31%          | 20                           | 30                    | 40         | 8.483919%              | TD 1 :        |
| Platform/Cabine                    | t Details      |                              |                       | S Podium   | – Upper LCD B          | ox, Tombstone |
| O                                  | J'4'           | LCI                          | D Box                 |            |                        |               |
| Operational Con  1. The "Ticket Ir |                | hless" fac                   | ilities are           | not appro  | oved in the ACT.       |               |
|                                    | rence No.      |                              | A0917/S0              |            |                        |               |

|          | <u> </u>           |          |  |                           |            |  |
|----------|--------------------|----------|--|---------------------------|------------|--|
|          | ker Machine Game   | e        | Т  |                           |            |  |
| Game N   |                    |          | Phoenix Empress Cash Carriage                            |                           |            |  |
| Specific | ation Number       |          | 39.B0103   |                           |            |  |
| Manufa   | cturer             |          | Konami A   | Australia Pty Ltd         |            |  |
| Gaming   | Machine Type       |          | iSAP (Inte   | egrated Stand-alone Prog  | ressive)   |  |
| Game T   | 'ype               |          | Spinning   |                           |            |  |
| Technic  | al Standards       |          | NS 10.0 +  | - NSW Appendix (dated 1   | 14/01/09)  |  |
| Submiss  | sion Standards     |          | NSW CP   | ΓS 2.2                    |            |  |
|          |                    |          | TITO Tec   | chnical Standard V4.18    |            |  |
|          |                    |          | NSW Jacl   | kpot Technical Standard I | Rev 1.1    |  |
| Progres  | sive Levels Suppo  | orted    | iSAP: Ye   | S                         |            |  |
|          |                    |          | Type: Sta  | ndard                     |            |  |
|          |                    |          | Levels: 2  |                           |            |  |
|          |                    |          |  | sferred to 'Total Wins' m | eter: Yes  |  |
|          | ım Bet Value       |          | \$5.00   |                           |            |  |
| Base Cr  | edit Value         |          | 1c, 2c   |                           |            |  |
| Variatio | on Details         |          |  |                           |            |  |
| Var      | Game PRTP          |          | etting   | Progressive PRTP          | Min / Max  |  |
|          |                    | Com      | bination   |                           | Total PRTP |  |
| 01       | 82.18%             |          | 1  | 7.800361%                 | 89.98%     |  |
| 02       | 82.18%             |          | 2  | 7.790464%                 | 89.97%     |  |
| 03       | 82.18%             |          | 3  | 7.780489%                 | 89.96%     |  |
| 04       | 82.18%             |          | 4  | 7.770470%                 | 89.95%     |  |
| 05       | 82.18%             |          | 5  | 7.760451%                 | 89.94%     |  |
| 06       | 82.18%             |          | 6  | 7.750028%                 | 89.93%     |  |
| 07       | 82.18%             |          | 7  | 8.020500%                 | 90.20%     |  |
| 08       | 82.18%             |          | 8  | 8.000470%                 | 90.18%     |  |
| Platforn | n/Cabinet Details  | S        | KGP 2.0 UVS Podium – Upper LCD Box, Tombstone<br>LCD Box |                           |            |  |
| Operati  | onal Conditions    |          |  |                           |            |  |
|          |                    | 7 11     | s" facilities are not approved in the ACT.               |                           |            |  |
| 1. The   | "Ticket In" and "C | Casniess | " facilities   | are not approved in the A | C1.        |  |

# This is Page 14 (of 19 pages) of the Schedule to the $Gaming\ Machine\ Approval\ 2011\ (No\ 13)$

| New Poker Machine Game           |   |                    |  |  |  |
|----------------------------------|---|--------------------|--|--|--|
| Game Name                        | Straight And Arrow Free S                     | Spin Festival      |  |  |  |
| Specification Number             | 39.A0311                                      |                    |  |  |  |
| Manufacturer                     | Konami Australia Pty Ltd                      |                    |  |  |  |
| <b>Gaming Machine Type</b>       | Conventional                                  |                    |  |  |  |
| Game Type                        | Spinning Reels                                |                    |  |  |  |
| Technical Standards              | NS 10.0 + NSW Appendix                        | x (dated 14/01/09) |  |  |  |
| Submission Standards             | NSW CPTS 2.2                                  | NSW CPTS 2.2       |  |  |  |
|                                  | TITO Technical Standard                       | V4.18              |  |  |  |
| Maximum Bet Value                | \$10.00                                       |                    |  |  |  |
| Base Credit Value                | 1c, 2c, 5c                                    |                    |  |  |  |
| Variation Details                | Var   | Min / Max PRTP     |  |  |  |
|                                  | 10  | 92.18%             |  |  |  |
| Platform/Cabinet Details         | KGP 2.0 UVS Podium - Upper LCD Box, Tombstone |                    |  |  |  |
|                                  | LCD Box                                       |                    |  |  |  |
| Operational Conditions           | Operational Conditions                        |                    |  |  |  |
| 1. The "Ticket In" and "Cashless | " facilities are not approved                 | in the ACT.        |  |  |  |
| Application Reference No.        | 39-A0911/S01, /S02                            |                    |  |  |  |

| New Poker Machine Game   |  |                         |  |  |
|--------------------------|--|-------------------------|--|--|
| Game Name                | Wall Of Fortune                                |                         |  |  |
| Specification Number     | 39.A0310                                       |                         |  |  |
| Manufacturer             | Konami Australia Pty Ltd                       |                         |  |  |
| Gaming Machine Type      | Conventional                                   |                         |  |  |
| Game Type                | Spinning Reels                                 |                         |  |  |
| Technical Standards      | NS 10.0 + NSW Appendix                         | (dated 14/01/09)        |  |  |
| Submission Standards     | NSW CPTS 2.2                                   |                         |  |  |
|                          | TITO Technical Standard                        | V4.18                   |  |  |
| Maximum Bet Value        | \$10.00  |                         |  |  |
| Base Credit Value        | 1c, 2c, 5c                                     |                         |  |  |
| Variation Details        | Var  | Min / Max PRTP          |  |  |
|                          | 99   | 87.19%                  |  |  |
|                          | 01   | 90.13%                  |  |  |
|                          | 02   | 91.96%                  |  |  |
|                          | 03   | 94.09%                  |  |  |
|                          | 04   | 96.04%                  |  |  |
|                          | 05   | 85.00%                  |  |  |
|                          | 06   | 88.50%                  |  |  |
|                          | 08   | 88.06%                  |  |  |
| Platform/Cabinet Details | K2V – Casino Top, Low Boy, Casino Top with LCD |                         |  |  |
|                          | K2V Upgrade – Casino Top, Low Boy              |                         |  |  |
|                          | K2V 500 – Casino Top, Low Boy, Casino Top with |                         |  |  |
|                          | LCD  |                         |  |  |
|                          | K2V 500 Upgrade – Casin                        |                         |  |  |
|                          |  | pper LCD Box, Tombstone |  |  |
|                          | LCD Box, Short Top Box                         |                         |  |  |

#### **Specific Approval Conditions**

1. Please note that player selectable, multi-denomination functionality, contained in System Software NSW50246 is not a subject of this approval.

#### **Operational Conditions**

- 1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| Į.                        | 1.1          |
|---------------------------|--------------|
| Application Reference No. | 39-A0894/S01 |

| New Poker Ma           | chine Game        |   |                             |  |
|------------------------|-------------------|---|-----------------------------|--|
| Game Name              |                   | Wall Of Fortune Lucky Garden                  |                             |  |
| Specification I        | Number            | 39.B0104                                      |                             |  |
| Manufacturer           |                   | Konami Australia Pty Ltd                      |                             |  |
| Gaming Mach            | ine Type          | iSAP (Integrated Stand-alo                    | ne Progressive)             |  |
| Game Type              | <u> </u>          | Spinning Reels                                | ,                           |  |
| Technical Star         | ndards            | NS 10.0 + NSW Appendix                        | (dated 14/01/09)            |  |
| Submission St          | andards           | NSW CPTS 2.2                                  | ,                           |  |
|                        |                   | TITO Technical Standard V                     | 74.18                       |  |
|                        |                   | NSW Jackpot Technical St                      | andard Rev 1.1              |  |
| Progressive Lo         | evels Supported   | iSAP: Yes                                     |                             |  |
| J                      |                   | Type: Random                                  |                             |  |
|                        |                   | Levels: 2                                     |                             |  |
|                        |                   | Wins transferred to 'Total V                  | Wins' meter: Yes            |  |
| Maximum Bet            | Value             | \$10.00                                       |                             |  |
| Base Credit V          | alue              | 1c, 2c, 5c                                    |                             |  |
| Variation Deta         | ails              |   |                             |  |
| Var                    | Game RTP          | Progressive RTP                               | Min / Max PRTP              |  |
| 11                     | 85.00%            | 5.150000%                                     | 90.15%                      |  |
| 12                     | 85.00%            | 5.200000%                                     | 90.20%                      |  |
| 13                     | 85.00%            | 5.250000%                                     | 90.25%                      |  |
| 14                     | 85.00%            | 5.400000%                                     | 90.40%                      |  |
| 15                     | 87.19%            | 4.400000%                                     | 91.59%                      |  |
| 16                     | 87.19%            | 4.450000%                                     | 91.64%                      |  |
| 17                     | 87.19%            | 4.500000%                                     | 91.69%                      |  |
| 18                     | 87.19%            | 4.600000%                                     | 91.79%                      |  |
| Platform/Cab           | inet Details      | KGP 2.0 UVS Podium – Upper LCD Box, Tombstone |                             |  |
|                        |                   | LCD Box                                       |                             |  |
| Specific Appre         | oval Conditions   |   |                             |  |
|                        |                   | ble, multi-denomination func                  | tionality, contained in the |  |
| Base softw             | are NSW56246 is r | not a subject of this approval.               |                             |  |
| Operational Conditions |                   |   |                             |  |
| Operational C          | onamons           |   |                             |  |
|                        |                   | " facilities are not approved                 | in the ACT.                 |  |

| New Poker Machine Game              |   |  |  |  |
|-------------------------------------|---|--|--|--|
| Game Name                           | Clover All Over – Potion Power              |  |  |  |
| Specification Number                | 35.BF071                                    |  |  |  |
| Manufacturer                        | Shuffle Master Australas                    | sia Pty Limited  |  |  |
| Gaming Machine Type                 | iSAP (Integrated Stand-a                    | alone Progressive)   |  |  |
| Game Type                           | Spinning Reels                              |  |  |  |
| Technical Standards                 | NS 10.0 + NSW Append                        | lix (dated 14/01/09)   |  |  |
| Submission Standards                | NSW CPTS Rev 2.2                            |  |  |  |
|                                     | TITO Technical Standar                      | d V4.18  |  |  |
|                                     | NSW Jackpot Technical                       | Standard Rev 1.2   |  |  |
| <b>Progressive Levels Supported</b> | iSAP: Yes                                   |  |  |  |
|                                     | Type: Standard                              |  |  |  |
|                                     | Levels: 3                                   |  |  |  |
|                                     | Wins transferred to 'Total Wins' meter: Yes |  |  |  |
| Maximum Bet Value                   | \$6.00                                      | \$6.00<br>1c, 2c   |  |  |
| Base Credit Value                   | 1c, 2c                                      |  |  |  |
| Variation Details                   |   |  |  |  |
| Var Game RTP                        | Progressive RTP                             | Min / Max Total PRTP   |  |  |
| 99 86.20%                           |   | 90.15%   |  |  |
| 03 84.06%                           |   | 88.01%   |  |  |
| 05 84.97%                           | 3.944444%                                   | 88.91%   |  |  |
| 15 87.56%                           |   | 91.51%   |  |  |
| 16 89.61%                           |   | 93.55%   |  |  |
| Platform/Cabinet Details            | eStar PC4 – Low Top, R<br>LCD)              | eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top |  |  |
|                                     | PC4 Mojo ST – Slant To                      |  |  |  |
|                                     | PC4 – Equinox, Equinox                      | PC4 – Equinox, Equinox Low Boy   |  |  |
| <b>Operational Conditions</b>       |   |  |  |  |
| 1. The "Ticket In" and "Cashle      | ess" facilities are not approve             | ed in the ACT.   |  |  |
| Application Reference No.           | 35-A0722/S01                                |  |  |  |

| New Poker Machine Game          |  |                      |  |  |
|---------------------------------|--|----------------------|--|--|
| Game Name                       | Eureka Gold Mine 2   |                      |  |  |
| Specification Number            | 35.BF069   |                      |  |  |
| Manufacturer                    | Shuffle Master Australasi  | a Pty Limited        |  |  |
| Gaming Machine Type             | iSAP (Integrated Stand-al  | lone Progressive)    |  |  |
| Game Type                       | Spinning Reels   |                      |  |  |
| Technical Standards             | NS 10.0 + NSW Appendi  | ix (dated 14/01/09)  |  |  |
| Submission Standards            | NSW CPTS 2.2   |                      |  |  |
|                                 | TITO Technical Standard  | l V4.18              |  |  |
|                                 | NSW Jackpot Technical S  | Standard Rev 1.2     |  |  |
| Progressive Levels Supported    | iSAP: Yes  |                      |  |  |
|                                 | Type: Standard   |                      |  |  |
|                                 | Levels: 2  |                      |  |  |
|                                 | Wins transferred to 'Tota  | l Wins' meter: Yes   |  |  |
| Maximum Bet Value               | \$9.00<br>1c   |                      |  |  |
| Base Credit Value               |  |                      |  |  |
| Variation Details               |  |                      |  |  |
| Var Game RTP                    | Progressive RTP  | Min / Max Total PRTP |  |  |
| 99 84.27%                       |  | 90.15%               |  |  |
| 03 82.31%                       |  | 88.19%               |  |  |
| 05 83.27%                       | 5.886647   | 89.16%               |  |  |
| 15 85.72%                       |  | 91.60%               |  |  |
| 16 87.72%                       |  | 93.60%               |  |  |
| Platform/Cabinet Details        | eStar PC4 – Round Top, Low Top, Round Top (with inmachine 17" LCD) |                      |  |  |
|                                 | PC4 Mojo ST – Slant Top  |                      |  |  |
|                                 | PC4 – Equinox, Equinox Low Boy                                     |                      |  |  |
| Operational Conditions          |  |                      |  |  |
| 1. The "Ticket In" and "Cashles | s" facilities are not approve                                      | d in the ACT.        |  |  |
| Application Reference No.       | 35-A0717/S01   |                      |  |  |

| New Pok  | er Machine Game        | e Includ | ing Update                 | d Topper Artwork                      |            |  |  |
|--|------------------------|----------|----------------------------|---------------------------------------|------------|--|--|
| Game N   | ame                    |          | UFO – Pink Panther Returns |                                       |            |  |  |
| Specifica  | ation Number           |          | 35.BF070                   | )                                     |            |  |  |
| Manufac  | cturer                 |          | Shuffle M                  | laster Australasia Pty Ltd            |            |  |  |
| Gaming   | <b>Machine Type</b>    |          | iSAP (Int                  | egrated Stand-alone Progr             | ressive)   |  |  |
| Game T   | ype                    |          | Spinning                   | Reels                                 |            |  |  |
| Technica   | al Standards           |          |                            | + NSW Appendix (dated 1               | 4/01/09)   |  |  |
| Submiss  | ion Standards          |          | NSW CP                     |                                       |            |  |  |
|  |                        |          | TITO Ted                   | chnical Standard V4.18                |            |  |  |
|  |                        |          |                            | kpot Technical Standard I             | Rev 1.2    |  |  |
| Progress   | sive Levels Suppo      | orted    | iSAP: Ye                   |                                       |            |  |  |
|  |                        |          | Type: Sta                  |                                       |            |  |  |
|  |                        |          | Levels: 3                  |                                       |            |  |  |
|  |                        |          |                            | sferred to 'Total Wins' m             | eter: Yes  |  |  |
| <u> </u>   | m Bet Value            |          |                            | \$9.00                                |            |  |  |
|  | edit Value             |          | 1c, 2c, 5c                 |                                       |            |  |  |
| <del>                                     </del> | n Details              | ~        |                            | T T                                   |            |  |  |
| Var  | BCV                    | Gan      | ne RTP                     | RTP Progressive RTP                   | Min / Max  |  |  |
| 10   | 1 0                    | 0.4      | 1.000/                     |                                       | Total PRTP |  |  |
| 19   | 1c, 2c                 |          | 1.80%                      | 4.333333%                             | 89.13%     |  |  |
| 21   | 1c, 2c                 |          | 5.66%                      |                                       | 91.00%     |  |  |
| 22   | 1c, 2c                 |          | 5.66%                      | 5.333167%                             | 92.00%     |  |  |
| 24   | 1c, 2c                 |          | 3.70%                      |                                       | 94.03%     |  |  |
| 49   | 1c, 2c, 5c             |          | 1.80%                      | 4.533167%                             | 89.33%     |  |  |
| 51   | 1c, 2c, 5c             |          | 5.66%                      |                                       | 91.20%     |  |  |
| 52   | 1c, 2c, 5c             |          | 5.66%                      | 5.533500%                             | 92.20%     |  |  |
| 54   | 1c, 2c, 5c             |          |                            | 3.70% 94.23%                          |            |  |  |
| Platforn   | n/Cabinet Details      | 3        | PC4 - Equ                  | uinox                                 |            |  |  |
|  | Operational Conditions |          |                            |                                       |            |  |  |
| _  |                        | ~        |                            |                                       | ~~         |  |  |
| 1. The '   |                        |          |                            | are not approved in the A 5/S01, /S02 | CT.        |  |  |