

Australian Capital Territory

# Gaming Machine Approval 2011 (No 2)

Notifiable instrument NI2011–34

made under the

**Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)**

---

**1 Name of instrument**

This instrument is the *Gaming Machine Approval 2011 (No2)*.

**2 Commencement**

This instrument commences the day after the date of notification.

**3 Approval**

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney  
Delegate  
ACT Gambling and Racing Commission

1 February 2011

<b>New Gaming Machine</b>				
<b>Game Name</b>		Enchanted World Deluxe (2 iSAP Levels)		
<b>Specification Number</b>		44.BF080		
<b>Manufacturer</b>		Ainsworth Game Technology Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Submission Standards Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	1c, 2c	89.10	2.875864	91.98
15	1c, 2c	90.35	3.152002	93.50
<b>Platform/Cabinet</b> A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b> The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Specific Approval Conditions</b> All promotional material associated with this game intended for release in ACT must carry a warning on its high volatility.				
<b>Application Reference No.</b>		44-A0611/S01		

New Gaming Machine				
<b>Game Name</b>		Honey Bee (2 iSAP Levels)		
<b>Specification Number</b>		44.BF083		
<b>Manufacturer</b>		Ainsworth Game Technology Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Submission Standards Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
51	1c, 2c, 5c	88.02	3.543608	91.56
52	1c, 2c, 5c	88.73	3.636035	92.36
53	1c, 2c, 5c	87.06	3.147490	90.20
61	5c	87.06	4.362759	91.42
62	5c	88.01	4.811693	92.82
<b>Platform/Cabinet</b>				
A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Application Reference No.</b>		44-A0612/S01		

<b>New Gaming Machine and Alternate Player Tracking Panel Art</b>		
<b>Game Name</b>	Red Hot Dragons	
<b>Specification Number</b>	44.F0318	
<b>Manufacturer</b>	Ainsworth Game Technology Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	99	88.20
	01	90.49
	02	91.86
	06	86.22
<b>Updated Topper / Player Tracking Panel Art</b>		
<b>Device Name</b>	Topper / Player Tracking Panel Artwork	
<b>Category</b>	Gaming Machine	
<b>Submission Standards Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Artwork Details</b>		
<b>Topper Artwork</b>	<b>Content</b>	<b>Player Tracking Artwork</b>
401574 Rev A	Super Game	470076 Rev A
470056 Rev A	Rio Grande Rapids	470120 Rev A
<b>Platform/Cabinet</b> A560-H – High Boy A560-L – Low Boy (with/without A560 Topper)		
<b>Operational Conditions</b> 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0587/S01	

<b>New Gaming Machine</b>				
<b>Game Name</b>		Red Hot Dragons (2 iSAP Levels)		
<b>Specification Number</b>		44.BF082		
<b>Manufacturer</b>		Ainsworth Game Technology Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Submission Standards Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive Levels Supported</b>		iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
16	1c	86.22	4.050000	90.27
19	1c	88.20	4.050000	92.25
26	2c	86.22	4.133333	90.36
29	2c	88.20	4.133333	92.33
56	5c	86.22	4.300000	90.52
59	5c	88.20	4.300000	92.50
<b>Platform/Cabinet</b>				
A560-H – High Boy				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Application Reference No.</b>		44-A0587/S01		

New Gaming Machine and updated Hardware Assemblies			
<b>Game Name</b>	Great Eruption II		
<b>Specification Number</b>	6.BF007		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$7.00		
<b>Base Credit Value</b>	1c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
01	88.52	1.500000	90.02-95.18
02	89.53	1.500000	91.03-96.20
03	90.50	1.500000	92.00-97.16
04	91.52	1.500000	93.02-98.19
<b>Device Details</b>			
<b>Device Name</b>	GENEX G-Deluxe		
<b>Category</b>	Gaming Machine		
<b>Category Type</b>	Hardware Platform		
<b>Technical Standards</b>	NS 8.0 + NSW Appendix (dated 28/04/05)		
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Hardware Details</b>			
<b>Description</b>	<b>Part Number</b>		
GENEX G-Deluxe Cabinet	Model GWK-B0000		
1. Mega Top Box	EET001600		
• Assy Great Eruption II Cabinet	CET015900		
• Assy 3 <sup>rd</sup> Great Eruption II Top Box	CET016700		
<b>Platform/Cabinet</b>	GENEX – G-Deluxe		
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	6.A0295/S01		

New Gaming Machine and updated Hardware Assemblies			
<b>Game Name</b>	Raging Eruption		
<b>Specification Number</b>	6.BF008		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$7.00		
<b>Base Credit Value</b>	1c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
01	88.52	1.500000	90.02-95.30
02	89.51	1.500000	91.01-96.29
03	90.54	1.500000	92.04-97.33
04	91.51	1.500000	93.01-98.29
<b>Device Details</b>			
<b>Device Name</b>	GENEX G-Deluxe		
<b>Category</b>	Gaming Machine		
<b>Category Type</b>	Hardware Platform		
<b>Technical Standards</b>	NS 8.0 + NSW Appendix (dated 28/04/05)		
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Hardware Details</b>			
<b>Description</b>	<b>Part Number</b>		
GENEX G-Deluxe Cabinet	Model GWK-B0000		
2. Mega Top Box	EET002700		
• Assy Raging Eruption Cabinet	CET017900		
• Assy 3 <sup>rd</sup> Top Box (Raging)	CET018400		
<b>Platform/Cabinet</b>	GENEX – G-Deluxe		
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	6.A0296/S01		

New Gaming Machine and updated Hardware Assemblies			
<b>Game Name</b>	Wheel of Pharoah		
<b>Specification Number</b>	6.BF009		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$7.00		
<b>Base Credit Value</b>	1c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
01	88.50	1.500000	90.00-95.00
02	89.50	1.500000	91.00-96.00
03	90.50	1.500000	92.00-97.00
04	91.50	1.500000	93.00-98.00
<b>Device Details</b>			
<b>Device Name</b>	GENEX G-Deluxe		
<b>Category</b>	Gaming Machine		
<b>Category Type</b>	Hardware Platform		
<b>Technical Standards</b>	NS 8.0 + NSW Appendix (dated 28/04/05)		
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Hardware Details</b>			
<b>Description</b>	<b>Part Number</b>		
GENEX G-Deluxe Cabinet	Model GWK-B0000		
3. Mega Top Box	EET005100		
• Wheel Of Pharoah Assy Cabinet Body	CET014500		
• Wheel of Pharoah Assy Pharoah Topper	CET015200		
<b>Platform/Cabinet</b>	GENEX – G-Deluxe		
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	6.A0298/S01		



<b>New Gaming Machine</b>			
<b>Game Name</b>	Hellenic Princess		
<b>Specification Number</b>	18.B0570		
<b>Manufacturer</b>	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	81.35	9.550115	90.90
03	81.35	10.651299	92.00
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Operational Conditions</b> The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	18.A5087/S01		

New Gaming Machine		
<b>Game Name</b>	Ocean Fortunes	
<b>Specification Number</b>	35.F0186	
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	<b>Variation Number</b>	<b>Min/Max P RTP</b>
	99	90.31-90.36
	01	85.25-85.33
	02	87.16-87.28
	03	88.27-88.33
	05	89.14-89.30
	07	86.17-86.23
	15	91.48-91.51
	16	93.15-93.29
<b>Platform/Cabinet</b>	eStar PC4 - Round Top, Square Top, Low Top eStar PC4 - Round Top (with in-machine 17" LCD) PC4 Mojo ST - Slant Top PC4 - Equinox	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.</li> <li>2. Gaming machine variation numbers 01 &amp; 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	35.A0705/S01	