Gaming Machine Approval 2011 (No 35)

Notifiable instrument NI2011-510

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 35).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

26 August 2011

New Multi-Game Poker Machine Game						
Game Name		Queen Of The Nile Legends				
Manufacturer		Aristocrat Technologies A	Australia Pty	Ltd		
Specification Nur	mber	1.DF003				
Game Identifier		10361402				
Gaming Machine	Type	MGGM – iSAP – Ante Be	et			
Game Type Spinning Reels						
Technical Standa		NS 10.0 + NSW Appendi	x (dated 14/0	01/09)		
Submission Stan	dards	NSW CPTS 2.2				
		TITO Technical Standard				
		NSW Jackpot Technical S	Standard Re	v 1.2		
Progressive Leve	els Supported	iSAP: Yes				
		Type: Standard				
		Levels: 2				
		Wins Transferred to 'Total Wins' meter: Yes				
Maximum Bet Va		\$5.00				
Base Credit Value	e	1c				
Component Gam	e Set Details	Game Numbe	r		Game Name	
		01		Queen of the Nile Classic		
		02 Queer		n of the Nile Deluxe		
Multi-Game Com	bination:					
MGC	CRP	Game Number	Var	iation	SDB PRTP	
99	87.60%	01	99		87.60%	
99 87.00%		02	99		87.60%	
MGC	CRP	Game Number Variation		SDB PRTP		
01	86.61%	01	01		86.61%	
00.0170		02	01		86.61%	
MGC	CRP	Game Number	Variation		SDB PRTP	
02	89.14%	01		02	89.13%	
UZ	07.1470	02	02		89.16%	

- Gen7 Viridian Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Viridian Widescreen Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Vii Slant Casino Top (with in-machine LCD) (Configured with Ticket Printer option)

Operational Conditions

- 1. Multi-Game Combination number 02 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	01-A1268/S01

New Hardware Platform and Regression Tested Game					
AVPC Platform					
IGT (Australia) Pty Ltd					
GM					
Hardware Platform					
NS 10.0 + NSW Appendix (dated 14/01/09)					
NSW CPTS 2.2					
TITO Technical Standard V4.20					
AVPC – Video Top					
100 Pandas					
18.A0571					
X37800GA					
X37800RA					
IGT (Australia) Pty Ltd					
ISAP					
Spinning Reels					
NS 10.0 + NSW Appendix (dated 14/01/09)					
NSW CPTS 2.2					
TITO Technical Standard V4.20					
NSW Jackpot technical Standard Rev 1.2					
AVP BC20 – Video Top, Portrait Top					
AVP ST22 – Video Slant Top					
AVPC - Video Top					
Operational Conditions					
es are not approved in the ACT.					

18-A1161/S01

Application Reference No.

New Poker N	Machine Game	and Addition	al Topper Art					
Game Name				n Down Under	King's Rewar	d		
Specification Number			39.B0111					
Game Identifier			DDK5ND4	6.ROM3				
			DDK5ND4	6.ROM4				
			DDK5ND4	6.ROM5				
Manufactur				ıstralia Pty Ltd				
Gaming Ma			iSAP					
Game Type			Spinning R					
Technical S				NSW Appendix				
Submission	Standards			S 2.2; NSW Ja		1.2		
				nical Standard	V4.20			
Progressive	e Levels Supp	orted	iSAP: Yes					
			Type: Stan	dard				
			Levels: 2	-f	LAAC/	. V		
Massimosom	at Val. :-			sferred to 'Tota	i vvins' meter	: Yes		
Maximum B			\$10.00					
Base Credit			1c, 2c, 5c					
Variation De Var	Game	Bonus		Setting		isap RTP	Min / Max	
<u>v ai</u>	RTP	RTP		combination		IJAI KIF	Total RTP	
	1.1.1	1(11	1c	2c	5c	_	Total KII	
		5.31%	11	21	41	2.685472%		
		4.24%	12	22	42	3.764914%		
01	82.19	3.81%	13	23	43	4.194963%	90.18%	
		2.95%	14	24	44	5.050690%		
		3.31%	15	25	45	4.694109%		
		2.71%	16	26	46	5.285930%		
		6.21%	17	27	47	3.585289%		
		4.98%	18	28	48	4.814187%		
02	82.19	3.91%	19	29	49	5.883764%	91.97%	
		3.26%	20	30	50	6.531573%	71.7/70	
		3.19%	61	71	91	6.600699%		
		2.85%	62	72	92	6.942289%		
	binet Details:							
	UVS – Upper	LCD Box, To	mbstone LCD) Box				
Device Deta			1 _					
Device Nam			Topper Art					
Manufactur	er		Konami Australia Pty Ltd					
Category GM (Gaming Machine)								
GM Type			Other (Generic Artwork) NS 10.0 + NSW Appendix (dated 14/1/09)					
Technical S			NS 10.0 +	NSW Appendix	k (dated 14/1	/09)		
Submission		-!!-	a) KD 414	/ / C \				
	r Artwork Det	alls	a) KR-AW (E) b) KR-AW (PT)					
	Conditions		_					
				proved in the A	ACT.			
Application Reference No. 39-A0925/S01								

New Poker Machine Game					
Game Name	Jungle Drums Cash Carriage				
Specification Number	39.B0112				
Game Identifier	JDC5NB46.ROM3				
	JDC5NB46.ROM4				
	JDC5NB46.ROM5				
Manufacturer	Konami Australia Pty Ltd				
Gaming Machine Type	ISAP				
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)				
Submission Standards	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2				
	TITO Technical Standard V4.20				
Progressive Levels Supported	iSAP: Yes				
	Type: Standard				
	Levels: 2				
	Wins Transferred to 'Total Wins' meter: Yes				
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c				
Variation Details:					
V DTD	C III D I DED MI (M DED				

Variation Dotano				
<u>Var</u>	Game RTP	Setting	Progressive RTP	Min / Max RTP
		Combination		
01		1	7.800361%	89.93%
02		2	7.790464%	89.92%
03		3	7.780489%	89.91%
04	82.13%	4	7.770470%	89.90%
05		5	7.760451%	89.89%
06		6	7.750028%	89.88%
07		7	8.020500%	90.15%
08		8	8.000470%	90.13%

• KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

Operational Conditions

- 1. Please note that this game must be installed with the Podium Video Switch when operating on the KGP 2.0 UVS Podium Platform
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	39-A0938/S01
ANNIGATION NEIETENGE INO.	J7-MU7JU/JU

New Poker Mad	hine Game						
Game Name	Legion W	Legion Warrior King's Reward					
Specification N	39.B0113						
Game Identifie	r	LWK5ND	46.ROM3				
		LWK5ND	46.ROM4				
	LWK5ND	46.ROM5					
Manufacturer			ustralia Pty	Ltd			
Gaming Machi	ne Type	iSAP					
Game Type		Spinning					
Technical Stan	dards			endix (dated 14/01/09)			
Submission St	andards			N Jackpot TS Rev 1.2			
		_		dard V4.20			
Progressive Le	evels Supported		iSAP: Yes				
			Type: Standard				
		Levels: 2					
			nsferred to	'Total Wins' meter: Yes			
Maximum Bet		\$5.00					
Base Credit Va		50c, \$1.0	0				
Variation Detai					1		
<u>Var</u>	Game RTP		ting	<u>isap rtp</u>	Min / Max RTP		
			<u>ination</u>				
		<u>\$1.00</u>	<u>50c</u>				
	88.61%	11	21	1.586012%			
	88.37%	12	-	1.822348%	00.000/		
01		-	22	1.822342%	90.20%		
	88.07%	13 14	23	2.123832%			
	89.63%		-	2.353041%			
		-	24	2.353039%			
02	89.04%	15	-	2.942620%	91.99%		
		-	25	2.942633%			
	88.53%	16	26	3.461679%			

• KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

Operational Conditions

- 1. Touch-screen functionality must be enabled when configuring the above-mentioned game.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 39-A0931/S01

Poker Machine Game Software Bugfix				
Game Name	Bingo Redraw			
Specification Number	35.BF074			
Game Identifier	BIRNSW2B			
Manufacturer	Sufflemaster Australasia Pty Limited			
Gaming Machine Type	ISAP			
Game Type	Number Draw			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards	NSW CPTS Rev 2.2; NSW Jackpot TS Rev 1.2			
	TITO Technical Standard V4.20			
Progressive Levels Supported	iSAP: Yes			
	Type: Standard			
	Levels: 2			
	Wins Transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	20c, 50c, \$1.00			

Variation Details:

<u>Var</u>	Min – Max Game RTP	<u>Progressive</u> <u>RTP</u>	Min Total PRTP	Max Total PRTP
99	86.11% - 86.31%		90.08%	90.28%
03	84.58% - 84.77%	3.971018%	88.55%	88.74%
15	87.74% - 87.92%		91.71%	91.89%

Platform/Cabinet Details

• PC4 – Equinox, Equinox Low Boy

Retrofit Order:

A retrofit of all affected devices in the field, with the above-mentioned game software has been ordered in NSW Clubs / Hotels. It will retrofit the previously approved software BIRNSW1B to address an issue where multiple jackpots can be awarded whose sum can exceed \$10,000 in a single game element.

Operational Conditions

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 35-A0735/S01

Poker Machine Game Software Bugfix						
Game Name		Eureka Gold Mine 2				
Specification Nu	mber	35.BF069				
Game Identifier		EG2NSW2B				
Manufacturer		Suffle Master Australasia	Pty Limited			
Gaming Machine	Type	ISAP				
Game Type		Spinning reels				
Technical Standa	ırds	NS 10.0 + NSW Appendix (dated 14/01/09)				
Submission Stan	dards	NSW CPTS 2.2; NSW Jackpot Technical Standard Rev 1.2				
		TITO Technical Standard V4.20				
Progressive Leve	els Supported	iSAP: Yes				
		Type: Standard				
		Levels: 2				
		Wins Transferred to 'Tota	I Wins' meter: Yes			
Maximum Bet Value \$9.00						
Base Credit Valu	e	1c, 2c, 5c		·		
Variation Details						
		Game RTP	isap RTP	Min / Max Total		

<u>Var</u>	<u>BCV</u>	Game RTP	<u>isap RTP</u>	Min / Max Total PRTP
99		84.27		90.15
03		82.31		88.19
05	1c, 2c	83.27	5.886647	89.16
15		85.72		91.60
16		87.72		93.60
49		84.28		90.16
55	5c	83.28	5.896647	89.17
65		85.73		91.61

- eStar PC4 Round Top, Low Top, Round Top (with in-machine 17"LCD)
- PC4 Mojo ST Slant Top
- PC4 Equinox, Equinox Low Boy

Retrofit Order:

A retrofit of all affected devices in the field, with the above-mentioned game software has been ordered in NSW Clubs / Hotels. It will retrofit the previously approved software 'EG2NSW1B' to address an issue where multiple jackpots can be awarded whose sum can exceed \$10,000 in a single game element.

Operational Conditions

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	35-A0733/S01

New Poker Machine Game					
Game Name		Hubble, Bubble & Trubble			
Specification Number		35.BF077			
Game Identifier		HBTNSW1B			
Manufacturer		Shuffle Master Australasia Pty Limited			
Gaming Machine Type		isap			
Game Type		Spinning reels			
Technical Standards		NS 10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards NSW CPTS 2.2					
		NSW Jackpot Technical Standards Rev 1.2			
		TITO Technical Standard V4.20			
Progressive Levels Supported iSAP: Yes			AP: Yes		
		Type: Standard			
		Levels: 2			
Wins Tran			Transferred to 'Total Wins' meter: Yes		
Maximum Bet Value \$6.00		\$6.00			
Base Credit Value 1c, 2c					
Variation Details:					
<u>Var</u>	Game RTP		Progressive RTP	Min / Max Total PRTP	
99	84.73%			90.16%	
3	82.67%			88.10%	
5	83.66%		5.429107	89.09%	

91.65%

93.51%

16 Platform/Cabinet Details

15

• eStar PC4 – Round Top, Low Top, Round Top (with in-machine 17"LCD)

86.22%

88.08%

- PC4 Mojo ST Slant Top
- PC4 Equinox, Equinox Low Boy

Operational Conditions

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 35-A0741/S01