Gaming Machine Approval 2011 (No 36)

Notifiable instrument NI2011-530

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 36).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

7 September 2011

New Multi-Game F	oker Machine Game						
Game Name		Queen of the Nile Legends					
Manufacturer		Aristocrat Technologies A	Aristocrat Technologies Australia Pty Ltd				
Specification Nur	nber	1.DF004					
Game Identifier		10461514					
Gaming Machine	Туре	MGGM - iSAP - Ante Bet					
Game Type		Spinning Reels	Spinning Reels				
Technical Standa	rds	NS 10.0 + NSW Appendix					
Submission Stan	dards		NSW CPTS 2.2; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2				
Progressive Leve	Is Supported	iSAP: Yes	Maridara NC	v 1.4			
1 Togressive Leve	is capported	Type: Standard					
		Levels: 2					
		1	Wins Transferred to 'Total Wins' meter: Yes				
Maximum Bet Value		\$7.50					
Base Credit Value		2c					
Component Game	Component Game Set Details		Game Number Game Name				
		01		Queen	of the Nile Classic		
		02 Queen of the Nile De		of the Nile Deluxe			
Multi-Game Comb	oination:						
MGC	<u>CRP</u>	Game Number	<u>Var</u>	<u>iation</u>	SDB PRTP		
3	87.63%	01		99	87.63%		
J	07.03/0	02		99	87.63%		
<u>MGC</u>	<u>CRP</u>	Game Number	<u>Variation</u>		SDB PRTP		
4	86.64%	01	01		86.64%		
т	00.0470	02	01		86.64%		
MGC	<u>CRP</u>	Game Number		<u>iation</u>	SDB PRTP		
5	89.18%	01		02	89.16%		
Platform/Cabinat Potails		02 02 89.19%			89.19%		

Platform/Cabinet Details

- Gen7 Viridian Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Viridian Widescreen Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Vii Slant Casino Top (with in-machine LCD) (Configured with Ticket Printer option)

Operational Conditions

- 1. Multi-Game Combination number 4 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	01-A1274/S01
---------------------------	--------------

New Poker Machine Game and Updated Hardware Assemblies				
Game Name	Oiran – Top Of Japanese Geisha			
Specification Number	6.F0039			
Game Identifier	09OIRMG4			
Manufacturer	Aruze Gaming Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2; TITO Technical Standard V4.20			
Maximum Bet Value	\$9.00			
Base Credit Value	1c, 2c, 5c			
Variation Details:				
<u>Var</u>	<u>Min / Max PRTP</u>			
1	90.08%			
2	91.10%			
3	92.15%			
4 95.10%				
Platform/Cabinet Details				
GENEX – G-Deluxe				
Device Details				
Device name:	GENEX G-DELUXE			
GM Type	Hardware Platform			
Technical Standards	NS 8.0 + NSW Appendix (dated 28/4/05)			
Submission Standards	on Standards NS 10.0 + NSW Appendix (dated 14/1/09)			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 06-A0326/S01				

	Poker Machine Gam	e, Updated Supporting Softwar	re, Additional T	opper Art		
Game Name Selexion 6						
Manufacturer			Konami Australia Pty Ltd			
Specification Nu		39.DF000				
Game Identifiers		X066N02C				
Gaming Machine Type MGGM – iSAP						
Game Type		Spinning Reels				
Technical Standa	ards	NS 10.0 + NSW Appendix	(dated 14/01/0	09)		
Submission Star	ndards	NSW CPTS 2.2; TITO Ted	chnical Standar	rd V4.20		
		NSW Jackpot Technical S	Standard Rev 1.	2		
Progressive Leve	els Supported	iSAP: Yes				
		Type: Random				
		Levels: 2				
		Wins Transferred to 'Total	l Wins' meter: Y	'es		
Maximum Bet Va	llue	\$10.00				
Base Credit Valu	e	1c, 2c, 5c				
Component Gam	ne Set Details	Game Number	•	Game Name		
•		01		Horses for Courses		
		02		Money in the Bank		
		03		The Quest 2		
		04		Cash Reward		
Multi-Game Com	bination:	'	'			
MGC	CRP	Game Number	Variation	on SDB PRTP		
		01		90.16		
01	90.14	02	01	90.14		
O1	90.14	03	O1	90.29		
		04		90.23		
		01		90.21		
02	90.19	02	02	90.19		
		03		90.34		
		04		90.28 91.08		
	91.08	02	03	91.09		
03		03		91.09		
		04		91.08		
		01		91.13		
		02	04	91.14		
04	91.13	03		91.14		
		04		91.13		
		01		91.15		
05	91.15	02	05	91.16		
03	71.13	03	03	91.16		
		04		91.15		
		01	06	90.17		
06	90.15	02		90.15		
	755	03		90.30		
		04		90.24 90.18		
	90.16	02		90.18		
07		03	07	90.16		
		04		90.25		
		01		90.08		
•-		02	_	90.06		
80	90.06	03	08	90.21		
		04		90.15		

This is Page 4 (of 8 pages) of the Schedule to the Gaming Machine Approval 2011 (No 36)

continued				
Platform/Cabinet Details				
KGP 2.0 UVS Podium – Upper LCD Box	Tombetona I CD Ray			
Device Details-1	, Tollipsione ECD box			
	Construct O Deart Coffeens (MCCAM)			
Device name:	System & Boot Software (MGGM)			
Category	SF (Supporting Function)			
Program ID	NSW60204.ROM2			
	NSW60204.ROM3			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2: TITO Technical Standard V4.20			
	NSW Jackpot Technical Standard Rev 1.2			
Device Details-2				
Device name:	Topper Artwork			
GM Type:	Other (Generic Artwork)			
Technical Standard:	NS10.0 + NSW Appendix (dated 14/01/09)			
Oval Topper Artwork details:	SXN-AW (E)			
	SXN-AW(PT)			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 39-A0929/S01				

New Multi-Game F	Poker Machine Gam	e, Updated Supporting Softwa	re				
Game Name Selexion 7							
Manufacturer		Konami Australia Pty Ltd					
Specification Nu	mber	39.DF001					
Game Identifiers		X076N01C.CF					
Gaming Machine	Туре	MGGM – iSAP					
Game Type		Spinning Reels					
Technical Standa	ards	NS 10.0 + NSW Appendix	x (dated 14/0)1/09)			
Submission Stan		NSW CPTS 2.2; TITO Te					
			NSW Jackpot Technical Standard Rev 1.2				
Progressive Leve	els Supported	iSAP: Yes					
1.09.000.00 200	oio oupportou	Type: Random					
		Levels: 2					
		Wins Transferred to 'Tota	I Wins' mete	r· Yes			
Maximum Bet Va	lue	\$5.00	I WIIIS IIICIC	71. 103			
Base Credit Valu		1c, 2c					
Component Gam		Game Number	<u> </u>		Game Name		
Component Gam	ic Jet Detalls	01	l				
					mpin' Jalapenos		
		02			ynasty of Gold		
		03			African Diamond Double Deluxe		
Mark Oa O	l. t	04	Rawh		nide Double Deluxe		
Multi-Game Com MGC	CRP	Game Number	Var	iation	SDB PRTP		
IVIGC	CKF	01	vai	iation	90.13		
		02		01	90.13		
01	90.13	03			90.21		
		04			90.21		
		01			90.18		
		02			90.18		
02	90.18	03		02	90.26		
		04			90.26		
	91.05	01	02	91.05			
02		02		91.05			
03		03		03	91.22		
		04			91.22		
		01			91.10		
04	91.10	02		04	91.10		
04	91.10	03	04		91.27		
		04			91.27		
	91.12	01		91.12			
05		02		05	91.12		
		03			91.29		
		04			91.29		
		01	06		90.14		
06	90.14	02			90.14		
		03			90.22		
		01			90.15		
	90.15	02			90.15		
07		03	07	90.23			
		04			90.23		
		01			90.05		
00	00.05	02			90.05		
80	90.05	03		80	90.13		
		04			90.13		

This is Page 6 (of 8 pages) of the Schedule to the Gaming Machine Approval 2011 (No 36)

continued				
Platform/Cabinet Details				
KGP 2.0 UVS Podium – Upper LCD Box	, Tombstone LCD Box			
Device Details-1				
Device name:	System & Boot Software (MGGM)			
Category	SF (Supporting Function)			
Program ID	NSW60110.ROM2			
_	NSW60110.ROM3			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2: TITO Technical Standard V4.20			
	NSW Jackpot Technical Standard Rev 1.2			
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 39-A0930/S01				

Alternate Hardware Component				
Device Details:				
Device name:	BIOS ROM			
GM type:	Hardware Component			
Manufacturer	Shuffle Master Australasia Pty Ltd			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards				
Hardware Details-1:				
Processor / Main Board:	MB-PC4 Rev3.0 (SM P/N: ASY-0160A)			
BIOS Flash ROM:	Pm49LF004			
CPU	Intel Celeron M Processor model 370			
	Product # RH80536NC0211M			
RAM	512 MB DDR2 SDRAM (SM P/N: ASY-0164A)			
Platform/Cabinet Details				
• eStar PC4 – Low Top, Round Top, So	quare Top, Round Top (With in-machine LCD 17" Display)			
 PC4 Mojo ST – Slant Top 				
Hardware Details-2:				
Processor / Main Board:	MB-PC4 Rev3.0 (SM P/N: ASY-0160A)			
BIOS Flash ROM:	Pm49LF004			
CPU	Intel Celeron M Processor model 370			
	Product # RH80536NC0211M			
RAM	1 GB DDR2 SDRAM (SM P/N: ASY-0174A)			
Platform/Cabinet Details				
PC4 – Equinox, Equinox Low Boy				
Application Reference No. 35-A0734/S01				

New Poker Machine Game	
Game Name	Safari Gold
Specification Number	35.BF076
Game Identifier	SAGNSW1F
Manufacturer	Shuffle Master Australasia Pty Limited
Gaming Machine Type	ISAP
Game Type	Spinning reels
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NSW CPTS Rev 2.2
	TITO Technical Standard V4.20
	NSW Jackpot Technical Standards Rev 1.2
Progressive Levels Supported	Linked: Yes
	Type: Standard
	Levels: 4
	Wins Transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	5c, 10c
Variation Details:	

Variation Details:

<u>Var</u>	<u>BCV</u>	Game RTP	Progressive RTP	Min Total PRTP	Max Total PRTP
13	5c	87.94%-87.98%	4.000000%	91.94%	91.98%
14		86.49%-86.59%		90.49%	90.59%
15	10c	87.94%-87.98%	4.010000%	91.95%	91.99%
16		86.49%-86.59%		90.50%	90.60%

Platform/Cabinet Details

- eStar PC4 Low Top, Round Top (with in-machine LCD 17" Display)
- PC4 Mojo ST Slant Top
- PC4 Equinox, Equinox Low Boy

Operational Conditions

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 35-A0737/S01, S02