

Australian Capital Territory

Gaming Machine Approval 2011 (No 39)

Notifiable instrument NI2011–557

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2011 (No 39)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

21 September 2011

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork		
Game Name	Action Packed (1c – 3 Linked Levels)	
Manufacturer	Ainsworth Game Technology Limited	
Specification Number	44.HF113	
Game Identifier	GDNSAK1C	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA006	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$2.50	
Base Credit Value	1c	
Variation Details	Var	Min / Max Total RTP
	01	85.38%
	02	87.20%
Platform/Cabinet Details		
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 		
Operational Conditions		
<ol style="list-style-type: none"> 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 		
Application Reference No.	44-A0656/S01	

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork		
Game Name	Action Packed (2c – 3 Linked Levels)	
Manufacturer	Ainsworth Game Technology Limited	
Specification Number	44.HF114	
Game Identifier	GDNSAK2C	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA006	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$5.00	
Base Credit Value	2c	
Variation Details	Var	Min / Max Total RTP
	01	85.38%
	02	87.20%
Platform/Cabinet Details		
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 		
Operational Conditions		
<ol style="list-style-type: none"> 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 		
Application Reference No.	44-A0656/S01	

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork				
Game Name	Action Packed (1c – 1 linked, 2 iSAP Levels)			
Manufacturer	Ainsworth Game Technology Limited			
Specification Number	44.HF115			
Game Identifier	GDNSAK3B			
Gaming Machine Type	SFS - iSAP			
Game Type	Spinning Reels			
LPJS	44.YA006			
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
Progressive Levels Supported	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
Maximum Bet Value	\$2.50			
Base Credit Value	1c			
Variation Details				
Var	Game RTP	Setting Combination	iSAP RTP	Min / Max Total P RTP
11	85.38%	SC111	4.704647%	90.09%
12	87.20%	SC121		91.91%
Platform/Cabinet Details				
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 				
Operational Conditions				
<ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 				
Application Reference No.	44-A0656/S01			

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork				
Game Name	Action Packed (2c – 1 Linked, 2 iSAP Levels)			
Manufacturer	Ainsworth Game Technology Limited			
Specification Number	44.HF116			
Game Identifier	GDNSAK4B			
Gaming Machine Type	SFS - iSAP			
Game Type	Spinning Reels			
LPJS	44.YA006			
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
Progressive Levels Supported	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
Maximum Bet Value	\$5.00			
Base Credit Value	2c			
Variation Details				
<u>Var</u>	<u>Game RTP</u>	<u>Setting Combination</u>	<u>iSAP RTP</u>	<u>Min / Max Total P RTP</u>
11	85.38%	SC112	4.704647%	90.09%
12	87.20%	SC122		91.91%
Platform/Cabinet Details				
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 				
Operational Conditions				
<ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 				
Application Reference No.	44-A0656/S01			

New Poker Machine Game		
Game Name	Hollywood Hype (1c – 3 Linked Levels)	
Manufacturer	Ainsworth Game Technology Limited	
Specification Number	44.HF117	
Game Identifier	GDNSHW1B	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA006	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$2.50	
Base Credit Value	1c	
Variation Details	Var	Min / Max Total RTP
	01	85.38%
	02	87.20%
Platform/Cabinet Details		
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 		
Operational Conditions		
<ol style="list-style-type: none"> 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 		
Application Reference No.	44-A0658/S01	

New Poker Machine Game		
Game Name	Hollywood Hype (2c – 3 Linked Levels)	
Manufacturer	Ainsworth Game Technology Limited	
Specification Number	44.HF118	
Game Identifier	GDNSHW2B	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA006	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$5.00	
Base Credit Value	2c	
Variation Details	Var	Min / Max Total RTP
	01	85.38%
	02	87.20%
Platform/Cabinet Details		
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 		
Operational Conditions		
<ol style="list-style-type: none"> 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 		
Application Reference No.	44-A0658/S01	

New Poker Machine Game				
Game Name		Hollywood Hype (1c – 1 Linked, 2 iSAP Levels)		
Manufacturer		Ainsworth Game Technology Limited		
Specification Number		44.HF119		
Game Identifier		GDNSHW3B		
Gaming Machine Type		SFS - iSAP		
Game Type		Spinning Reels		
LPJS		44.YA006		
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
Maximum Bet Value		\$2.50		
Base Credit Value		1c		
Variation Details				
<u>Var</u>	<u>Game RTP</u>	<u>Setting Combination</u>	<u>iSAP RTP</u>	<u>Min / Max Total P RTP</u>
11	85.38%	SC111	4.704647%	90.09%
12	87.20%	SC121		91.91%
Platform/Cabinet Details				
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 				
Operational Conditions				
<ol style="list-style-type: none"> 1. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 				
Application Reference No.		44-A0658/S01		

New Poker Machine Game				
Game Name		Hollywood Hype (2c – 1 Linked, 2 iSAP Levels)		
Manufacturer		Ainsworth Game Technology Limited		
Specification Number		44.HF120		
Game Identifier		GDNSHW4B		
Gaming Machine Type		SFS - iSAP		
Game Type		Spinning Reels		
LPJS		44.YA006		
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
Maximum Bet Value		\$5.00		
Base Credit Value		2c		
Variation Details				
<u>Var</u>	<u>Game RTP</u>	<u>Setting Combination</u>	<u>iSAP RTP</u>	<u>Min / Max Total P RTP</u>
11	85.38%	SC112	4.704647%	90.09%
12	87.20%	SC122		91.91%
Platform/Cabinet Details				
<ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) 				
Operational Conditions				
<ol style="list-style-type: none"> 1. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 				
Application Reference No.		44-A0658/S01		