Gaming Machine Approval 2011 (No 47)

Notifiable instrument NI2011-616

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 47).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2011-247 dated 11 May 2011 and notified under the Legislation Register on 19 May 2011.

Lesley Maloney Delegate ACT Gambling and Racing Commission

17 October 2011

New Poker Machine Game					
Game Name	cillie Gallie	Dualling Progressives Let	us Flower		
	.T 1	Duelling Progressives Lotus Flower			
Specification N		18.B0579			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Mach	ine Type	iSAP (Integrated Stand-ale	iSAP (Integrated Stand-alone Progressive)		
Game Type		Spinning Reels			
Technical Star	ndards	NS 10.0 + NSW Appendix	x (dated 14/01/09)		
Submission St	andards	NSW CPTS 2.2			
		TITO Technical Standard	V4.18		
		NSW Jackpot Technical S	tandard Rev 1.2		
Progressive Levels Supported		iSAP: Yes			
		Type: Standard			
		Levels: 4			
		Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet	Value	\$10.00			
Base Credit V	alue	1c, 2c, 5c			
Variation Deta	ails				
Var	Game RTP	iSAP RTP	Min / Max Total PRTP		
02	87.51%	3.986128%	91.50%		
Platform/Cabinet Details		AVP BC20 – Video Top			
		AVP ST22 – Video Slant Top			
Operational C	Operational Conditions				
1. The "Ticke	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 18-A5118/S01					

New Poker Ma	New Poker Machine Game				
Game Name		Gold Fever Wild Girls			
Specification I	Number	18.B0582			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Mach	ine Type	iSAP (Integrated Stand-alone Progressive)			
Game Type		Spinning Reels			
Technical Star	ndards	NS 10.0 + NSW Append	ix (dated 14/01/09)		
Submission St	andards	NSW CPTS 2.2			
		TITO Technical Standard	1 V4.18		
		NSW Jackpot Technical	Standard Rev 1.2		
Progressive Lo	evels Supported	iSAP: Yes			
		Type: Standard			
		Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet	t Value	\$10.00			
Base Credit V	alue	5c	5c		
Variation Deta	ails				
Var	Game RTP	iSAP RTP	Min / Max Total PRTP		
02	85.35%	5.634200%	90.99%		
03	85.35%	6.634267%	91.99%		
07	85.35%	4.144333%	89.50%		
Platform/Cabinet Details		AVP BC20 – Video Top			
		AVP ST22 – Video Slant Top			
Operational C	Conditions				
1. The "Ticke	t In" and "Cashles	s" facilities are not approve	d in the ACT.		
Application Reference No. 18-A5100/S01					

New Poker Machine Game						
Game Name			Gold Fever Turtle Bay			
Specification Number			18.B0581			
Manuf	facturer		IGT (Australia) Pty Ltd			
Gamin	g Machine Typ	e	iSAP	iSAP (Integrated Stand-alone Progressive)		
Game	Type		Spinning Reels			
Techn	ical Standards		NS 1	0.0 + NSW Appendix (c	lated 14/01/09)	
Submi	ssion Standard	S	NSW	CPTS 2.2		
			TITC	Technical Standard V4	l.18	
			NSW	Jackpot Technical Star	ndard Rev 1.2	
Progre	essive Levels Su	pported	iSAP	2: Yes		
			Type	: Standard		
			Levels: 2			
			Wins transferred to 'Total Wins' meter: Yes			
Maxin	num Bet Value		\$5.00)		
Base C	Credit Value		1c, 2	c, 5c		
Variat	ion Details					
Var	BCV	Game R	RTP	iSAP RTP	Min / Max Total PRTP	
99	5c	88.059	%	3.249772%	91.30%	
01	1c, 2c	88.059	%	3.232303%	91.29%	
Platfor	Platform/Cabinet Details			AVP BC20 – Video Top		
			AVP ST22 – Video Slant Top			
Opera	tional Condition	ns				
1. Th	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				the ACT.	
Application Reference No. 18-A5			18-A	5122/S01		

New Poke	New Poker Machine Game					
Game Na		Hot Shot Red Lions				
Specificat	ion Number	18.B0578				
Manufact		IGT (Australia) Pty Ltd				
Gaming N	Machine Type	iSAP (Integrated Stand-alone Progressive)				
Game Ty	pe	Spinning Reels				
Technical	Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)			
Submission	on Standards	NSW CPTS 2.2				
		TITO Technical Standard V	74.18			
		NSW Jackpot Technical St	andard Rev 1.2			
Progressi	ve Levels Supported	iSAP: Yes				
		Type: Standard				
		Levels: 3				
		Wins transferred to 'Total'	Wins' meter: Yes			
Maximun	n Bet Value	\$5.00				
Base Cred	dit Value	5c				
Variation	Details					
Var	Game RTP	iSAP RTP	Min / Max Total PRTP			
02	86.15%	4.805108%	90.95%			
03	86.15%	5.822974%	91.97%			
07	86.15%	3.404170% 89.55%				
Platform/	Platform/Cabinet Details AVP BC20 - Portrait Top					
Operation	Operational Conditions					
1. The "T	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application	Application Reference No. 18-A5094/S01					

New Poke	New Poker Machine Game				
Game Na	me	Jade Princess			
Specificat	tion Number	18.B0583			
Manufact	turer	IGT (Australia) Pty Ltd			
Gaming N	Machine Type	iSAP (Integrated Stand-alone Progressive)			
Game Ty	pe	Spinning Reels			
Technical	l Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission	on Standards	NSW CPTS 2.2			
		TITO Technical Standard	V4.18		
		NSW Jackpot Technical St	andard Rev 1.2		
Progressi	ve Levels Supported	iSAP: Yes			
		Type: Standard			
		Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes			
Maximun	n Bet Value	\$10.00			
Base Cree	dit Value	1c, 2c, 5c			
Variation	Details				
Var	Game RTP	iSAP RTP	Min / Max Total PRTP		
02		5.401535%	90.47%		
03	85.07%	6.885465%	91.96%		
07		4.401535%	89.47%		
Platform/	Platform/Cabinet Details AVP BC20 - Video Top				
		AVP ST22 – Video Slant Top			
_	Operational Conditions				
_					
Applicati	Application Reference No. 18-A5124/S01				

New Mult	igame Poker M	achine Game				
Game Na	me	Multistar Ro	ck'n Jaguar			
Specificat	ion Number	18.C0028	18.C0028			
Manufact		IGT (Austral	IGT (Australia) Pty Ltd			
Gaming N	Machine Type	,	lti-Game Gamir	g Machine)		
Game Ty		Spinning Rea		,		
	Standards		SW Appendix (d	lated 14/01/09)		
	on Standards	NSW CPTS		,		
		TITO Techni	ical Standard V4	1.18		
Maximun	n Bet Value	\$10.00				
Base Cred		1c, 2c, 5c				
Variation		1 - 2, - 2, - 2				
MGC	CRP	Game Number	Var	SDB PRTP		
1,100	0242	01	99	87.50%		
01	86.51%	02	99	87.20%		
.	00.0170	03	01	85.53%		
	1	01	99	87.50%		
02	87.37%	02	99	87.20%		
Ü <u>_</u>	07.3770	03	99	87.55%		
		01	02	90.21%		
03	90.56%	02	02	90.91%		
05	70.2070	03	02	90.54%		
		01	03	91.99%		
04	91.92%	02	03	91.86%		
01	71.7270	03	03	91.98%		
		01	03	91.99%		
05	93.66%	02	03	91.86%		
05	75.0070	03	04	95.47%		
		01	05	88.50%		
06	88.55%	02	05	88.61%		
00	00.3370	03	05	88.49%		
	+	01	07	89.16%		
07	89.53%	02	07	89.59%		
07	07.5570	02	07	89.91%		
Platform/	Cabinet Detail			07.71/0		
- 1441VI III/	Casmer Detail		Video Slant To	n		
Details for	r Component (. Idea Sidin 10	<u> </u>		
Game Na		Rock Lobster	r 2			
Category			GM (Gaming Machine)			
Category Category	Type	Conventional				
Game Ty	* *	Spinning Ree				
Game Nu		01				
Variation		Va	ar	Min / Max PRTP		
	_ •••••	99		87.20%		
		02		90.21%		
				91.99%		
			05 88.50% 07 89.16%			
		1 0	1	07.10/0		

Continued

e 02 Wild Jaguar			
RTP			
Major Money In The Lost Civilisation 2			
GM (Gaming Machine)			
RTP			
GM (Gaming Machine) Conventional Spinning Reels 02 Var Min / Max PRTP 99 87.50% 02 90.91% 03 91.86% 05 88.61% 07 89.59% Major Money In The Lost Civilisation 2			

Operational Conditions

- 1. When the above-mentioned game is operating with a Static Button Panel, all component games must be configured with the same maximum bet and line options in the setup mode after a RAM Clear.
- 2. Touch screen must be enabled in the Configuration Menu after a RAM Clear.
- 3. Multi-Game Combination number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

The Trenet in and Casiness	racinities are not approved in the rier.
Application Reference No.	18-A5075/S01

New Poker Machine Game				
Game Name		Phoenix Dragon		
Specification N	Number	18.B0580		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Mach	ine Type	iSAP (Integrated Stand-al	lone Progressive)	
Game Type		Spinning Reels		
Technical Star	ndards	NS 10.0 + NSW Appendi	x (dated 14/01/09)	
Submission St	andards	NSW CPTS 2.2		
		TITO Technical Standard	V4.18	
		NSW Jackpot Technical S	Standard Rev 1.2	
Progressive Le	evels Supported	iSAP: Yes		
		Type: Standard		
		Levels: 2		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet	Value	\$10.00		
Base Credit V	alue	1c, 2c, 5c		
Variation Deta	ails			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
03	86.44%	4.757289%	91.20%	
Platform/Cabi	net Details	AVP BC20 – Video Top		
		AVP ST22 – Video Slant Top		
Operational C	Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application R	eference No.	18-A5123/S01		

New Poker Machine Game			
Game Name	Dynasty Of Gold Free Spin Festival		
Specification Number	39.A0312		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Technical Standards	NS 10.0 + NSW Appendix	x (dated 14/01/09)	
Submission Standards	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details	Var	Min / Max PRTP	
	10	92.18%	
Platform/Cabinet Details	KGP 2.0 UVS Podium - U	pper LCD Box, Tombstone	
	LCD Box		
Operational Conditions			
1. The "Ticket In" and "Cashless	Cashless" facilities are not approved in the ACT.		
Application Reference No.	39-A0910/S01, /S02		

New Poker Machine Game				
Great Afr	Great Africa Prize Plus			
39.B0106				
Specification Number39.B0106ManufacturerKonami Australia Pty Ltd				
iSAP – A	nte Bet			
Spinning	Reels			
NS 10.0 +	- NSW Appendix (date	d 14/01/09)		
NSW CP	ΓS 2.2			
TITO Tec	chnical Standard V4.18			
NSW Jacl	kpot Technical Standar	d Rev 1.1		
iSAP: Ye	S			
Type: Sta	ndard			
Levels: 2				
Wins tran	Wins transferred to 'Total Wins' meter: Yes			
\$10.00				
1c, 2c, 5c	1c, 2c, 5c			
AP PRTP	Min Total PRTP	Max Total PRTP		
2400000%	87.99%	91.99%		
.340909%	90.01%	94.15%		
K2V – Ca	sino Top with LCD			
K2V 500	K2V 500 – Casino Top with LCD			
KGP 2.0 U	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone			
LCD Box				
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No. 39-A0905/S01				
	39.B0106 Konami A iSAP – A Spinning NS 10.0 + NSW CP TITO Tec NSW Jac iSAP: Ye Type: Sta Levels: 2 Wins tran \$10.00 1c, 2c, 5c SAP PRTP .340909% K2V – Ca K2V 500 KGP 2.0 U LCD Box ss" facilities	39.B0106 Konami Australia Pty Ltd iSAP – Ante Bet Spinning Reels NS 10.0 + NSW Appendix (date NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standar iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' \$10.00 1c, 2c, 5c SAP PRTP Min Total PRTP .340909% Min Total PRTP .340909% K2V – Casino Top with LCD K2V 500 – Casino Top with LCI KGP 2.0 UVS Podium – Upper I LCD Box ss" facilities are not approved in the		

New Poker Machine Game Inclu	uding Additional Topper Artwo	ork		
Game Name	Money Bell			
Specification Number	39.A0315			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	V4.18		
Maximum Bet Value	\$4.50			
Base Credit Value	1c, 2c			
Variation Details	Var	Min / Max PRTP		
	99	87.15%		
	01	90.17%		
	02	91.97%		
	03	94.07%		
	04	96.07%		
	05	85.17%		
	06	88.51%		
	08	88.06%		
Platform/Cabinet Details	K2V – Casino Top, Low B	oy, Casino Top with LCD		
	K2V Upgrade – Casino To	p, Low Boy		
	K2V 500 – Casino Top, Low Boy, Casino Top with			
	LCD	LCD		
	K2V 500 Upgrade – Casino			
		pper LCD Box, Tombstone		
	LCD Box, Short Top Box			

Operational Conditions

- 1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	39-A0912/S01

New Poker N	New Poker Machine Game Including Updated System Software Standard				
Game Name	ame Name Money Bell Lucky Garden				
Specification	n Number	39.B0108			
Manufactur	er	Konami Australia Pty Ltd			
Gaming Ma	chine Type	iSAP (Integrated Stand-alon	e Progressive)		
Game Type		Spinning Reels			
Technical S	tandards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission	Standards	NSW CPTS 2.2			
		TITO Technical Standard V	4.18		
		NSW Jackpot Technical S	Standard Rev 1.2		
Progressive	Levels Supported	iSAP: Yes			
		Type: Random			
		Levels: 2			
		Wins transferred to 'Total W	Vins' meter: Yes		
Maximum I	Bet Value	\$4.50			
Base Credit	Value	1c, 2c			
Variation Details					
Var	Game RTP	Progressive RTP	Min / Max PRTP		
Var	85.17%	5.150000%	90.32%		
Var		<u> </u>	90.32% 90.37%		
Var 11 12 13	85.17%	5.150000%	90.32%		
Var 11 12	85.17% 85.17%	5.150000% 5.200000%	90.32% 90.37%		
Var 11 12 13	85.17% 85.17% 85.17%	5.150000% 5.200000% 5.250000%	90.32% 90.37% 90.42%		
Var 11 12 13 14	85.17% 85.17% 85.17% 85.17%	5.150000% 5.200000% 5.250000% 5.400000%	90.32% 90.37% 90.42% 90.57%		
Var 11 12 13 14 15	85.17% 85.17% 85.17% 85.17% 87.15%	5.150000% 5.200000% 5.250000% 5.400000% 4.400000%	90.32% 90.37% 90.42% 90.57% 91.55%		
Var 11 12 13 14 15 16 17 18	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15%	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000%	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75%		
Var 11 12 13 14 15 16 17 18	85.17% 85.17% 85.17% 85.17% 87.15% 87.15%	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.450000% 4.500000%	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75%		
Var 11 12 13 14 15 16 17 18 Platform/Ca	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% abinet Details	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000%	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75%		
Var	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% abinet Details	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75% per LCD Box, Tombstone		
Var	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% abinet Details proval Conditions to that player selecta	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75% per LCD Box, Tombstone		
Var	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% abinet Details proval Conditions of the that player selecta	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75% per LCD Box, Tombstone		
Var	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% abinet Details proval Conditions be that player selectary Conditions Conditions	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75% per LCD Box, Tombstone ionality, contained in the		
Var	85.17% 85.17% 85.17% 85.17% 87.15% 87.15% 87.15% 87.15% abinet Details proval Conditions be that player selectary Conditions Conditions	5.150000% 5.200000% 5.250000% 5.400000% 4.400000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box	90.32% 90.37% 90.42% 90.57% 91.55% 91.60% 91.65% 91.75% per LCD Box, Tombstone ionality, contained in the		

New P	oker Machi	ne Game					
Game Name				Panda Power Pirate's Jackpot			
Specif	Specification Number 39.B0109						
Manu	facturer		K	Conami Aust	tralia Pty	Ltd	
Gamir	ng Machine	Type	iS	SAP (Integra	ated Stan	d-alone Progress:	ive)
Game	Type			pinning Ree			
Techn	ical Standa	rds	N	10.0 + NS	SW Appe	endix (dated 14/0	1/09)
Submi	ission Stand	dards		ISW CPTS			
				ITO Techni			
					t Technic	al Standard Rev	1.1
Progre	essive Level	ls Supporte		SAP: Yes			
				'ype: Standa	ırd		
				evels: 2			
3.5		_			rred to 'T	otal Wins' meter	: Yes
	num Bet Va			10.00			
	Credit Valu		1	c, 2c, 5c			
	tion Details			G•		ICAD DED	3.50 / 3.5
Var	Game	Bonus		Setting		iSAP RTP	Min / Max
	RTP	RTP		Combination			Total PRTP
		2.500/	1c	2c	5c	5 422 4 4007	T
		2.58%	11	21	31	5.422448%	
0.1	00 100/	1.83%	12	22	32	6.169049%	00.100/
01	82.10%	1.53%	13	23	33	6.467008%	90.10%
		1.46%	14	24	34	6.538096%	
		1.27%	15	25	35	6.728300%	
		2.77%	16	26	36 37	7.016695%	
02	02 100/	2.03%	17	27	1	7.756641%	01.000/
02	82.10%	1.75%	18	28	38	8.037953%	91.89%
		1.51%	19	29	39	8.275246%	
Dlatfa	 rm/Cabinet	20	0 30 40 8.483919% KGP 2.0 UVS Podium – Upper LCD Box, Tombstone				
riau0	rm/Cabine	Detalls		CD Box	s roulum	i – Opper LCD B	ox, romostone
Opera	tional Con	ditions	L	CD DOX			
_			hless" f	acilities are	not appro	oved in the ACT.	
1. 111	Application Reference No. 39-A0917/S01						

New Pol	ker Machine Game	e				
Game Name			Phoenix Empress Cash Carriage			
Specification Number 39.B0103						
Manufa	cturer		Konami A	Australia Pty Ltd		
Gaming	Machine Type		iSAP (Inte	egrated Stand-alone Prog	ressive)	
Game T	ype		Spinning 1			
Technic	al Standards		NS 10.0 +	NSW Appendix (dated 1	14/01/09)	
Submiss	sion Standards		NSW CP7	TS 2.2		
			TITO Tec	hnical Standard V4.18		
			NSW Jack	xpot Technical Standard I	Rev 1.1	
Progres	sive Levels Supp	orted	iSAP: Yes			
			Type: Star	ndard		
			Levels: 2			
				sferred to 'Total Wins' m	eter: Yes	
	ım Bet Value		\$5.00			
	edit Value		1c, 2c			
Variatio	on Details					
Var	Game PRTP		etting bination	Progressive PRTP	Min / Max Total PRTP	
01	82.18%	Com	<u>omanon</u> 1	7.800361%	89.98%	
02	82.18%		2	7.790464%		
			3		89.97%	
03	82.18% 82.18%		4	7.780489%	89.96%	
04	A / 1A%					
				7.770470%	89.95%	
05	82.18%		5	7.760451%	89.94%	
05 06	82.18% 82.18%		5	7.760451% 7.750028%	89.94% 89.93%	
05 06 07	82.18% 82.18% 82.18%		5 6 7	7.760451% 7.750028% 8.020500%	89.94% 89.93% 90.20%	
05 06 07 08	82.18% 82.18% 82.18% 82.18%		5 6 7 8	7.760451% 7.750028% 8.020500% 8.000470%	89.94% 89.93% 90.20% 90.18%	
05 06 07 08	82.18% 82.18% 82.18%		5 6 7 8 KGP 2.0 U	7.760451% 7.750028% 8.020500%	89.94% 89.93% 90.20% 90.18%	
05 06 07 08 Platforn	82.18% 82.18% 82.18% 82.18% m/Cabinet Details		5 6 7 8	7.760451% 7.750028% 8.020500% 8.000470%	89.94% 89.93% 90.20% 90.18%	
05 06 07 08 Platform	82.18% 82.18% 82.18% 82.18% n/Cabinet Details		5 6 7 8 KGP 2.0 U LCD Box	7.760451% 7.750028% 8.020500% 8.000470% JVS Podium – Upper LC	89.94% 89.93% 90.20% 90.18% D Box, Tombstone	
05 06 07 08 Platform Operati 1. The	82.18% 82.18% 82.18% 82.18% n/Cabinet Details	Cashless	5 6 7 8 KGP 2.0 U LCD Box	7.760451% 7.750028% 8.020500% 8.000470% JVS Podium – Upper LC	89.94% 89.93% 90.20% 90.18% D Box, Tombstone	

This is Page 14 (of 18 pages) of the Schedule to the $Gaming\ Machine\ Approval\ 2011\ (No\ 47)$

New Poker Machine Game					
Game Name	Straight And Arrow Free S	Straight And Arrow Free Spin Festival			
Specification Number	39.A0311				
Manufacturer	Konami Australia Pty Ltd				
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix	x (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2	NSW CPTS 2.2			
	TITO Technical Standard	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c, 5c				
Variation Details	Var	Min / Max PRTP			
	10 92.18%				
Platform/Cabinet Details	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone				
	LCD Box				
Operational Conditions					
1. The "Ticket In" and "Cashless	1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.	39-A0911/S01, /S02				

New Poker Machine Game				
Game Name	Wall Of Fortune			
Specification Number	39.A0310			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	V4.18		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details	Var	Min / Max PRTP		
	99	87.19%		
	01	90.13%		
	02	91.96%		
	03	94.09%		
	04	96.04%		
	05	85.00%		
	06	88.50%		
	08	88.06%		
Platform/Cabinet Details	K2V – Casino Top, Low B	oy, Casino Top with LCD		
	K2V Upgrade – Casino To	p, Low Boy		
	K2V 500 – Casino Top, Low Boy, Casino Top with			
	LCD			
	K2V 500 Upgrade – Casino			
	· · · · · · · · · · · · · · · · · · ·	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone		
	LCD Box, Short Top Box			

Specific Approval Conditions

1. Please note that player selectable, multi-denomination functionality, contained in System Software NSW50246 is not a subject of this approval.

Operational Conditions

- 1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Į.	1.1
Application Reference No.	39-A0894/S01

New Poker Ma	New Poker Machine Game					
Game Name		Wall Of Fortune Lucky Garden				
Specification I	Specification Number 39.B0104					
Manufacturer	•	Konami Australia Pty Ltd				
Gaming Mach	ine Type	iSAP (Integrated Stand-alor	ne Progressive)			
Game Type		Spinning Reels				
Technical Star	ndards	NS 10.0 + NSW Appendix	(dated 14/01/09)			
Submission St	andards	NSW CPTS 2.2				
		TITO Technical Standard V	74.18			
		NSW Jackpot Technical Sta	andard Rev 1.1			
Progressive Lo	evels Supported	iSAP: Yes				
		Type: Random				
		Levels: 2				
		Wins transferred to 'Total V	Vins' meter: Yes			
Maximum Bet		\$10.00				
Base Credit V	alue	1c, 2c, 5c				
Variation Deta						
Var	Game RTP	Progressive RTP	Min / Max PRTP			
11	85.00%	5.150000%	90.15%			
12	85.00%	5.200000%	90.20%			
13	85.00%	5.250000%	90.25%			
14	85.00%	5.400000%	90.40%			
15	87.19%	4.400000%	91.59%			
16	87.19%	4.450000%	91.64%			
17	87.19%	4.500000%	91.69%			
18	87.19%	4.600000%	91.79%			
Platform/Cab	inet Details	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
Specific Appre	oval Conditions					
		ble, multi-denomination func	tionality, contained in the			
	Base software NSW56246 is not a subject of this approval.					
Operational C						
1. The "Ticke	et In" and "Cashless	" facilities are not approved i	n the ACT.			
Application Reference No. 39-A0895/S01						

New Poker Machine Game				
Game Name	Clover All Over – Potion Power			
Specification Number	35.BF071			
Manufacturer	Shuffle Master Australas	sia Pty Limited		
Gaming Machine Type	iSAP (Integrated Stand-a	alone Progressive)		
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Append	lix (dated 14/01/09)		
Submission Standards	NSW CPTS Rev 2.2			
	TITO Technical Standar	d V4.18		
	NSW Jackpot Technical	Standard Rev 1.2		
Progressive Levels Supported	iSAP: Yes			
	Type: Standard			
	Levels: 3			
	Wins transferred to 'Tota	al Wins' meter: Yes		
Maximum Bet Value	\$6.00			
Base Credit Value	1c, 2c			
Variation Details				
Var Game RTP	Progressive RTP	Min / Max Total PRTP		
99 86.20%		90.15%		
03 84.06%		88.01%		
05 84.97%	3.944444%	88.91%		
15 87.56%		91.51%		
16 89.61%		93.55%		
Platform/Cabinet Details	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD)			
	PC4 Mojo ST – Slant Top			
	PC4 – Equinox, Equinox Low Boy			
Operational Conditions				
1. The "Ticket In" and "Cashles	ss" facilities are not approve	ed in the ACT.		
Application Reference No.	35-A0722/S01			

New Pol	cer Machine Game	Includ	ing Undate	d Topper Artwork		
New Poker Machine Game Including Updated Game Name UFO – Pin				nk Panther Returns		
	ation Number					
Manufa				Yaster Australasia Pty Ltd		
	Machine Type			egrated Stand-alone Prog		
Game T	· · · · · · · · · · · · · · · · · · ·		Spinning	<u> </u>	1000110)	
	al Standards			+ NSW Appendix (dated 1	14/01/09)	
	sion Standards		NSW CP		14/01/09)	
				chnical Standard V4.18		
				kpot Technical Standard I	Rev 1.2	
Progress	sive Levels Supp	orted	iSAP: Ye			
			Type: Sta	ndard		
			Levels: 3			
			Wins tran	sferred to 'Total Wins' m	eter: Yes	
Maximu	ım Bet Value		\$9.00			
Base Credit Value 1c, 2c, 5c						
Variatio	on Details		•			
Var	BCV	Gan	ne RTP	Progressive RTP	Min / Max	
					Total PRTP	
19	1c, 2c	84	1.80%	4.2222220/	89.13%	
21	1c, 2c	86	5.66%	4.333333%	91.00%	
22	1c, 2c	86	5.66%	5 2221670/	92.00%	
24	1c, 2c	88	3.70%	5.333167%	94.03%	
49	1c, 2c, 5c	84	1.80%	4.533167%	89.33%	
51	1c, 2c, 5c	86.66%		4.333107%	91.20%	
52	1c, 2c, 5c	86.66%		5.533500%	92.20%	
54	1c, 2c, 5c	88	3.70%	3.333300%	94.23%	
Platforn	n/Cabinet Details	1	PC4 - Equ	uinox		
Operati	onal Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					CT.	
Application Reference No. 35-A0716/S01, /S02						