

Australian Capital Territory

Gaming Machine Approval 2011 (No 50)

Notifiable instrument NI2011–679

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2011 (No 50)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

27 October 2011

| | | |
|--|---|----------------------|
| New Poker Machine Games and Additional Player Tracking Panel Art | | |
| Game Name | Rio Wild (1c – 3 Linked Levels) | |
| Manufacturer | Ainsworth Game Technology Limited | |
| Specification Number | 44.HF121 | |
| Game Identifier | GDNSRY1C | |
| Gaming Machine Type | SFS | |
| Game Type | Spinning Reels | |
| Technical Standards | NS 10.0 + NSW Appendix (dated 14/01/09) | |
| Submission Standards | NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | |
| Progressive Levels Supported | Linked: Yes Type: Standard Levels: 3 | |
| LPJS | 44.YA005 | |
| Maximum Bet Value | \$3.75 | |
| Base Credit Value | 1c | |
| Variation Details | | |
| | <u>Var</u> | <u>Min Total RTP</u> |
| | 2 | 86.24% |
| | | <u>Max Total RTP</u> |
| | | 86.30% |
| Platform/Cabinet Details | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | |
| Game Artwork details: | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| Operational Conditions | | |
| <ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | |
| Application Reference No. | 44-A0675/S01 | |

| | | |
|--|---|----------------------|
| New Poker Machine Game and Additional Player Tracking Panel Art | | |
| Game Name | Rio Wild (2c – 3 Linked Levels) | |
| Manufacturer | Ainsworth Game Technology Limited | |
| Specification Number | 44.HF122 | |
| Game Identifier | GDNSRY2C | |
| Gaming Machine Type | SFS | |
| Game Type | Spinning Reels | |
| Technical Standards | NS 10.0 + NSW Appendix (dated 14/01/09) | |
| Submission Standards | NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | |
| Progressive Levels Supported | Linked: Yes Type: Standard Levels: 3 | |
| Maximum Bet Value | \$7.50 | |
| Base Credit Value | 2c | |
| Variation Details | | |
| <u>Var</u> | <u>Min Total RTP</u> | <u>Max Total RTP</u> |
| 2 | 86.24% | 86.30% |
| Platform/Cabinet Details | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | |
| Game Artwork details: | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| Operational Conditions | | |
| 1. The above mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. | | |
| 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. | | |
| 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | |
| Application Reference No. | 44-A0675/S01 | |

| | | |
|--|--|----------------------|
| New Poker Machine Game and Additional Player Tracking Panel Art | | |
| Game Name | Rio Wild (5c – 3 Linked Levels) | |
| Manufacturer | Ainsworth Game Technology Limited | |
| Specification Number | 44.HF123 | |
| Game Identifier | GDNSRY3C | |
| Gaming Machine Type | SFS | |
| Game Type | Spinning Reels | |
| Technical Standards Submission Standards | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | |
| Progressive Levels Supported | Linked: Yes Type: Standard Levels: 3 | |
| Maximum Bet Value | \$10.00 | |
| Base Credit Value | 5c | |
| Variation Details | | |
| <u>Var</u> | <u>Min Total RTP</u> | <u>Max Total RTP</u> |
| 2 | 86.24% | 86.30% |
| Platform/Cabinet Details | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | |
| Game Artwork details: | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | |
| Operational Conditions | | |
| <ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | |
| Application Reference No. | 44-A0675/S01 | |

| | | | | |
|--|---|-----------------|----------------------|-----------------------|
| New Poker Machine Game and Additional Player Tracking Panel Art | | | | |
| Game Name | Rio Wild (1c – 1 Linked + 2 iSAP Levels) | | | |
| Manufacturer | Ainsworth Game Technology Limited | | | |
| Specification Number | 44.HF124 | | | |
| Game Identifier | GDNSRY4C | | | |
| Gaming Machine Type | SFS - iSAP | | | |
| Game Type | Spinning Reels | | | |
| LPJS | 44.YA005 | | | |
| Technical Standards Submission Standards | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | | | |
| Progressive Levels Supported | iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1 | | | |
| Maximum Bet Value | \$3.75 | | | |
| Base Credit Value | 1c | | | |
| Variation Details | | | | |
| Var | Game RTP | iSAP RTP | Min Total RTP | Max Total PRTP |
| 12 | 86.25 % - 86.30% | 2.805691% | 89.05% | 89.11% |
| Platform/Cabinet Details | | | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | | | |
| Game Artwork details: | | | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | | | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| Operational Conditions | | | | |
| <ol style="list-style-type: none"> 1. The above-mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | |
| Application Reference No. | 44-A0675/S01 | | | |

| | | | | |
|--|---|-----------------|----------------------|------------------------|
| New Poker Machine Game and Additional Player Tracking Panel Art | | | | |
| Game Name | Rio Wild (2c – 1 Linked + 2 iSAP Levels) | | | |
| Manufacturer | Ainsworth Game Technology Limited | | | |
| Specification Number | 44.HF125 | | | |
| Game Identifier | GDNSRY5C | | | |
| Gaming Machine Type | SFS - iSAP | | | |
| Game Type | Spinning Reels | | | |
| LPJS | 44.YA005 | | | |
| Technical Standards Submission Standards | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | | | |
| Progressive Levels Supported | iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1 | | | |
| Maximum Bet Value | \$7.50 | | | |
| Base Credit Value | 2c | | | |
| Variation Details | | | | |
| Var | Game RTP | iSAP RTP | Min Total RTP | Max Total P RTP |
| 12 | 86.25 % - 86.30% | 2.805691% | 89.05% | 89.11% |
| Platform/Cabinet Details | | | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | | | |
| Game Artwork details: | | | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | | | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| Operational Conditions | | | | |
| <ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | |
| Application Reference No. | 44-A0675/S01 | | | |

| | | | | |
|--|---|-----------------|----------------------|------------------------|
| New Poker Machine Game and Additional Player Tracking Panel Art | | | | |
| Game Name | Rio Wild (5c – 1 Linked + 2 iSAP Levels) | | | |
| Manufacturer | Ainsworth Game Technology Limited | | | |
| Specification Number | 44.HF126 | | | |
| Game Identifier | GDNSRY6C | | | |
| Gaming Machine Type | SFS - iSAP | | | |
| Game Type | Spinning Reels | | | |
| LPJS | 44.YA005 | | | |
| Technical Standards Submission Standards | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | | | |
| Progressive Levels Supported | iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1 | | | |
| Maximum Bet Value | \$10.00 | | | |
| Base Credit Value | 5c | | | |
| Variation Details | | | | |
| Var | Game RTP | iSAP RTP | Min Total RTP | Max Total P RTP |
| 12 | 86.25 % - 86.30% | 2.805691% | 89.05% | 89.11% |
| Platform/Cabinet Details | | | | |
| <ul style="list-style-type: none"> • A560-H – High Boy (with / without A560 Topper) • A560-L – Low Boy (with A560 Topper) | | | | |
| Game Artwork details: | | | | |
| a) High Boy | 470321 Rev A or 470320 Rev A + 470056 Rev A + 470322 Rev A | | | |
| b) High Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| c) Low Boy (With A560 Topper) | 470321 Rev A or 470320 Rev A + 470322 Rev A | | | |
| Operational Conditions | | | | |
| <ol style="list-style-type: none"> 1. The above mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved 'Rio Grande Rapids' jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | |
| Application Reference No. | 44-A0675/S01 | | | |

| | | | | |
|--|--|-----------------|-----------------------|-----------------------|
| New Poker Machine Game | | | | |
| Game Name | Peking Panda Deluxe (2 iSAP Levels) | | | |
| Manufacturer | Ainsworth Game Technology Limited | | | |
| Specification Number | 44.BF107 | | | |
| Game Identifier | GDNSPX1C | | | |
| Gaming Machine Type | iSAP | | | |
| Game Type | Spinning Reels | | | |
| Technical Standards Submission Standards | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 | | | |
| Progressive Levels Supported | iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes | | | |
| Maximum Bet Value | \$10.00 | | | |
| Base Credit Value | 1c, 2c | | | |
| Variation Details | | | | |
| Var | Min – Max Game RTP | iSAP RTP | Min Total PRTP | Max Total PRTP |
| 51 | 88.07% - 88.14% | 3.434057% | 91.50% | 91.57% |
| 53 | 86.96% - 87.03% | 3.280209% | 90.24% | 90.31% |
| 54 | 86.24% - 86.31% | 3.169754% | 89.41% | 89.48% |
| Platform/Cabinet Details | | | | |
| <ul style="list-style-type: none"> • A560-H – High Boy • A560-L – Low Boy (with A560 Topper) | | | | |
| Operational Conditions | | | | |
| <ol style="list-style-type: none"> 1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games. 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | |
| Application Reference No. | 44-A0679/S01 | | | |