Australian Capital Territory

Gaming Machine Approval 2011 (No 60)

Notifiable instrument NI2011–733

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 60).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2011-681 dated 9 November 2011 and notified under the Legislation Register on 10 November 2011.

Lesley Maloney Delegate ACT Gambling and Racing Commission

28 November 2011

New Poker Ma	chine Game			
Game Name		Duelling Progressives L	otus Flower	
Specification N	Number	18.B0579		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Mach	ine Type	iSAP (Integrated Stand-alone Progressive)		
Game Type		Spinning Reels		
Technical Star	ndards	NS 10.0 + NSW Append	lix (dated 14/01/09)	
Submission St	andards	NSW CPTS 2.2		
		TITO Technical Standar	d V4.18	
		NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported		iSAP: Yes		
		Type: Standard		
		Levels: 4		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet	Value	\$10.00		
Base Credit V	alue	1c, 2c, 5c		
Variation Deta	ails			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
02	87.51%	3.986128%	91.50%	
Platform/Cabi	net Details	AVP BC20 – Video Top		
		AVP ST22 – Video Slan	t Top	
Operational C	onditions			
1. The "Ticke	t In" and "Cashless	s" facilities are not approve	ed in the ACT.	
Application R	eference No.	18-A5118/S01		

New Poker Mac	chine Game			
Game Name		Gold Fever Wild Girls		
Specification N	lumber	18.B0582		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Machi	ine Type	iSAP (Integrated Stand-a	alone Progressive)	
Game Type		Spinning Reels		
Technical Stan	dards	NS 10.0 + NSW Append	lix (dated 14/01/09)	
Submission Sta	andards	NSW CPTS 2.2		
		TITO Technical Standar	d V4.18	
		NSW Jackpot Technical	Standard Rev 1.2	
Progressive Le	vels Supported	iSAP: Yes		
		Type: Standard		
		Levels: 2		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet	Value	\$10.00		
Base Credit Va	alue	5c		
Variation Deta	ils			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
02	85.35%	5.634200%	90.99%	
03	85.35%	6.634267%	91.99%	
07	85.35%	4.144333%	89.50%	
Platform/Cabi	net Details	AVP BC20 – Video Top		
		AVP ST22 – Video Slan	t Top	
Operational C	onditions			
1. The "Ticket	In" and "Cashless	s" facilities are not approve	ed in the ACT.	
Application Re	eference No.	18-A5100/S01		

New Poker Machine Ga	ime			
Game Name		Gold	Fever Turtle Bay	
Specification Number		18.B	0581	
Manufacturer	IGT	(Australia) Pty Ltd		
Gaming Machine Type iSAP (Integrated Stand-alone Progressive)				Progressive)
Game Type		Spini	ning Reels	
Technical Standards		NS 1	0.0 + NSW Appendix (d	lated 14/01/09)
Submission Standards		NSW	V CPTS 2.2	
		TITC	O Technical Standard V4	.18
		NSW	Jackpot Technical Stan	dard Rev 1.2
Progressive Levels Sup	oported	iSAP	: Yes	
	Type: Standard			
	Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$5.00)	
Base Credit Value		1c, 2	c, 5c	
Variation Details				
Var BCV	Game R	TP	iSAP RTP	Min / Max Total PRTP
99 5c	88.059	%	3.249772%	91.30%
01 1c, 2c	88.059	%	3.232303%	91.29%
Platform/Cabinet Deta	ails	AVP BC20 – Video Top		
		AVP	ST22 - Video Slant Top)
Operational Condition	IS			
1. The "Ticket In" and	"Cashless	" facil	ities are not approved in	the ACT.
Application Reference	No.	18-A	5122/S01	

Updated P	Poker Machine Game			
Game Na	me	Hot Shot Red Lions		
Specificat	tion Number	18.B0578		
Manufact	urer	IGT (Australia) Pty Ltd		
Gaming N	Machine Type	iSAP (Integrated Stand-alone Progressive)		
Game Ty	ре	Spinning Reels		
Game Ide	entifier	X53710GA		
		X53710RA		
Technical	Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)	
Submissio	on Standards	NSW CPTS 2.2		
		TITO Technical Standard V	/4.18	
		NSW Jackpot Technical Sta	andard Rev 1.2	
Progressi	ve Levels Supported	iSAP: Yes		
		Type: Standard		
		Levels: 3		
		Wins transferred to 'Total V	Wins' meter: Yes	
Maximun	n Bet Value	\$5.00		
Base Cree	dit Value	5c		
Variation	Details			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
02	86.15%	4.805108%	90.95%	
03	86.15%	5.822974%	91.97%	
07	86.15%	3.404170%	89.55%	
Platform/	Cabinet Details	AVP BC20 - Portrait Top		
-	nal Conditions	······································		
		" facilities are not approved i	in the AC1.	
Application	on Reference No.	18-A5159/S01		

New Poker Machine Game			
Game Name	Jade Princess		
Specification Number	18.B0583		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP (Integrated Stand-alone Progressive)		
Game Type	Spinning Reels		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2		
	TITO Technical Standard	V4.18	
	NSW Jackpot Technical St	andard Rev 1.2	
Progressive Levels Supported	iSAP: Yes		
	Type: Standard		
	Levels: 2	2	
	Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details			
Var Game RTP	iSAP RTP	Min / Max Total PRTP	
02	5.401535%	90.47%	
03 85.07%	6.885465%	91.96%	
07	4.401535%	89.47%	
Platform/Cabinet Details	AVP BC20 - Video Top		
	AVP ST22 – Video Slant T	òp	
Operational Conditions			
1. The "Ticket In" and "Cashles	s" facilities are not approved	in the ACT.	
Application Reference No.	18-A5124/S01		

New Mult	igame Poker M	Iachine Game			
Game Na			ock'n Jaguar		
Specificat	ion Number	18.C0028	6		
Manufact			IGT (Australia) Pty Ltd		
	Aachine Type		ulti-Game Gaming	Machine)	
Game Ty		Spinning Re	U		
	Standards		NSW Appendix (da	ted 14/01/09)	
	on Standards	NSW CPTS			
			nical Standard V4.1	8	
Maximum	n Bet Value	\$10.00			
Base Cred		1c, 2c, 5c			
Variation		10, 20, 30			
MGC	CRP	Game Number	Var	SDB PRTP	
MOC	CM	01	99	87.50%	
01	86.51%	02	99	87.20%	
01	00.01/0	02	01	85.53%	
		01	99	87.50%	
02	87.37%	02	99	87.20%	
02	07.3770	02	99	87.55%	
		01	02	90.21%	
03	90 56%	02	02	90.91%	
03	90.56%	02	02	90.54%	
	-	01	02	91.99%	
04	91.92%	01	03	91.99%	
04	91.92%	02	03	91.98%	
			03		
05	93.66%	01 02	03	91.99% 91.86%	
03	95.00%	02	03		
			04	95.47%	
06	00 550/	01		88.50%	
06	88.55%	02	05	88.61%	
		03	05	88.49%	
07	00.500/	01	07	89.16%	
07	89.53%	02	07	89.59%	
			07	89.91%	
Platform/	Cabinet Detai		- Video Top		
D-4-9-6-			– Video Slant Top		
	r Component				
Game Nat		Rock Lobste			
Category		GM (Gamin			
Category		Conventiona Spinning Da			
Game Ty		Spinning Re	eis		
Game Nu		01	lan		
Variation	Details		ar	Min / Max PRTP	
			99	87.20%	
			02	90.21%	
			03	91.99%	
			05	88.50%	
		(07	89.16%	

Details for Component G	ame 02		
Game Name	Wild Jaguar		
Category	GM (Gaming Machine)	GM (Gaming Machine)	
Category Type	Conventional		
Game Type	Spinning Reels		
Game Number	02		
Variation Details	Var	Min / Max PRTP	
	99	87.50%	
	02	90.91%	
	03	91.86%	
	05	88.61%	
	07	89.59%	
Details for Component G	ame 03		
Game Name	Major Money In The Lo	Major Money In The Lost Civilisation 2	
Category	GM (Gaming Machine)		
Category Type	Conventional		
Game Type	Spinning Reels		
Game Number	03		
Variation Details	Var	Min / Max PRTP	
	99	87.55%	
	01	85.53%	
	02	90.54%	
	03	91.98%	
	04	95.47%	
	05	88.49%	
	07	89.91%	

Operational Conditions

- 1. When the above-mentioned game is operating with a Static Button Panel, all component games must be configured with the same maximum bet and line options in the setup mode after a RAM Clear.
- 2. Touch screen must be enabled in the Configuration Menu after a RAM Clear.
- 3. Multi-Game Combination number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

	includes and hot approved in the file fi
Application Reference No.	18-A5075/S01

New Poker Ma	chine Game			
Game Name		Phoenix Dragon		
Specification N	Number	18.B0580		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Mach	ine Type	iSAP (Integrated Stand-alone Progressive)		
Game Type		Spinning Reels		
Technical Star	ndards	NS 10.0 + NSW Append	ix (dated 14/01/09)	
Submission St	andards	NSW CPTS 2.2		
		TITO Technical Standard	1 V4.18	
		NSW Jackpot Technical Standard Rev 1.2		
Progressive Levels Supported		iSAP: Yes		
		Type: Standard		
		Levels: 2		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet	Value	\$10.00		
Base Credit V	alue	1c, 2c, 5c		
Variation Deta	ails			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP	
03	86.44%	4.757289%	91.20%	
Platform/Cabi	net Details	AVP BC20 – Video Top		
		AVP ST22 – Video Slant	t Top	
Operational C	onditions			
1. The "Ticke	t In" and "Cashless	" facilities are not approve	ed in the ACT.	
Application R	eference No.	18-A5123/S01		

New Poker Machine Game				
Game Name	Great Afr	ica Prize Plus		
Specification Number	39.B0106			
Manufacturer	Konami A	Australia Pty Ltd		
Gaming Machine Type	iSAP – A	nte Bet		
Game Type	Spinning	Reels		
Technical Standards	NS 10.0 +	- NSW Appendix (date	d 14/01/09)	
Submission Standards	NSW CP	ГS 2.2		
	TITO Tec	chnical Standard V4.18		
	NSW Jac	kpot Technical Standar	d Rev 1.1	
Progressive Levels Support	is and is a red is red is red is a red	S		
	Type: Sta	ndard		
	Levels: 2			
	Wins tran	Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c	1c, 2c, 5c		
Variation Details				
Var Game PRTP	iSAP PRTP	Min Total PRTP	Max Total PRTP	
01 82.65%-86.65%	5.340909%	87.99%	91.99%	
02 84.67%-88.81%	5.54070770	90.01%	94.15%	
Platform/Cabinet Details		sino Top with LCD		
	K2V 500	K2V 500 – Casino Top with LCD		
		KGP 2.0 UVS Podium – Upper LCD Box, Tombstone		
	LCD Box			
Operational Conditions 1. The "Ticket In" and "Cas	shless" facilities	are not approved in the	ACT.	
Application Reference No.	39-A0905	2.2		

Game Name	luding Additional Topper Artwo Money Bell			
	39.A0315			
Specification Number				
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	V4.18		
Maximum Bet Value	\$4.50			
Base Credit Value	1c, 2c			
Variation Details	Var	Min / Max PRTP		
	99	87.15%		
	01	90.17%		
	02	91.97%		
	03	94.07%		
	04	96.07%		
	05	85.17%		
	06	88.51%		
	08	88.06%		
Platform/Cabinet Details	K2V – Casino Top, Low B	oy, Casino Top with LCD		
	K2V Upgrade – Casino To	p, Low Boy		
	K2V 500 – Casino Top, Lo	w Boy, Casino Top with		
	LCD			
	LCD K2V 500 Upgrade – Casino	o Top, Low Boy		
	K2V 500 Upgrade – Casino	o Top, Low Boy pper LCD Box, Tombstone		

Operational Conditions

- When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.39-A0912/S01

	Machine Game Incluc	ling Updated System Software	e Standard	
Game Nam		Money Bell Lucky Garden		
Specificatio	on Number	39.B0108		
Manufactu		Konami Australia Pty Ltd		
Gaming M	achine Type	iSAP (Integrated Stand-alone Progressive)		
Game Type	e	Spinning Reels		
Technical S	Standards	NS 10.0 + NSW Appendix ((dated 14/01/09)	
Submissior	n Standards	NSW CPTS 2.2		
		TITO Technical Standard V	4.18	
		NSW Jackpot Technical S	Standard Rev 1.2	
Progressive	e Levels Supported	iSAP: Yes		
		Type: Random		
		Levels: 2		
		Wins transferred to 'Total W	Vins' meter: Yes	
Maximum		\$4.50		
Base Credi		1c, 2c		
Variation I				
Var	Game RTP	Progressive RTP	Min / Max PRTP	
11	85.17%	5.150000%	90.32%	
			00 270/	
12	85.17%	5.20000%	90.37%	
13	85.17% 85.17%	5.200000% 5.250000%	90.37%	
13 14				
13 14 15	85.17% 85.17% 87.15%	5.250000% 5.400000% 4.400000%	90.42% 90.57% 91.55%	
13 14 15 16	85.17% 85.17%	5.250000% 5.400000%	90.42% 90.57%	
13 14 15 16 17	85.17% 85.17% 87.15%	5.250000% 5.400000% 4.400000%	90.42% 90.57% 91.55% 91.60% 91.65%	
13 14 15 16 17 18	85.17% 85.17% 87.15% 87.15% 87.15% 87.15%	5.250000% 5.400000% 4.400000% 4.450000% 4.50000% 4.600000%	90.42% 90.57% 91.55% 91.60% 91.65% 91.75%	
13 14 15 16 17 18	85.17% 85.17% 87.15% 87.15% 87.15%	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up	90.42% 90.57% 91.55% 91.60% 91.65% 91.75%	
13 14 15 16 17 18 Platform/C	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% Cabinet Details	5.250000% 5.400000% 4.400000% 4.450000% 4.50000% 4.600000%	90.42% 90.57% 91.55% 91.60% 91.65% 91.75%	
13 14 15 16 17 18 Platform/C	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% Cabinet Details	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box	90.42% 90.57% 91.55% 91.60% 91.65% 91.75% pper LCD Box, Tombstone	
13 14 15 16 17 18 Platform/C Specific Ap 1. Please r	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% Cabinet Details	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box ble, multi-denomination funct	90.42% 90.57% 91.55% 91.60% 91.65% 91.75% oper LCD Box, Tombstone ionality, contained in the	
13 14 15 16 17 18 Platform/C Specific Ap 1. Please r System	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% 2abinet Details Oproval Conditions note that player selecta Software NSW56346	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box	90.42% 90.57% 91.55% 91.60% 91.65% 91.75% oper LCD Box, Tombstone ionality, contained in the	
13 14 15 16 17 18 Platform/C Specific Ag 1. Please r System Operationa	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% Software Details Deproval Conditions note that player selecta Software NSW56346 Al Conditions	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box ble, multi-denomination funct is not a subject of this approva	90.42% 90.57% 91.55% 91.60% 91.65% 91.75% oper LCD Box, Tombstone ionality, contained in the al.	
13 14 15 16 17 18 Platform/C Specific Ap 1. Please r System Operationa 1. The "Ti	85.17% 85.17% 87.15% 87.15% 87.15% 87.15% Software Details Deproval Conditions note that player selecta Software NSW56346 Al Conditions	5.250000% 5.400000% 4.400000% 4.450000% 4.500000% 4.600000% KGP 2.0 UVS Podium – Up LCD Box ble, multi-denomination funct	90.42% 90.57% 91.55% 91.60% 91.65% 91.75% oper LCD Box, Tombstone ionality, contained in the al.	

New P	oker Machi	ne Game						
Game Name				Panda Power Pirate's Jackpot				
Specification Number				39.B0109				
	facturer		Ko	nami Aust	ralia Pty	Ltd		
Gamiı	ng Machine	е Туре	iSA	P (Integra	ated Stand	l-alone Progressi	ive)	
Game	Туре		Spi	nning Ree	els			
Techn	ical Standa	rds	NS	10.0 + NS	SW Appe	ndix (dated 14/0	1/09)	
Submi	ission Stand	dards	NS	W CPTS	2.2			
			TIT	O Techni	cal Stand	ard V4.18		
			NS	W Jackpo	t Technic	al Standard Rev	1.1	
Progr	essive Level	ls Supporte		P: Yes				
				pe: Standa	rd			
				vels: 2				
					rred to 'To	otal Wins' meter	: Yes	
Maximum Bet Value				0.00				
	Credit Valu	1c,	1c, 2c, 5c					
	tion Details							
Var	Game	Bonus	~	Setting		iSAP RTP	Min / Max	
RTP RTP				ombinati			Total PRTP	
		0.500/	<u>1c</u>	2c	5c	5 400 4 4004	Γ	
		2.58%	11	21	31	5.422448%		
	82.10%	1.83%	12	22	32	6.169049%	00.100/	
01		1.53%	13	23	33	6.467008%	90.10%	
		1.46%	14	24	34	6.538096%		
		1.27%	15	25	35	6.728300%		
	82.10%	2.77%	16	26	36	7.016695%		
		2.03%	17	27	37	7.756641%	91.89%	
02		1.75%	18	28	38	8.037953%		
		1.51%	19	29	39	8.275246%		
		1.31%		20 30 40 8.483919%				
Platfo	Platform/Cabinet Details KGP 2.0 UVS Podium – Upper LCD Box, Tombstone						ox, Tombstone	
LCD Box Operational Conditions								
			bloce" fee	ilition or a	not onne	wad in the ACT		
	cation Refe			A0917/SC		oved in the ACT.		
	minon Rota	ranca NA	I ≺9_	AUGI //N				

New Poker Machine Game Game Name	1			
	Phoenix Empress Cash Carriage			
Specification Number	39.B0103			
Manufacturer		Australia Pty Ltd		
Gaming Machine Type		egrated Stand-alone Progr	ressive)	
Game Type	Spinning	<u> </u>	,	
Technical Standards		- NSW Appendix (dated 1	4/01/09)	
Submission Standards	NSW CPT			
	TITO Tec	hnical Standard V4.18		
		kpot Technical Standard R	Rev 1.1	
Progressive Levels Supported	iSAP: Yes	-		
	Type: Star	ndard		
	Levels: 2			
		sferred to 'Total Wins' m	eter: Yes	
Maximum Bet Value	\$5.00			
Base Credit Value	1c, 2c			
Variation Details				
	etting bination	Progressive PRTP	Min / Max Total PRTP	
01 82.18%	1	7.800361%	89.98%	
02 82.18%	2	7.790464%	89.97%	
03 82.18%	3	7.780489%	89.96%	
04 82.18%	4	7.770470%	89.95%	
05 82.18%	5	7.760451%	89.94%	
06 82.18%	6	7.750028%	89.93%	
07 82.18%	7	8.020500%	90.20%	
08 82.18%	8 8.000470% 90.18%			
Platform/Cabinet Details	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
Operational Conditions 1. The "Ticket In" and "Cashless	" facilities	are not approved in the A	CT.	
Application Reference No.	39-A0901/S01			

New Poker Machine Game	W HOLE :				
Game Name		Wall Of Fortune			
Specification Number	39.A0310				
Manufacturer	Konami Australia Pty Ltd				
Gaming Machine Type	Conventional				
Game Type Spinning Reels					
Technical Standards	NS 10.0 + NSW Appendix	(dated 14/01/09)			
Submission Standards	NSW CPTS 2.2				
	TITO Technical Standard V	/4.18			
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c, 5c				
Variation Details	Var	Min / Max PRTP			
	99	87.19%			
	01	90.13%			
	02	91.96%			
	03	94.09%			
	04	96.04%			
	05	85.00%			
	06	88.50%			
	08	88.06%			
Platform/Cabinet Details K2V – Casino Top, Low Boy, Casino Top with Low					
	K2V Upgrade – Casino Top	K2V Upgrade – Casino Top, Low Boy			
	K2V 500 – Casino Top, Lo	K2V 500 – Casino Top, Low Boy, Casino Top with			
	LCD				
	K2V 500 Upgrade – Casino	K2V 500 Upgrade – Casino Top, Low Boy			
	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone				
	LCD Box, Short Top Box				
Specific Approval Conditions					
1. Please note that player selec	ctable, multi-denomination func	tionality, contained in			
System Software NSW5024	16 is not a subject of this approv	al.			
Operational Conditions					
1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD'					
platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box,					
it must be used in conjunction with the Paltronics Random Link Progressive Jackpot					
System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics					

- it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
 When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPIS LCD Display software installed in the top how it must be used in conjunction.
- LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	39-A0894/S01
11	

New Poker Ma	chine Game				
Game Name		Wall Of Fortune Lucky Garden			
Specification I	Number	39.B0104			
Manufacturer		Konami Australia Pty Ltd			
Gaming Mach	ine Type	iSAP (Integrated Stand-alo	ne Progressive)		
Game Type		Spinning Reels			
Technical Star	ndards	NS 10.0 + NSW Appendix	(dated 14/01/09)		
Submission St		NSW CPTS 2.2			
		TITO Technical Standard V	/4.18		
		NSW Jackpot Technical St	andard Rev 1.1		
Progressive L	evels Supported	iSAP: Yes			
5	**	Type: Random			
		Levels: 2			
		Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet	t Value	\$10.00			
Base Credit V	alue	1c, 2c, 5c			
Variation Deta	ails				
Var	Game RTP	Progressive RTP	Min / Max PRTP		
11	85.00%	5.150000%	90.15%		
12	85.00%	5.200000%	90.20%		
13	85.00%	5.250000%	90.25%		
14	85.00%	5.400000%	90.40%		
15	87.19%	4.400000%	91.59%		
16	87.19%	4.450000%	91.64%		
17	87.19%	4.500000%	91.69%		
18	87.19%	4.600000%	91.79%		
Platform/Cabi	inet Details	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone			
		LCD Box			
	Specific Approval Conditions				
Base software NSW56246 is not a subject of this approval.					
Operational C					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.Application Reference No.39-A0895/S01					
Application R					

New Poker Machine Game					
Game Name	Clover All Over – Potion Power				
Specification Number	35.BF071				
Manufacturer	Shuffle Master Australas	sia Pty Limited			
Gaming Machine Type	iSAP (Integrated Stand-a	alone Progressive)			
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Append	lix (dated 14/01/09)			
Submission Standards	NSW CPTS Rev 2.2				
	TITO Technical Standar	d V4.18			
	NSW Jackpot Technical	Standard Rev 1.2			
Progressive Levels Supported	iSAP: Yes	iSAP: Yes			
	Type: Standard				
	Levels: 3				
	Wins transferred to 'Total Wins' meter: Yes				
Maximum Bet Value	\$6.00				
Base Credit Value	1c, 2c				
Variation Details	-				
Var Game RTP	Progressive RTP	Min / Max Total PRTP			
99 86.20%		90.15%			
03 84.06%	88.01%				
05 84.97%	3.944444%	88.91%			
15 87.56%		91.51%			
16 89.61%		93.55%			
Platform/Cabinet Details	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD)				
	PC4 Mojo ST – Slant Top				
	PC4 – Equinox, Equinox Low Boy				
Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.	35-A0722/S01				

New Poker Machine Game				
Game Name	Eureka Gold Mine 2			
Specification Number	35.BF069			
Manufacturer	Shuffle Master Australasi	a Pty Limited		
Gaming Machine Type	iSAP (Integrated Stand-al	one Progressive)		
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendi	x (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard	V4.18		
	NSW Jackpot Technical S	Standard Rev 1.2		
Progressive Levels Supported	iSAP: Yes			
	Type: Standard			
	Levels: 2			
	Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$9.00			
Base Credit Value	1c			
Variation Details				
Var Game RTP	Progressive RTP	Min / Max Total PRTP		
99 84.27%		90.15%		
03 82.31%	88.19%			
05 83.27%	5.886647	89.16%		
15 85.72%	91.60%			
16 87.72%		93.60%		
Platform/Cabinet Details	eStar PC4 – Round Top, Low Top, Round Top (with in- machine 17" LCD)			
	PC4 Mojo ST – Slant Top			
	PC4 – Equinox, Equinox Low Boy			
Operational Conditions				
1. The "Ticket In" and "Cashless	" facilities are not approved in the ACT.			
Application Reference No.	35-A0717/S01			

New Pol	er Machine Game	- Includ	ing Undate	d Topper Artwork		
Game N		- 1110144	UFO – Pink Panther Returns			
	ation Number		35.BF070			
Manufa			Shuffle N	laster Australasia Pty Ltd		
Gaming	Machine Type			egrated Stand-alone Prog		
Game T	• •		Spinning	<u> </u>	,	
Technic	al Standards			NSW Appendix (dated)	14/01/09)	
Submiss	sion Standards		NSW CP	TS 2.2		
			TITO Teo	chnical Standard V4.18		
			NSW Jac	kpot Technical Standard	Rev 1.2	
Progres	sive Levels Supp	orted	iSAP: Ye	S		
			Type: Sta	ndard		
			Levels: 3			
			Wins transferred to 'Total Wins' meter: Yes			
	ım Bet Value		\$9.00			
	edit Value		1c, 2c, 5c			
	n Details					
Var	BCV	Game RTP		Progressive RTP	Min / Max	
					Total PRTP	
19	1c, 2c		.80%	4.333333%	89.13%	
21	1c, 2c		5.66%		91.00%	
22	1c, 2c		5.66%	5.333167%	92.00%	
24	1c, 2c	88.70%			94.03%	
49	1c, 2c, 5c	84.80%		4.533167%	89.33%	
			5.66%		91.20%	
52	1c, 2c, 5c		5.66%	5.533500%	92.20%	
, ,			3.70% 94.23%			
	n/Cabinet Details	5	PC4 - Equ	linox		
-	onal Conditions				CIT.	
				" facilities are not approved in the ACT.		
Application Reference No.			35-A0716/S01, /S02			