Gaming Machine Approval 2011 (No 62)

Notifiable instrument NI2011-767

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 62).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2011-546 dated 14 September 2011 and notified under the Legislation Register on 22 September 2011.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

6 December 2011

New Multi-Game Poker Machine Game					
Game Name	Queen of the Nile Legends				
Manufacturer	Aristocrat Technologies Australia Pty Ltd				
Specification Number	1.DF004				
Game Identifier	10561514				
Gaming Machine Type	MGGM - iSAP - Ante Bet				
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix	x dated 14/0	1/09		
Submission Standards	NSW CPTS 2.2; TITO Te	chnical Stan	dard V4.20		
	NSW Jackpot Technical S	ackpot Technical Standard Rev 1.2			
Progressive Levels Supported	iSAP: Yes				
	Type: Standard				
	Levels: 2				
	Wins Transferred to 'Tota	I Wins' mete	er: Yes		
Maximum Bet Value	\$7.50				
Base Credit Value 2c					
Component Game Set Details	Game Number 0		Game Name		
	01		Queen	of the Nile Classic	
	02 Queen of the Nile De		of the Nile Deluxe		
Multi-Game Combination:					
MGC CRP	Game Number	<u>Var</u>	<u>iation</u>	SDB PRTP	
3 87.63%	01		99	87.63%	
3 67.03%	02		99	87.63%	
MGC CRP	Game Number	<u>Variation</u>		SDB PRTP	
4 86.64%	01	01		86.64%	
4 00.0476	02	02 0		86.64%	
	Game Number <u>Variation</u>		SDB PRTP		
MGC CRP					
MGC <u>CRP</u> 5 89.18%	01 02		02	89.16% 89.19%	

Platform/Cabinet Details

- Gen7 Viridian Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Viridian Widescreen Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)
- Gen7 Vii Slant Casino Top (with in-machine LCD) (Configured with Ticket Printer option)

Operational Conditions

- 1. Multi-Game Combination number 4 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Retrofit Order

A retrofit of all affected gaming machines in ACT venues has been ordered. It will retrofit the previously approved software version '10461514'.

Application Reference No.	01-A1303/S01

New Poker Machine Game and Updated Hardware Assemblies			
Game Name	Oiran – Top Of Japanese Geisha		
Specification Number	6.F0039		
Game Identifier	09OIRMG4		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning reels		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2; TITO Technical Standard V4.20		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Variation Details:			
<u>Var</u>	<u>Min / Max PRTP</u>		
1	90.08%		
2	91.10%		
3	92.15%		
4	95.10%		
Platform/Cabinet Details			
GENEX – G-Deluxe			
Device Details			
Device name:	GENEX G-DELUXE		
GM Type	Hardware Platform		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/4/05)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/1/09)		
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	06-A0326/S01		

New Multi-Game F	Poker Machine Gam	e, Updated Supporting Softwa	re, Additiona	al Topper Art			
Game Name		Selexion 6					
Manufacturer		Konami Australia Pty Ltd					
Specification Nu	mber	39.DF000					
Game Identifiers		X066N02C					
Gaming Machine	Type	MGGM – iSAP					
Game Type		Spinning Reels					
Technical Standa	ards	NS 10.0 + NSW Appendix	x (dated 14/0	1/09)			
Submission Stan		NSW CPTS 2.2; TITO Te					
		NSW Jackpot Technical S					
Progressive Leve	els Supported	iSAP: Yes	•				
		Type: Random					
		Levels: 2					
		Wins Transferred to 'Tota	I Wins' mete	r: Yes			
Maximum Bet Va	lue	\$10.00					
Base Credit Valu		1c, 2c, 5c					
Component Gam		Game Number	r		Game Name		
Component Gam	o Jot Dotalis	01	·		rses for Courses		
		02					
		03		IVIC	oney in the Bank The Quest 2		
		03			Cash Reward		
Multi-Game Com	hination:		Cas		Casii Rewalu		
MGC	CRP	Game Number	Vari	ation	SDB PRTP		
	-	01			90.16		
01	00.14	02	,	01	90.14		
UI	90.14	03		JI	90.29		
		04			90.23		
		01			90.21		
02	90.19	02	(02	90.19		
02	90.19	03	`		90.34		
		04			90.28		
		01	03		91.08		
03	91.08	02		91.09			
		03			91.09		
		01			91.08 91.13		
		02	04		91.13		
04	91.13	03		91.14			
		04			91.13		
	91.15	01			91.15		
٥٢		02		91.16			
05		03	05		91.16		
		04			91.15		
	90.15	01	06		90.17		
06		02			90.15		
		03			90.30		
		04			90.24		
	90.16	01			90.18		
07		02	07	90.16			
		03			90.31		
		04			90.25 90.08		
		02			90.08		
08	90.06	03	(08	90.06		
		04			90.15		
	l .	l UT			/0.13		

This is Page 4 (of 8 pages) of the Schedule to the Gaming Machine Approval 2011 (No 62)

continued			
Platform/Cabinet Details			
KGP 2.0 UVS Podium – Upper LCD Bo	x. Tombstone LCD Box		
Device Details-1	1		
Device name:	System & Boot Software (MGGM)		
Category	SF (Supporting Function)		
Program ID	NSW60204.ROM2		
	NSW60204.ROM3		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2: TITO Technical Standard V4.20		
	NSW Jackpot Technical Standard Rev 1.2		
Device Details-2			
Device name:	Topper Artwork		
GM Type:	Other (Generic Artwork)		
Technical Standard:	NS10.0 + NSW Appendix (dated 14/01/09)		
Oval Topper Artwork details:	SXN-AW (E)		
	SXN-AW(PT)		
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0929/S01		

New Multi-Game F	Poker Machine Gam	e, Updated Supporting Softwa	re			
Game Name		Selexion 7				
Manufacturer		Konami Australia Pty Ltd				
Specification Nu	mber	39.DF001				
Game Identifiers		X076N01C.CF				
Gaming Machine	Туре	MGGM – iSAP				
Game Type		Spinning Reels				
Technical Standa	ards	NS 10.0 + NSW Appendix	x (dated 14/0)1/09)		
Submission Stan		NSW CPTS 2.2; TITO Te				
		NSW Jackpot Technical S				
Progressive Leve	els Supported	iSAP: Yes	, tantaara 110			
1.09.000.00 200	oio oupportou	Type: Random				
		Levels: 2				
		Wins Transferred to 'Tota	I Wins' mete	r· Yes		
Maximum Bet Va	lue	\$5.00	I WIIIS IIICIC	71. 103		
Base Credit Valu		1c, 2c				
Component Gam		Game Number	<u> </u>		Game Name	
Component Gam	ic Jet Detalls	01	l			
					mpin' Jalapenos	
		02			ynasty of Gold	
		03			iamond Double Deluxe	
Mark Oa O	l. t 11	04	Rawhid		nide Double Deluxe	
Multi-Game Com MGC	CRP	Game Number	Var	iation	SDB PRTP	
IVIGC	CKF	01	vai	iation	90.13	
		02			90.13	
01	90.13	03		01	90.21	
		04			90.21	
		01			90.18	
		02			90.18	
02	90.18	03		02	90.26	
		04			90.26	
	91.05	01	02	91.05		
02		02		91.05		
03		03		03	91.22	
		04			91.22	
		01			91.10	
04	91.10	02		04	91.10	
04	71.10	03	04	91.27		
		04			91.27	
	91.12	01		91.12		
05		02		05	91.12	
		03			91.29	
		04			91.29	
06		01	06		90.14	
	90.14	02			90.14	
		03			90.22	
		01	07		90.15	
	90.15	02			90.15	
07		03			90.23	
		04			90.23	
		01			90.05	
	00.05	02			90.05	
08	90.05	03		80	90.13	
		04			90.13	

This is Page 6 (of 8 pages) of the Schedule to the Gaming Machine Approval 2011 (No 62)

continued			
Platform/Cabinet Details			
KGP 2.0 UVS Podium – Upper LCD Box	, Tombstone LCD Box		
Device Details-1			
Device name:	System & Boot Software (MGGM)		
Category	SF (Supporting Function)		
Program ID	NSW60110.ROM2		
_	NSW60110.ROM3		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NSW CPTS 2.2: TITO Technical Standard V4.20		
	NSW Jackpot Technical Standard Rev 1.2		
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	39-A0930/S01		

Alternate Hardware Component	
Device Details:	
Device name:	BIOS ROM
GM type:	Hardware Component
Manufacturer	Shuffle Master Australasia Pty Ltd
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	.,
Hardware Details-1:	
Processor / Main Board:	MB-PC4 Rev3.0 (SM P/N: ASY-0160A)
BIOS Flash ROM:	Pm49FL004
CPU	Intel Celeron M Processor model 370
	Product # RH80536NC0211M
RAM	512 MB DDR2 SDRAM (SM P/N: ASY-0164A)
Platform/Cabinet Details	
• eStar PC4 – Low Top, Round Top, So	quare Top, Round Top (With in-machine LCD 17" Display)
 PC4 Mojo ST – Slant Top 	
Hardware Details-2:	
Processor / Main Board:	MB-PC4 Rev3.0 (SM P/N: ASY-0160A)
BIOS Flash ROM:	Pm49FL004
CPU	Intel Celeron M Processor model 370
	Product # RH80536NC0211M
RAM	1 GB DDR2 SDRAM (SM P/N: ASY-0174A)
Platform/Cabinet Details	
 PC4 – Equinox, Equinox Low Boy 	
Application Reference No.	35-A0734/S01

New Poker Machine Game	
Game Name	Safari Gold
Specification Number	35.BF076
Game Identifier	SAGNSW1F
Manufacturer	Shuffle Master Australasia Pty Limited
Gaming Machine Type	ISAP
Game Type	Spinning reels
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NSW CPTS Rev 2.2
	TITO Technical Standard V4.20
	NSW Jackpot Technical Standards Rev 1.2
Progressive Levels Supported	Linked: Yes
	Type: Standard
	Levels: 4
	Wins Transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	5c, 10c
Variation Details:	

Variation Details:

<u>Var</u>	<u>BCV</u>	Game RTP	Progressive RTP	Min Total PRTP	Max Total PRTP
13	5c	87.94%-87.98%	4.000000%	91.94%	91.98%
14		86.49%-86.59%		90.49%	90.59%
15	10c	87.94%-87.98%	4.010000%	91.95%	91.99%
16		86.49%-86.59%		90.50%	90.60%

Platform/Cabinet Details

- eStar PC4 Low Top, Round Top (with in-machine LCD 17" Display)
- PC4 Mojo ST Slant Top
- PC4 Equinox, Equinox Low Boy

Operational Conditions

1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

35-A0737/S01, S02 Application Reference No.