Australian Capital Territory

# Gaming Machine Approval 2012 (No 3)

## Notifiable instrument NI2012–25

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

## 1 Name of instrument

This instrument is the Gaming Machine Approval 2012 (No 3).

#### 2 Commencement

This instrument commences the day after the date of notification.

### 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

16 January 2012

No.					
New Gaming Machine Game Name		Entra Change Istantian Massa			
Specification Number		Extra Chance Jetsetter Macau			
Manufacturer		18.B0601			
		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP – Ante Bet			
Game Type		Spinning Reels			
Game Identifier		X59800GA			
		X59800RA			
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards		NSW CPTS 2.2			
		TITO Technical Standard V4.20			
		NSW Jackpot Technical Standards Rev 1.2			
Progre	Progressive levels supported		iSAP - yes		
		Type - standard			
		Levels - 3			
		Wins transferred to 'Total Wins' – yes			
	Maximum Bet Value		\$10.00		
	Credit Value	1c,	2c		
	tion Details				
Var	Min/Max Game PRT	P	iSAP RTP	Min/Max Total PRTP%	
8	83.03-87.20		7.802296	90.83-95.00	
3	81.05-85.05		6.940347	87.99-91.99	
9	81.05-85.05		6.948018	88.00-92.00	
10 81.05-85.05			5.949557	87.00-91.00	
Platfo	rm/Cabinet	AVP BC20 – Video Top			
			AVP ST22 – Video Slant Top		
	ic Approval Conditions				
-	tional Conditions				
	he "Ticket In" and "Cash				
2. Touch-screen functionality must be enabled in the C				Configuration Menu after a	
RAM Clear.					
<b>Application Reference No.</b>		18-	A5156/S01		

New Gaming Machine					
Game Name	Fire	Firework Fortune Cats			
Specification Number	18.1	18.B0600			
Manufacturer	IGT	IGT (Australia) Pty Ltd			
Gaming Machine Type	iSA	iSAP			
Game Type	Spi	Spinning Reels			
Game Identifier	X59	X59500GA			
	X59	9500RA			
<b>Technical Standards</b>	NS	NS10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards		NSW CPTS 2.2			
		TITO Technical Standard V4.20			
	NS	NSW Jackpot Technical Standards Rev 1.2			
Progressive levels suppor	ted iSA	iSAP - yes			
	• 1	Type - standard			
		Levels - 2			
		Wins transferred to 'Total Wins' – yes			
Maximum Bet Value	\$10	\$10.00			
Base Credit Value	1c,	1c, 2c,5c			
Variation Details					
Var BCV Game	e PRTP	iSAP RTP	Min/Max Total PRTP%		
99 1c, 2c, 5c 8	8.20	1.916667	90.11		
3 1c, 2c 8	8.20	3.166667	91.36		
Platform/Cabinet	AV	P BC20 – Video T	ор		
Specific Approval Condit	tions				
<b>Operational Conditions</b>					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No	<b>b.</b> 18	A5129/S01			

Additional Platform Hardware			
Manufacturer	IGT (Australia) Pty Ltd		
Category	Gaming Machine		
Category Type	Iardware Component		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
<b>Technical Standards</b>	NSW CPTS 2.2		
Platform/Cabinet Details	AVP BC20 – Portrait 32IN Top Box		
Device Details 1		•	
Device Name	BC20 Portrait 32" Generic	Mask	
Hardware Details			
BC20 Portrait 32" Door Descri	ption	Part Number	
Mask Monitor 32IN Top Box Por		A6901149 Rev a	
Bracket Top Crown Door 32" LC	D Generic BC20	A700158910 Rev A	
Generic Artwork Details			
Description		Part Number	
Hot Shot Facade		A8170060	
Firework Fortune Facade		A8170061	
List of previously approved game	es approved for operation wit	th the following	
generic artwork			
Game Name	Specification Number	Part Number	
Hot Shot Full Steam Ahead	18.B0571	A8170060	
Hot Shot Regal Riches	18.B0574	A8170060	
Hot Shot Red Lions	18.B0578	A8170060	
Hot Shot Zodiac Fortune	18.B0596	A8170060	
Firework Fortune Wild Jaguar	18.B0573	A8170061	
Firework Fortune Ship Ahoy	18.B0576	A8170061	
Firework Fortune Imperial Lion	18.B0588	A8170061	
Firework Fortune Cats	18.B0600	A8170061	
Device Details 2			
Device Name	Dual Topper		
Dual Topper Artwork Details		1	
Description		Part Number	
Hot Shot Dual Topper		A7209200	
Firework Fortune Dual Topper		A7209201	
List of previously approved game	es approved for operation wit	th the following	
generic artwork		I	
Game Name	Specification Number	Part Number	
Hot Shot Full Steam Ahead	18.B0571	A7209200	
Hot Shot Regal Riches	18.B0574	A7209200	
Hot Shot Red Lions	18.B0578	A7209200	
Hot Shot Zodiac Fortune	18.B0596	A7209200	
Firework Fortune Wild Jaguar	18.B0573	A7209201	
Firework Fortune Ship Ahoy	18.B0576	A7209201	
Firework Fortune Imperial Lion	18.B0588	A7209201	
Firework Fortune Cats	18.B0600	A7209201	
Application Reference No.	18-A1229/S01, /S02		

China Wild		
39.A0323		
Konami Australia Pty Ltd		
Conventional		
Spinning Reels		
CHW5NA46.ROM3		
CHW5NA46.ROM4		
NS10.0 + NSW Appendix (dated 14/01/09)		
NSW CPTS 2.2		
TITO Technical Standar	d V4.20	
\$10.00		
1c, 2c, 5c		
Variation Number	Min/Max PRTP%	
99	87.19	
1	90.19	
1	70.17	
2	91.93	
2	91.93	
2 3	91.93 94.08	
2 3 4	91.93 94.08 96.08	
2 3 4 5	91.93 94.08 96.08 85.19	
$ \begin{array}{r} 2\\ 3\\ 4\\ 5\\ 6\\ \end{array} $	91.93 94.08 96.08 85.19 88.59	
$ \begin{array}{r} 2\\ 3\\ 4\\ 5\\ 6\\ \end{array} $	91.93 94.08 96.08 85.19 88.59 88.09	
$ \begin{array}{r} 2\\ 3\\ 4\\ 5\\ 6\\ 8 \end{array} $	91.93 94.08 96.08 85.19 88.59 88.09	
	39.A0323Konami Australia Pty LtConventionalSpinning ReelsCHW5NA46.ROM3CHW5NA46.ROM4NS10.0 + NSW Append:NSW CPTS 2.2TITO Technical Standar\$10.001c, 2c, 5cVariation Number99	

**Operational Conditions** 

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- Gaming machine variation number 5 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No.39-A0962/s01

New C	Gaming Machine				
Game Name		China Wild Lucky Garden			
Specification Number		39.B0121			
Manufacturer		Konami Australia Pty Ltd			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		CHW5NA46.ROM3			
		CHW5NA46.ROM4			
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards		NSW CPTS 2.2			
		TITO Technical Standa	TITO Technical Standard V4.20		
		NSW Jackpot Technical Standards Rev 1.2			
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c	1c, 2c, 5c		
<b>Progressive levels supported</b>		iSAP - yes			
		Type - random			
		Levels - 2	Levels - 2		
		Wins transferred to 'Total Wins' - yes			
Variat	tion Details				
Variat Var	Game PRTP	iSAP RTP	Min/Max Total PRTP%		
<b>Var</b> 11	<b>Game PRTP</b> 85.19	5.150000	90.34		
<b>Var</b> 11 12	Game PRTP 85.19 85.19	5.150000 5.200000	90.34 90.39		
Var 11 12 13	Game PRTP 85.19 85.19 85.19	5.150000 5.200000 5.250000	90.34 90.39 90.44		
Var 11 12 13 14	Game PRTP 85.19 85.19 85.19 85.19 85.19	5.150000 5.200000 5.250000 5.400000	90.34 90.39 90.44 90.59		
Var           11           12           13           14           15	Game PRTP 85.19 85.19 85.19 85.19 85.19 87.19	5.150000 5.200000 5.250000 5.400000 4.400000	90.34 90.39 90.44 90.59 91.59		
Var 11 12 13 14 15 16	Game PRTP 85.19 85.19 85.19 85.19 85.19 87.19 87.19	5.150000         5.200000         5.250000         5.400000         4.400000         4.450000	90.34 90.39 90.44 90.59 91.59 91.64		
Var 11 12 13 14 15 16 17	Game PRTP 85.19 85.19 85.19 85.19 87.19 87.19 87.19 87.19	5.150000         5.200000         5.250000         5.400000         4.400000         4.450000         4.500000	90.34 90.39 90.44 90.59 91.59 91.64 91.69		
Var 11 12 13 14 15 16 17 18	Game PRTP 85.19 85.19 85.19 85.19 87.19 87.19 87.19 87.19 87.19	5.150000         5.200000         5.250000         5.400000         4.400000         4.450000         4.500000         4.600000	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79		
Var 11 12 13 14 15 16 17 18	Game PRTP 85.19 85.19 85.19 85.19 87.19 87.19 87.19 87.19	5.150000 5.200000 5.250000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium –	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79		
Var 11 12 13 14 15 16 17 18 Platfo	Game PRTP 85.19 85.19 85.19 85.19 87.19 87.19 87.19 87.19 87.19 87.19 87.19 87.19 87.19 87.19	5.150000 5.200000 5.250000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium – Tombstone LCD Box	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79		
Var 11 12 13 14 15 16 17 18 Platfo Specif	Game PRTP 85.19 85.19 85.19 85.19 87.19 87.19 87.19 87.19 rm/Cabinet ic Approval Condition	5.150000 5.200000 5.250000 5.400000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium – Tombstone LCD Box	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79 Upper LCD Box,		
Var 11 12 13 14 15 16 17 18 Platfo Specif The pl	Game PRTP           85.19           85.19           85.19           85.19           87.	5.150000 5.200000 5.250000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium – Tombstone LCD Box s enomination functionality.	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79 Upper LCD Box,		
Var 11 12 13 14 15 16 17 18 Platfo Specif The pl Softwa	Game PRTP           85.19           85.19           85.19           85.19           87.19           ST.19           ST.19           rm/Cabinet           ic Approval Condition           ayer selectable, multi-de           are NSW56346 is not a	5.150000 5.200000 5.250000 5.400000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium – Tombstone LCD Box	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79 Upper LCD Box,		
Var           11           12           13           14           15           16           17           18           Platfo           Specif           The pl           Softwa           Opera	Game PRTP           85.19           85.19           85.19           85.19           87.19           rm/Cabinet           ic Approval Condition           are NSW56346 is not a           itional Conditions	5.150000         5.200000         5.250000         5.400000         4.400000         4.450000         4.600000         4.600000         KGP 2.0 UVS Podium – Tombstone LCD Box         Is         enomination functionality.         subject of this approval.	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79 Upper LCD Box, , contained in the System		
Var           11           12           13           14           15           16           17           18           Platfo           Specif           The pl           Softwa           Opera           The "T	Game PRTP           85.19           85.19           85.19           85.19           87.19           rm/Cabinet           ic Approval Condition           are NSW56346 is not a           itional Conditions	5.150000 5.200000 5.250000 4.400000 4.450000 4.500000 4.600000 KGP 2.0 UVS Podium – Tombstone LCD Box s enomination functionality.	90.34 90.39 90.44 90.59 91.59 91.64 91.69 91.79 Upper LCD Box, , contained in the System		