Gaming Machine Approval 2012 (No 5)

Notifiable instrument NI2012-52

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2012 (No 5).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

6 February 2012

New Gaming Machine						
Game Name	Stu	ntman Sam				
Specification Number	1.B	F027				
Manufacturer	Ari	Aristocrat Technologies Australia Pty Ltd				
Gaming Machine Type	iSA	iSAP				
Game Type	Spi	Spinning Reels				
Game Identifier	102	61425				
Technical Standards	NS	10.0 + NSW Appen	dix (dated 14/01/09)			
Submission Standards	NS	W CPTS 2.2				
	TIT	O Technical Standa	ard V4.20			
	NS	W Jackpot Technica	al Standards Rev 1.2			
Progressive levels supported	iSA	AP - yes				
		oe - standard				
	Lev	vels - 3				
	Wii	ns transferred to 'To	otal Wins' - yes			
Maximum Bet Value	\$2.0	00				
Base Credit Value	1c					
Variation Details						
Var Min/Max Game PR	TP	iSAP RTP	Min/Max Total PRTP%			
99 81.96-87.09		10.056438	92.01-92.17			
01 81.96-87.09		8.585460	90.54-90.69			
02 81.96-87.09		7.753598	89.71-89.86			
Platform/Cabinet	Ger	n 7 Viridian Widesc	reen with Feature Top Box			
Specific Approval Condition	ıs					
Operational Conditions						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
Application Reference No.	01-	A1304/S01				

Feature Top Box Kit	
Device Name	Feature Top Box Kit
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NSW CPTS Rev 2.2
Feature Top Box (WS)	ATA P/N: 579359 Issue A02
Assembly	
PCBA & Looms FTB Kit	ATA P/N: 590445
LCD 31_5IN KRTK AU	ATA P/N: 442210
T315HW04 Assembly	
Platform/Cabinet Details	Gen7 Viridian Widescreen
Application Reference No.	01-A1298/S01

Updated Hardware	
Device Name	Reel Driver Board
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	
Hardware Details	
Device / PCB	Description
Reel driver Board	Reel Driver PCB
	Part Name: BD-GM-R_DRV
Previously approved stepper gam	nes suitable for use with above board
Game Name	Specification Number
Shen Long Orbs	6.F0042
Bamboo Panda	6.F0044
Platform/Cabinet Details	G-ENEX – WD00- Stepper
Application Reference No.	01-A0373/S01

LED Replacement Kits	
Device Name	Belly Panel LED Replacement Kits
Manufacturer	Bytecraft Systems Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	
Hardware Details 1	
Belly Panel LED	P/N: 3011130
Replacement Kit	
Platform/Cabinet Details	IGT
	GU4A – Casino Top, Lowboy
	GU4 – Casino Top, Lowboy
Hardware Details 2	
Belly Panel LED	P/N: 3010280
Replacement Kit	
Platform/Cabinet Details	IGT
	AU1 – Casino Top, Lowboy, Video Top

Specific Approval Conditions

- 1. The onus is upon the **approved ACT supplier** to ensure that any required electrical and/or emissions certifications are in place, which may be necessary as the result of modifying the machines.
- 2. The **approved ACT supplier** must notify a venue in writing prior to installing a modification that the modification may void any warranty agreement in place and the machine manufacturer is not liable for any defect caused by the installation.

Application Reference No.	60-A0028/S01

Belly Panel LED Replacement Kits				
Device Name	Belly Panel LED Replacement Kits			
Manufacturer	Bytecraft Systems Pty Ltd			
Category	Gaming Machine			
Category Type	Hardware Component			
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards				
Hardware Details				
Belly Panel LED	P/N: 3011131			
Replacements				
Platform/Cabinet Details	Shuffle Master			
	PC3 – High Top, Casino Plus top, casino Top,			
	Low Top			

Specific Approval Conditions

- 1. The onus is upon the **approved ACT supplier** to ensure that any required electrical and/or emissions certifications are in place, which may be necessary as the result of modifying the machines.
- 2. The **approved ACT supplier** must notify a venue in writing prior to installing a modification that the modification may void any warranty agreement in place and the machine manufacturer is not liable for any defect caused by the installation.

Application Reference No.	60-A0029/S01
---------------------------	--------------

Belly Panel LED Replacement Kits				
Device Name	Belly Panel LED Replacement Kits			
Manufacturer	Bytecraft Systems Pty Ltd			
Category	Gaming Machine			
Category Type	Hardware Component			
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards				
Hardware Details				
Belly Panel LED	P/N: 3011133			
Replacements				
Platform/Cabinet Details	Konami			
	K2V – High Top, Casino Top, Lowboy			

Specific Approval Conditions

- 1. The onus is upon the **approved ACT supplier** to ensure that any required electrical and/or emissions certifications are in place, which may be necessary as the result of modifying the machines.
- 2. The **approved ACT supplier** must notify a venue in writing prior to installing a modification that the modification may void any warranty agreement in place and the machine manufacturer is not liable for any defect caused by the installation.

installation.	
Application Reference No.	60-A0030/S01

New C	Gaming Machine				
Game	Name	Eas	tern Empress Returi	ns	
Specif	fication Number	18.I	30602		
Manu	facturer	IGT (Australia) Pty Ltd			
Gami	ng Machine Type	iSAP			
Game	Type	Spinning Reels			
Game	Identifier	X59400GA			
		X59	9400RA		
Techn	nical Standards			dix (dated 14/01/09)	
Subm	ission Standards	NS	W CPTS 2.2		
		TIT	O Technical Standa	ard V4.20	
				d Standards Rev 1.2	
Progr	essive levels supported		P - yes		
			e - standard		
			els - 2		
			ns transferred to 'To	otal Wins' - yes	
-	num Bet Value	\$6.2			
	Credit Value	1c,	2c, 5c		
	tion Details				
Var	Min/Max Game PRTI	2%	iSAP RTP%	Min/Max Total PRTP%	
2	87.90		3.085000	90.99	
3	87.90		4.097500	92.00	
7	87.90		1.610000	89.51	
8	87.90	ı	4.087700	91.99	
Platfo	rm/Cabinet		AVP BC20 – Video Top		
			P ST22 – Video Sla	nt Top	
	fic Approval Conditions				
	ntional Conditions				
	e "Ticket In" and "Cashle				
		ity m	oust be enabled in th	e Configuration Menu after	
l a F	RAM clear.				
	cation Reference No.		A5145/S01		

New C	Gaming Mac	chine					
-	Name		Sun Ter	nple K	ing's R	leward	
Specif	fication Nu	mber	39.B011				
	facturer		Konami	Austra	alia Pty	Ltd	
Gami	ng Machine	e Type	iSAP				
	Type	•	Spinnin	g Reels	S		
Game	Identifier		STK5NA46.ROM3				
			STK5N.	A46.R	OM4		
			STK5NA46.ROM5				
Techr	nical Standa	ards	NS10.0 + NSW Appendix (dated 14/01/09)			/01/09)	
Subm	ission Stan	dards	NSW C				
						dard V4.20	
_					Technic	cal Standards F	Rev 1.2
_	essive level	S	iSAP -	•			
suppo	rted		Type - s Levels -		a		
					od to 'T	Total Wing' w	20
Movi	mum Bet V	alua	\$9.00	msterr	eu to 1	Total Wins' - y	28
	Credit Valu		1c, 2c, 5	íc			
-	tion Details		10, 20, 5	, <u>c</u>			
Var	Game	Bonus		Setting	<u> </u>	iSAP	Min/Max
	PRTP%	RTP%		nbina	-	RTP%	Total PRTP%
			1c	2c	5c		
		5.31	1c	2c 21	5c 41	2.685472	
		5.31 4.24				2.685472 3.764914	
1	82 19		11	21	41 42 43		90.19
1	82.19	4.24 3.81 2.95	11 12 13 14	21 22 23 24	41 42 43 44	3.764914 4.194963 5.050690	90.19
1	82.19	4.24 3.81 2.95 3.31	11 12 13 14 15	21 22 23 24 25	41 42 43 44 45	3.764914 4.194963 5.050690 4.694109	90.19
1	82.19	4.24 3.81 2.95 3.31 2.71	11 12 13 14 15 16	21 22 23 24 25 26	41 42 43 44 45 46	3.764914 4.194963 5.050690 4.694109 5.285930	90.19
1	82.19	4.24 3.81 2.95 3.31 2.71 6.21	11 12 13 14 15 16 17	21 22 23 24 25 26 27	41 42 43 44 45 46 47	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289	90.19
1	82.19	4.24 3.81 2.95 3.31 2.71 6.21 4.98	11 12 13 14 15 16 17 18	21 22 23 24 25 26 27 28	41 42 43 44 45 46 47 48	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187	90.19
1		4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91	11 12 13 14 15 16 17 18 19	21 22 23 24 25 26 27 28 29	41 42 43 44 45 46 47 48 49	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764	
	82.19 82.19	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26	11 12 13 14 15 16 17 18 19 20	21 22 23 24 25 26 27 28 29 30	41 42 43 44 45 46 47 48 49 50	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573	90.19
		4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19	11 12 13 14 15 16 17 18 19 20 61	21 22 23 24 25 26 27 28 29 30 71	41 42 43 44 45 46 47 48 49 50 91	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699	
1	82.19	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85	11 12 13 14 15 16 17 18 19 20 61 62	21 22 23 24 25 26 27 28 29 30 71 72	41 42 43 44 45 46 47 48 49 50 91 92	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289	91.98
1		4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0	21 22 23 24 25 26 27 28 29 30 71 72) UVS	41 42 43 44 45 46 47 48 49 50 91 92 Podium	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98
1 Platfo	82.19 orm/Cabine	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0	21 22 23 24 25 26 27 28 29 30 71 72) UVS	41 42 43 44 45 46 47 48 49 50 91 92 Podium	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98
1 Platfo	82.19 orm/Cabine	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85 t	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0	21 22 23 24 25 26 27 28 29 30 71 72 O UVS	41 42 43 44 45 46 47 48 49 50 91 92 Podium CD Box	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98
1 Platfo Specif	82.19 orm/Cabine fic Approva CV of 4c is	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85 t al Condition not a subject	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0	21 22 23 24 25 26 27 28 29 30 71 72 O UVS	41 42 43 44 45 46 47 48 49 50 91 92 Podium CD Box	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98
1 Platfo Specif The B Opera	82.19 orm/Cabine fic Approva CV of 4c is ational Con	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85 t al Condition not a subject ditions	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0 Tombstons	21 22 23 24 25 26 27 28 29 30 71 72 O UVS one LC	41 42 43 44 45 46 47 48 49 50 91 92 Podium CD Box	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98 D Box,
Platfo Specif The B Opera The "	82.19 orm/Cabine fic Approva CV of 4c is ational Con	4.24 3.81 2.95 3.31 2.71 6.21 4.98 3.91 3.26 3.19 2.85 t al Condition not a subject ditions and "Cashles of the conditions of the co	11 12 13 14 15 16 17 18 19 20 61 62 KGP 2.0 Tombstons	21 22 23 24 25 26 27 28 29 30 71 72 O UVS one LC	41 42 43 44 45 46 47 48 49 50 91 92 Podium CD Box	3.764914 4.194963 5.050690 4.694109 5.285930 3.585289 4.814187 5.883764 6.531573 6.600699 6.942289 m – Upper LCI	91.98 D Box,

		nine, Upda	ted System Softwa			
	Name		Party All Night Ro	ock Around the C	lock	
Specif	fication Num	ıber	39.B0120			
	facturer		Konami Australia Pty Ltd			
Gami	ng Machine	Type	iSAP			
Game	Туре		Spinning Reels			
Game	Identifier		PNR5NE50.ROM3			
			PNR5NE50.ROM4			
			PNR5NE50.ROM	5		
Techn	nical Standar	rds	$NS10.0 + NSW A_1$	ppendix (dated 14	1/01/09)	
Subm	ission Stand	ards	NSW CPTS 2.3			
			TITO Technical St	andard V4.20		
			NSW Jackpot Tecl	nnical Standards	Rev 1.2	
Progr	essive levels		iSAP - yes			
suppo	rted		Type - standard			
			Levels - 3			
			Wins transferred to	o 'Total Wins' - y	res	
Maxii	num Bet Va	lue	\$10.00			
Base (Credit Value	2	1c, 2c			
			Variation Deta	ails		
Var RCV Game						
Var	BCV	Game	Setting	Progressive	Total PRTP%	
Var	BCV	Game PRTP%		Progressive RTP%	Total PRTP%	
	1c	PRTP%	_	RTP%		
Var			Combination	_	Total PRTP% 90.18	
1	1c	PRTP% 85.14	Combination	RTP% 5.049063		
1	1c 2c	PRTP% 85.14	Combination	RTP% 5.049063	90.18	
1 Platfo	1c 2c	PRTP% 85.14	Combination 11 12 KGP 2.0 UVS Pod LCD Box	RTP% 5.049063	90.18	
1 Platfo	1c 2c orm/Cabinet	PRTP% 85.14 Condition	Combination 11 12 KGP 2.0 UVS Pod LCD Box	RTP% 5.049063 lium – Upper LC	90.18	
1 Platfo Specif 1. Th 2. Th	1c 2c orm/Cabinet fic Approval e BCV of 4c e player select	PRTP% 85.14 Condition is not a succept the multiple of the condition of t	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approvii-denomination fur	S.049063 lium – Upper LCl val. nctionality contai	90.18 D Box, Tombstone	
1 Platfo Specif 1. Th 2. Th	1c 2c orm/Cabinet fic Approval e BCV of 4c e player select	PRTP% 85.14 Condition is not a succept the multiple of the condition of t	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approven	S.049063 lium – Upper LCl val. nctionality contai	90.18 D Box, Tombstone	
1 Platfo Specif 1. Th 2. Th sof	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond	PRTP% 85.14 Condition is not a suctable multions	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination function a subject of this a	RTP% 5.049063 lium – Upper LCl val. nctionality contain	90.18 D Box, Tombstone ned in the system	
1 Platfo Specif 1. Th 2. Th sof	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond	PRTP% 85.14 Condition is not a suctable multions	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approvii-denomination fur	RTP% 5.049063 lium – Upper LCl val. nctionality contain	90.18 D Box, Tombstone ned in the system	
1 Platfo Specif 1. Th 2. Th sof Opera The "	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond	PRTP% 85.14 Condition is not a succept the succept th	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approvati-denomination function a subject of this as s" facilities are not	RTP% 5.049063 lium – Upper LCl val. nctionality contain	90.18 D Box, Tombstone ned in the system	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat	1c 2c orm/Cabinet fic Approval the BCV of 4c the player selectivare NSW5 ational Cond	PRTP% 85.14 Condition is not a succept the succept th	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approvati-denomination function a subject of this as s" facilities are not	RTP% 5.049063 lium – Upper LCl val. nctionality containpproval. approved in the	90.18 D Box, Tombstone ned in the system	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond Γicket In" and the d System So the Name hical Standar	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination function a subject of this a s" facilities are not stails System Software NS10.0 + NSW A	RTP% 5.049063 lium – Upper LCl val. nctionality contain approval. approved in the	90.18 D Box, Tombstone ned in the system ACT.	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn	1c 2c prm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond Γicket In" and the ded System So the Name	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination funct a subject of this as s" facilities are not stails System Software NS10.0 + NSW ANSW CPTS 2.3	RTP% 5.049063 lium – Upper LCI val. nctionality contain approval. approved in the approved	90.18 D Box, Tombstone ned in the system ACT.	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond Γicket In" and the d System So the Name hical Standar	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination funct a subject of this as s" facilities are not stails System Software NS10.0 + NSW A NSW CPTS 2.3 TITO Technical	RTP% 5.049063 lium – Upper LCl val. nctionality contain approval. approved in the second contain the second	90.18 D Box, Tombstone ned in the system ACT.	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player selectivare NSW5 ational Cond Γicket In" and the d System So the Name hical Standar	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination funct a subject of this as s" facilities are not stails System Software NS10.0 + NSW ANSW CPTS 2.3	RTP% 5.049063 lium – Upper LCl val. nctionality contain approval. approved in the second contain the second	90.18 D Box, Tombstone ned in the system ACT.	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player select fitware NSW5 fitional Cond Ficket In" and the d System So the Name fical Standar tission Stand	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviti-denomination funct a subject of this as s" facilities are not stails System Software NS10.0 + NSW A NSW CPTS 2.3 TITO Technical	RTP% 5.049063 lium – Upper LCI val. nctionality contain approval. Appendix (dated Standard V4.20 chnical Standard	90.18 D Box, Tombstone ned in the system ACT.	
1 Platfo Specif 1. Th 2. Th sof Opera The " Updat Device Techn Subm	1c 2c orm/Cabinet Fic Approval the BCV of 4c the player select fitware NSW5 fitional Cond Ficket In" and the d System So the Name fical Standar tission Stand	PRTP% 85.14 Condition is not a suctable multions difficulties of tware Decrete	Combination 11 12 KGP 2.0 UVS Pod LCD Box ns bject of this approviate a subject of this a series are not stails System Software NS10.0 + NSW ANSW CPTS 2.3 TITO Technical and NSW Jackpot Technic	RTP% 5.049063 lium – Upper LCl val. nctionality contain approval. Appendix (dated standard V4.20 chnical Standard Standa	90.18 D Box, Tombstone ned in the system ACT.	

System EPROM Platform/Cabinet

K2V - Casino Top, Low Boy, Casino Top with LCD

K2V Upgrade – Casino Top, Low Boy

K2V 500 - Casino Top, Low Boy, Casino Top with LCD

K2V 500 Upgrade - Casino Top, Low Boy

KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box

NSW50250.ROM2

This is Page 7 (of 7 pages) of the Schedule to the Gaming Machine Approval 2012 (No 5)

Cont..

Topper Artwork Details	
Device Name	Topper Artwork
Oval Topper Artwork Details	RTC-AW(PT)
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	
Platform/Cabinet	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone
	LCD Box
Application Reference No.	39-A0964/S01 39-A0965 /S01 /S02 39-A0969/S01