Gaming Machine Approval 2012 (No 43)

Notifiable instrument NI2012-594

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2012 (No 43).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

14 November 2012

New Multi-Game Gaming Machine			
Cash Express Get on Board			
1.HF035			
Aristocrat Technologies Australia Pty Ltd			
MGGM – SFS			
Spinning Reels			
10161931			
Cash Express Link (2c); 1.YA002			
NS 10.1 + NSW Appendix (dated 24/11/11)			
NSW CPTS 2.3; TITO Technical Standard V4.20			
NSW Jackpot Technical Standard Rev 1.2			
Linked: - Yes			
Type: - Standard			
Levels: - 4			
\$6.00			
2c			

Component Game Set Details

Game Name	Game Number	Variation Number	Min/Max VRP%
Indian Dreaming	1	11	82.04-82.11
Queen of the Nile	2	6	82.06

Multi-Game Combination:

MGC	CRP%	Game Number	Variation	SDB PRTP%
1	92.05	1	11	82.04
1	82.05	2	6	82.06

Platform/Cabinet

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions

- 1. The above-mentioned multi-game gaming machine (MGGM) must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Cash Express' 2 cents jackpot settings.
- 2. The above mentioned MGGM game must be used in conjunction with the Paltronics Hyperlink Controller (Rev 7) with firmware version 6.04 later and the Interface card (SEI) firmware version L600H111 or later.
- 3. The above-mentioned MGGM game must be used in conjunction with a Thin Client ATA Graphics Server, Specification No: 01-SES01, with Graphics Server Application Software (System Version SYS005) and Graphics Software Configuration Text File (Version 01031) or later.
- 4. The above-mentioned MGGM game must operate in conjunction with the 'Nteractive Button Midtrim Deck Kit'.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

THE HORCE III and Gastiless	identifies are first approved in the field
Application Reference No.	01-A1371/S01

New Gaming Machine				
Game Name	Thunder King			
Specification Number	1.F0097			
Manufacturer	Aristocrat Technologies	Australia Pty Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	10261809			
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20			
Maximum Bet Value	\$7.50			
Base Credit Value	1c, 2c, 5c			
Variation Details	Variation Number Min/Max PRTP%			
	99	87.96		
	1 90.17			
	2 91.93			
	4 93.16			
	7 88.62			

Platform/Cabinet

Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)

Gen7 Upgrade Xtreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)

Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Standalone/Mystery Link) (Configured with either Ticket Printer and/or Hopper option)
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone / Mystery Link)
(Configured with Ticket Printer option)

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	01-A1370/S01
Application Reference No.	I U I-A I 3 / U/ 3U I

Alternative Hardware		
Device Name Hardware Assemblies		ies
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Compon	ent
Technical Standards	NS 10.1 + NSW App	pendix (dated 24/11/11)
Hardware Details 1		ATA P/N: 580275
Gen7 Viridian Casino Topbox	(WS) Assembly	
Platform/Cabinet Details		
Gen7 Viridian Widescreen – C	asino Top (with in-mad	chine LCD) (Configured with either
Ticket Printer and/or Hopper option)		
Hardware Details 2		
Gen7 Viridian Comms Housing Assembly		ATA P/N: 583123 Issue A
Gen7 Viridian Printer Mounting Bracket		ATA P/N: 04_15070 Issue B
Assembly		
Power Supply Unit 400W (Setec Model: Mk7-		ATA /IN: 432999
400-1)		
RS232 Comms & Wing Lighting PCBA		ATA P/N: 494312 Issue A
Belly LED Lighting PCBA ATA P/N: 4943221ssue		ATA P/N: 4943221ssue C
Platform/Cabinet Details		
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured		
with either Ticket Printer and/or Hopper option)		
Application Reference No.	01-A1372/S01	

Additional Cabinet for Previously Approved Game		
Game Name :	Bamboo Panda	
Specification Number	6.F0044	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	09BBPMG3	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Submission Standards	NSW CPTS Rev 2.2; TITO Technical Standard V4.20	
Platform/Cabinet details:	G-ENEX Stepper	
	GENX-WD00 (G-ENEXII) - Stepper	
Application Reference No.	06-A0389/S01	

New Gaming Machine			
Game Name	Eagle Warrior		
Specification Number	6.F0055		
Manufacturer	Aruze Gaming Australia	Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	pEWMG001		
Technical Standards	NS10.1 + NSW Appendi	x (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Ted	chnical Standard V4.20	
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c		
Variation Details	Variation Number	Min/Max PRTP%	
Variation Details	Variation Number	Min/Max PRTP% 87.92-92.96	
Variation Details	_	•	
Variation Details	1	87.92-92.96	
Variation Details	1 2	87.92-92.96 88.95-94.01	
Variation Details Platform/Cabinet	1 2 3	87.92-92.96 88.95-94.01 89.92-94.98	
Platform/Cabinet G-ENEX – WD00 – Midway, Lov	1 2 3 4 v Boy	87.92-92.96 88.95-94.01 89.92-94.98	
Platform/Cabinet G-ENEX – WD00 – Midway, Lov GENX-WD00 (G-ENEX II) – Mid	1 2 3 4 v Boy	87.92-92.96 88.95-94.01 89.92-94.98	
Platform/Cabinet G-ENEX – WD00 – Midway, Lov	1 2 3 4 v Boy	87.92-92.96 88.95-94.01 89.92-94.98	
Platform/Cabinet G-ENEX – WD00 – Midway, Lov GENX-WD00 (G-ENEX II) – Mid G-Comfort	1 2 3 4 v Boy	87.92-92.96 88.95-94.01 89.92-94.98	

06-A0414/S01

Application Reference No.

New Gaming Machine				
Game Name	Moon Dynasty			
Specification Number	42.A0032			
Manufacturer	BGI Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	301729B			
Technical Standards	NS10.1 + NSW Appendix	(dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20			
Maximum Bet Value	\$4.00			
Base Credit Value	1c, 2c			
Variation Details	Variation Number	Min/Max PRTP%		
	99	88.15		
	1 90.09			
	2 91.98			
Platform/Cabinet	ALPHA II – Alpha Pro Upright AP-1 (with / without ALPHA PRO TOPPER)			
	ALPHA II – Alpha Pro slant Top AS-1 (with / without ALPHA PRO TOPPER)			

- 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
- 2. Should Bally Gaming (BGI) supply *I* lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
- 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
- 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.

Operational Conditions		
The "Ticket In" and "Cashless" facilities are not approved in the ACT.		
Application Reference No.	42-A0040/S01	

New Gaming	Machine				
Game Name		Jackpot Lanterns Moon Dynasty (2 iSAP Levels)			
Specification	Number	42.B0009			
Manufacture	r	BGI	Australia Pty Ltd		
Gaming Mach	nine Type	iSAP			
Game Type		Spin	ning Reels		
Game Identif	ier	3017	729BS		
Technical Sta	ndards	NS10	0.1 + NSW Appendix	(dated 24/11/11)	
Submission S	tandards	NSW	CPTS 2.3; TITO Tech	nnical Standard V4.20	
		NSW	/ Jackpot Technical S	tandards Rev 1.2	
Progressive le	evels supported	iSAP	- yes		
			Type - random		
	Levels - 2				
		Wins	s transferred to 'Tota	al Wins' – yes	
Maximum Be	t Value	\$4.0	0		
Base Credit V	alue	1c, 2	lc .		
Variation Det	ails				
Var	Game PRTP9	%	iSAP RTP%	Min/Max Total PRTP%	
3	88.15			90.40	
4	90.09		2.250000	92.34	
5	91.98			94.23	
Platform/Cab	inet	ALPHA II — Alpha Pro Upright AP-1 (with / without ALPHA PRO TOPPER)			
	ALPHA II – Alpha Pro slant Top AS-1 (with / without ALPHA PRO TOPPER)			nt Top AS-1 (with / without	

- 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
- 2. Should Bally Gaming (BGI) supply *I* lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
- 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
- 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.

Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No. 42-A0040/S01			

New Gaming Machine					
Game Name	Rainbow Dragon	Rainbow Dragon			
Specification Number	42.A0031				
Manufacturer	BGI Australia Pty Ltd				
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Game Identifier	301727B				
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)				
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20				
Maximum Bet Value	\$4.00				
Base Credit Value	1c, 2c				
Variation Details	Variation Number Min/Max PRTP%				
	99	88.15			
	1 90.09				
	2 91.98				
Platform/Cabinet	ALPHA II – Alpha Pro Upright AP-1 (with / without ALPHA PRO TOPPER)				
	ALPHA II — Alpha Pro slant Top AS-1 (with / without ALPHA PRO TOPPER)				

- 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
- 2. Should Bally Gaming (BGI) supply *I* lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
- 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
- 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.

Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No. 42-A0039/S01			

New Gaming	Machine					
Game Name			Jackpot Lanterns Rainbow Dragon (2 iSAP Levels)			
Specification Number			8000			
Manufacture	r	BGI /	Australia Pty Ltd			
Gaming Mach	nine Type	iSAP	iSAP			
Game Type		Spin	Spinning Reels			
Game Identif	ier	3017	727BS			
Technical Sta	ndards	NS10	0.1 + NSW Appendix	(dated 24/11/11)		
Submission S	tandards	NSW	CPTS 2.3; TITO Tech	nical Standard V4.20		
		NSW	/ Jackpot Technical S	tandards Rev 1.2		
Progressive le	evels supported	iSAP - yes				
		Type - random				
		Levels - 2				
		Wins transferred to 'Total Wins' – yes				
Maximum Be	t Value	\$4.0	0			
Base Credit V	alue	1c, 2	l.c			
Variation Det	ails					
Var	Game PRTP9	%	iSAP RTP%	Min/Max Total PRTP%		
3	88.15			90.40		
4	4 90.09		2.250000	92.34		
5 91.98				94.23		
Platform/Cabinet A			ALPHA II – Alpha Pro Upright AP-1 (with / without			
			ALPHA PRO TOPPER)			
		ALPHA II – Alpha Pro slant Top AS-1 (with / without				
			ALPHA PRO TOPPER)			

- 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
- 2. Should Bally Gaming (BGI) supply *I* lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
- 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
- 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.

Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No. 42-A0039/S01			

New Gaming Machine							
Game Name			Wild Princess 2				
Specification Number			18.	B0639			
Manufac	turer		IGT	(Australia) Pty Ltd			
Gaming I	Machine Typ	е	iSA	Р			
Game Ty	ре		Spii	Spinning Reels			
Game Ide	entifier		X67300GA				
			X67300RA				
Technica	l Standards		NS1	10.1 + NSW Appendix (d	dated 24/11/11)		
Submissi	on Standard	ls	NS۱	W CPTS 2.3; TITO Techn	ical Standard V4.20		
			NS۱	W Jackpot Technical Sta	indards Rev 1.2		
Progressive levels supported			iSAP - yes				
			Type - standard				
			Levels - 2				
			Wins transferred to 'Total Wins' – yes				
Maximu	m Bet Value		\$10	0.00			
Base Cre	Base Credit Value 1			2c, 5c			
Variation	Details						
Var	BCV	Game PRTP%		iSAP RTP%	Min/Max Total PRTP%		
2	10.20			3.287694	90.92		
3	1c, 2c	87.63)	4.363241	92.00		
4	5c	07.03	•	4.543216	92.18		
7	1c, 2c			1.862180	89.49		
Platform/Cabinet			AVP BC20 – Video Top				
l l			AVP ST22 – Video Slant Top				
Operational Conditions							
The "Tick	et In" and "	Cashless" 1	facili	ties are not approved in	n the ACT.		
Applicati	Application Reference No. 18-A5222/S01						

New Gaming Machine					
Game Name	African Light				
Specification Number	39.A0330				
Manufacturer	Konami Australia Pty Lt	d			
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Game Identifier	AFL5NA50.ROM3				
	AFL5NA50.ROM4				
Technical Standards	NS10.1 + NSW Appendi	x (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20				
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c				
Variation Details	Variation Number Min/Max PRTP%				
	99 87.19				
	1 90.20				
	2 91.99				
	3 94.10				
	4 96.10				
	5 85.19				
	6	88.59			
	8	88.10			

Platform/Cabinet

K2V - Casino Top, Low Boy with LCD

K2V Upgrade – Casino Top, Low Boy

K2V 500 - Casino Top, Low Boy, Casino Top with LCD

K2V 500 Upgrade - Casino Top, Low Boy

KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box

Specific Approval Conditions

The player selectable multi-denomination functionality contained in the system software 'NSW50350' is not a subject of this approval.

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 5 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No.	39-A0991/S01
---------------------------	--------------

New Gaming Machine and Updated Supporting Software

gyptian Eyes 9.A0329 pnami Australia Pty Lto pnventional pinning Reels GE5NC50.ROM3 GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3 4	ι (dated 24/11/11)			
onami Australia Pty Ltd onventional oinning Reels GE5NC50.ROM3 GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number	(dated 24/11/11) hnical Standard V4.20 Min/Max PRTP% 90.12 91.97 93.94			
onventional pinning Reels GE5NC50.ROM3 GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3 4	(dated 24/11/11) hnical Standard V4.20 Min/Max PRTP% 90.12 91.97 93.94			
pinning Reels GE5NC50.ROM3 GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3 4	Min/Max PRTP% 90.12 91.97 93.94			
GE5NC50.ROM3 GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3 4	Min/Max PRTP% 90.12 91.97 93.94			
GE5NC50.ROM4 S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3 4	Min/Max PRTP% 90.12 91.97 93.94			
S10.1 + NSW Appendix SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3	Min/Max PRTP% 90.12 91.97 93.94			
SW CPTS 2.3; TITO Tec 10.00 c, 2c, 5c ariation Number 1 2 3	Min/Max PRTP% 90.12 91.97 93.94			
10.00 c, 2c, 5c ariation Number 1 2 3	Min/Max PRTP% 90.12 91.97 93.94			
2 3 4	90.12 91.97 93.94			
ariation Number 1 2 3 4	90.12 91.97 93.94			
1 2 3 4	90.12 91.97 93.94			
2 3 4	91.97 93.94			
3 4	93.94			
4				
l	96.06			
ystem software				
stem software				
	System software			
Supporting Function				
System Software				
NS 10.1 + NSW Appendix (dated 24/11/11)				
NSW CPTS 2.3; TITO technical Standards V4.20				
NSW Jackpot Technical Standard Rev 1.2				
Software details				
EPROM / Flash Label ID				
NSW50350.ROM1				
NSW50350.ROM2				
System EPROM NSW50350.ROM2 Platform/Cabinet				
Top with LCD				
оу				
sino Top with LCD				
ow Boy				
Box, Tombstone LCD E	Box, Short Top Box			
nomination functionali	•			
s not a subject of this a	• •			
2. The 4c denomination is not a subject of this approval.				
ilities are not approved				
Application Reference No. 39-A0985/S01; 39-A988/S01				
	pporting Function stem Software S 10.1 + NSW Appendi SW CPTS 2.3; TITO tec SW Jackpot Technical S PROM / Flash Label ID SW50350.ROM1 SW50350.ROM2 Top with LCD by sino Top with LCD w Boy Box, Tombstone LCD E momination functional s not a subject of this subject of this approva			

Updated Gaming Machine gam	Updated Gaming Machine game and supporting Software				
Game Name	ame Jackpot Island				
Specification Number	39.BF000				
Manufacturer	Konami Australia Pty Ltd				
Gaming Machine Type	iSAP				
Game Type	Spinning Reels				
Game Identifier	L0055PA001XX_0053NGXX				
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)				
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20				
	NSW Jackpot Technical Standards Rev 1.2				
Platform/Cabinet					
KP3 KGP 2.0 OVS Podium – Upp	per LCD Box, Tombstone LCD Box				
KP3 KGP 2.0 UVS Podium Upgra	ade – Upper LCD Box, Tombstone LCD Box				
KP3 KGP 3.0 SVRS Podium – Slant Top					
Device name	System / Game Control Software				
Category	Supporting Function				
Category Type	System Software				
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)				
Submission Standards	NSW CPTS 2.3; TITO technical Standards V4.20				
	NSW Jackpot Technical Standard Rev 1.2				
Software details					
Function	Audit Screen Identifier				
Windows OS	ndows OS KGI_LWPSYSC011XX				
Platform/Cabinet	Platform/Cabinet				
KP3 KGP 2.0 OVS Podium – Upp	KP3 KGP 2.0 OVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box				
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short					
Тор Вох	Top Box				
KP3 KGP 3.0 SVRS Podium – Slant Top					
Operational Conditions					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No. 39-A1115/S01					

Magic Happens			
39.B0132			
Konami Australia Pty Ltd			
iSAP			
Spinning Reels			
MAH5NB50.ROM3			
MAH5NB50.ROM4			
NS10.1 + NSW Appendix (dated 24/11/11)			
NSW CPTS 2.3; TITO Technical Standard V4.20			
NSW Jackpot Technical Standards Rev 1.2			
iSAP - yes			
Type - standard			
Levels - 2			
Wins transferred to 'Total Wins' – yes			
\$10.00			
1c, 2c			

Variation Details

Var	Game PRTP%	Bonus RTP%	Setting Combination		iSAP RTP%	Min/Max Total PRTP%
			1c	2c		
			11	21		
11 84.65	04.65	2.62	12	22	1.895538	90.18
	84.05	3.63	13	23		
		14		1.899416		
12 86.39		15	25	1.895538	01.01	
	2.62	16	26			
	00.39	3.63	17	27		91.91
		18		1.899416		
Platform	Platform/Cabinet KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD			stone LCD Box		

Specific Approval Conditions

- 1. The player selectable multi-denomination functionality contained in the system software 'NSW50350' is not a subject of this approval.
- 2. The 4c denomination is not a subject of this approval.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 39-A0990/S01

Updated Gaming Machine Game Software				
Game Name	Party All Night Rock Around the Clock			
Specification Number	39.B0120			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Game Identifier	PNR5NG50.ROM3			
	PNR5NG50.ROM4			
	PNR5NG50.ROM5			
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20			
	NSW Jackpot Technical Standards Rev 1.2			
Progressive levels	iSAP - yes			
supported	Type - standard			
	Levels - 3			
	Wins transferred to 'Total Wins' - yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			

Variation Details

Var	BCV	Game PRTP%		Setting Combination	Progressive RTP%	Total PRTP%	
1	1c	85.14		11	5.049063	90.18	
	2c 8			12	5.049005	90.16	
2	1c	05 07		21	6 212075	02.10	
2 2c	85.87		22	6.312975	92.18		
Platfo	Vlatform/Cabinet KGP 2.0 UVS Podium – Upper LCD Box, Tombston				ox. Tombstone		

Specific Approval Conditions

- 1. The BCV of 4c is not a subject of this approval.
- 2. The player selectable multi-denomination functionality contained in the system software NSW50350 is not a subject of this approval.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

LCD Box

Application Reference No. 39-A0986/S01

New Gaming Machine				
Game Name	Stars 'N' Strikes Rock Around the Clock			
Specification Number	39.B0133			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Game Identifier	SSR5NA50.ROM3			
	SSR5NA50.ROM4			
	SSR5NA50.ROM5			
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20			
	NSW Jackpot Technical Standards Rev 1.2			
Progressive levels	iSAP - yes			
supported	Type - standard			
	Levels - 3			
	Wins transferred to 'Total Wins' – yes			
Maximum Bet Value	\$6.25			
Base Credit Value	1c, 2c			

Variation Details

Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min/Max Total PRTP%
1	1c	85.22	11	5.049063	90.27
	2c	65.22	12	3.049063	90.27
2	1c	9F 06	21	6.312975	02.27
2	2c	85.96	22	0.312975	92.27

Platform/Cabinet KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

Specific Approval Conditions

- 1. The player selectable multi-denomination functionality contained in the system software 'NSW50350' is not a subject of this approval.
- 2. The 4c denomination is not a subject of this approval.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 39-A0989/S01

Updated Banknote Acceptor Firm	nware					
Device Name	Banknote Acceptor					
Manufacturer	Konami Australia Pty L	Konami Australia Pty Ltd				
Category	Gaming Machine					
Category Type	BNA Firmware					
Technical Standards	NS 10.1 + NSW Appen	dix (dated 24/11/11)				
Submission standards	NSW CPTS 2.3; TITO To	echnical Standard V4.20				
Banknote Acceptor	Cashcode Model FLS2:	310				
Identification	Konami Part Number: 508 CAS					
Software Details						
Description	Firmware Ver Memory card Program Id					
Banknote acceptor firmware	F(AAUS)-85:ID003-	FLS-AU22-681933				
	04V2681933					
Platform/Cabinet Details						
K2V -Casino Top, Lowboy, Casino Top with LCD						
K2V 500 -Casino Top, Lowboy, Casino Top with LCD						
K2V Upgrade -Casino Top, Lowboy						
K2V 500 Upgrade- Casino Top, Lowboy						
KGP 2.0 UVS Podium -Upper LCD Box, Tombstone LCD Box, Short Top Box						
KP3 KGP 2.0 UVS Podium- Upper LCD Box, Tombstone LCD Box, Short Top Box						
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short						
Top Box						
KP3 KGP 3.0 SVRS Podium – Slant Top						
Application Reference No.39-A0992/S01						

New Ga	ming Machi	ne				
Game Name			Kelly's Gold			
Specification Number			35.BF10	00		
Manufa	cturer		SHFL er	ntertainment (Austral	asia) Pty Ltd	
Gaming	Machine Ty	ype	iSAP			
Game T	уре		Spinnin	g Reels		
Game Id	dentifier		KEGNS\	W1B		
Technic	al Standard	S	NS10.1	+ NSW Appendix (dat	ted 24/11/11)	
Submiss	sion Standa	rds	NSW CF	PTS 2.3; TITO Technica	al Standard V4.20	
			NSW Ja	ckpot Technical Stand	dards Rev 1.2	
Progres	sive levels s	upported	iSAP - y	/es		
			Type - s	standard		
			Levels -	2		
			Wins tr	ansferred to 'Total W	ins' – yes	
Maximu	ım Bet Valu	е	\$10.00			
Base Credit Value			1c, 2c			
Variatio	n Details					
Var	BCV	Game PRTP%		Progressive RTP%	Min/Max Total PRTP%	
99		85.3	3	4.859184	90.19	
5	1c	84.8	9		89.75	
15		86.2	.5		91.11	
59		85.3	3	5.252090	90.58	
60	2c	84.6	55		89.90	
61		86.25			91.50	
Platform/Cabinet			eStar PC4 – Round Top (with in-machine 17" LCD)			
		PC4 Mojo ST – Slant Top				
			PC4 - Equinox			
Operational Conditions						
Operati	onai Condit	10113				
•			facilities	are not approved in t	he ACT.	
The "Tic		"Cashless"	facilities 35-A07		he ACT.	

New Gaming Mac	hine					
Game Name		Lotus Magic				
Specification Num	nber	35.BF099				
Manufacturer			ntertainment (Austral	asia) Ptv Ltd		
Gaming Machine	Type	iSAP		ao.a, : :, =:a		
Game Type	- 7 F -	Spinnin	g Reels			
Game Identifier		_	LOMNSW1C			
Technical Standar	·ds		+ NSW Appendix (da	ted 24/11/11)		
Submission Stand			PTS 2.3; TITO Technic			
	u. 0.0		ckpot Technical Stand			
Progressive levels	supported	iSAP - y	•			
			tandard			
		Levels -				
		Wins tra	ansferred to 'Total W	ins' – yes		
Maximum Bet Va	lue	\$6.25		,		
Base Credit Value		1c, 2c, 5	5c			
Variation Details						
Var	Game PRTP%		Progressive RTP%	Min/Max Total PRTP%		
99	84.15			90.15		
3	82.16	5		88.16		
5	82.94	1	C 000000	88.94		
15	85.16		6.000800	91.16		
16	85.94	1		91.94		
17	87.15	5		93.15		
Software Details						
Firmware		Program Id				
ITX Plus Dosplay C	ontroller	STBCF01-004				
(Super Top Box)		LOMNAI1A				
Super Display Con	troller	SDRFS02A				
(Super Top Box)		LOMNSS1A				
Platform/Cabinet		20111113	<u> </u>			
·			quinox Super Top Box	K		
Specific Approval	Conditions	PC4 – E	quinox Super Top Box			
Specific Approval This game must op	Conditions perate on the	PC4 – E	quinox Super Top Box inox platform with th	ne Super Top Box and		
Specific Approval This game must op the Display Contro	Conditions perate on the oller Software	PC4 – E	quinox Super Top Box inox platform with th			
Specific Approval This game must on the Display Contro Operational Cond	Conditions perate on the oller Software itions	PC4 – E	quinox Super Top Box inox platform with the fied above.	ne Super Top Box and		
Specific Approval This game must on the Display Contro Operational Cond	Conditions perate on the oller Software itions d "Cashless"	PC4 – E	quinox Super Top Box inox platform with th fied above. are not approved in t	ne Super Top Box and		

This is Page 19 (of 20 pages) of the Schedule to the *Gaming Machine Approval 2012* (No 43)

Updated Hardware Assembly					
Device Name	Super Top Box				
Manufacturer	SHFL entertainment (A	Australasia) Pty Ltd			
Category	Gaming Machine				
Category Type	Hardware Component	t			
Technical Standards	NS 10.0 + NSW Appen	dix (dated 14/01/09)			
	NSW CPTS 2.2				
Game Name Lotus Magic					
Specification Number	35.BF099				
Hardware Details					
Super Top Box (Complete Assem	bly)	86-250A			
a) Super Top Box Door Assembl	У	86-251A			
 Alternate Metal Door Frame (Generic) 		86-272			
 Optional Moulding Assembly 		86-240A			
b) Super Top Box Equinox Main Door Cap Assembly		86-260A			
Platform/Cabinet Details	PC4 – Equinox Super Top				
Application Reference No.	35-A0802/S01				

This is Page 20 (of 20 pages) of the Schedule to the *Gaming Machine Approval 2012* (No 43)

New Gaming Machine							
Game Name			Samurai Spirit – Blaze Pays				
Specificati	on Number		35.BF098				
Manufactu	urer		SHFL enter	tainment (Austra	lasia) Pty Ltd		
Gaming M	achine Type		iSAP				
Game Typ	е		Spinning R	eels			
Game Ider	ntifier		SBPNSW1)			
Technical S	Standards		NS10.1 + N	ISW Appendix (da	ited 24/11/11)		
Submissio	n Standards		NSW CPTS	2.3; TITO Technic	cal Standard V4.20		
			NSW Jackp	ot Technical Stan	dards Rev 1.2		
Progressiv	e levels support	ed	iSAP - yes				
			Type - star	idard			
			Levels - 2				
			Wins trans	ferred to 'Total W	/ins' – yes		
Maximum	Maximum Bet Value			\$10.00			
Base Credi	Base Credit Value			1c, 2c, 5c, 10c			
Variation I	Details						
Var	BCV	Gar	me PRTP%	Progressive	Min/Max Total		
Val	BCV	Gai	ile PKIP/0	RTP%	PRTP%		
99			86.69	3.371264	90.06-90.15		
5	5c, 10c		86.58	3.235365	89.81-89.90		
15	30, 100		87.61	3.719505	91.32-91.41		
16			88.22	3.689778	91.90-91.99		
25			87.60	4.241867	91.84-91.93		
26	10.20		88.22	4.118709	92.33-92.42		
29	1c, 2c		86.69	3.800195	90.49-90.58		
35		86.58		3.630322	90.21-90.30		
Platform/0	Platform/Cabinet			nox			
Operational Conditions							
The "Ticke	t In" and "Cashle	ess" f	acilities are	not approved in	the ACT.		
Application Reference No. 35-A0796/S01, /S02							