

Australian Capital Territory

# Gaming Machine Approval 2013 (No 5)

Notifiable instrument NI2013–115

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2013 (No 5)*.

## 2 Commencement

This instrument commences the day after the date of notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney

Delegate

ACT Gambling and Racing Commission

8 March 2013

New Gaming Machine		
<b>Game Name</b>	Captain Cutthroat	
<b>Specification Number</b>	1.F0102	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Game Identifier</b>	10461810	
<b>Technical Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11)	
<b>Submission Standards</b>	NSW CPTS 2.3; TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Variation Number</b>	<b>Min/Max PRTP%</b>
	99	87.78-87.80
	1	90.00-90.01
	2	91.78-91.81
<b>Platform/Cabinet Details</b>		
Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Viridian Widescreen - Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer option)		
<b>Operational Conditions</b>		
The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
<b>Application Reference No.</b>	01-A1369/S01	

New Gaming Machine			
<b>Game Name</b>	Choy Sun Jackpots		
<b>Specification Number</b>	1.BF035		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Game Identifier</b>	10161888		
<b>Technical Standards Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive levels supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min / Max Total PRTP%</b>
99	85.12-85.32	5.482937	90.60-90.80
1	83.37-83.56	5.510060	88.88-89.07
2	86.15-86.35	5.432937	91.58-91.78
3	84.72-84.92	5.432937	90.15-90.35
4	84.04-84.21	5.427267	89.47-89.64
<b>Platform/Cabinet Details</b>			
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer option)			
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	01-A1391/S01		

Regression tested games with previously approved shell		
<b>Device Name</b>	AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Category</b>	Supporting Function	
<b>Category Type</b>	System Software	
<b>Shell</b>	AP010804	
<b>Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11)	
<b>Technical Standards</b>	NSW CPTS 2.3; TITO Technical standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Platform/Cabinet</b>		
AVP BC20 – Video Top, Portrait Top		
AVP ST22 – Video Slant Top		
AVPC – Video Top		
Universal – Slant Top		
<b>List of previously approved games suitable for operation with this Shell version</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Ancient Secrets Aztec	18.B0633	X64910GA, RA
Ancient Secrets China	18.B0612	X60820GA, RA
Ancient Secrets Egypt	18.B0621	X62810GA, RA
Pot of Gold Deluxe	18.B0614	X63500GA, RA
<b>Application Reference No.</b>	18-A5254/S01	

Hardware Updates		
<b>Device Name</b>	Universal Slant Top Update #1	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Category</b>	Gaming Machine	
<b>Category Type</b>	Hardware Platform	
<b>Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11)	
<b>Technical Standards</b>	NSW CPTS 2.3	
Hardware Details		
<b>Description</b>	<b>Part Number</b>	
Cash Box AUST U-Slant Top	A7001556 Rev B	
Blanking Plug Logic Tray	A3101094 Rev B	
Handle (optional)	A380011XXX	
Harness Main Power DIST AUS U-Slant	60132000W Rev A	
Harness Main Power Switch AUS U-Slant	60888905W Rev A	
<b>Platform/Cabinet Details</b>		
Universal - Slant Top		
<b>Application Reference No.</b>	18-A1244/S01	

New Gaming Machine		
<b>Game Name</b>	Aloha Delight	
<b>Specification Number</b>	42.A0039	
<b>Manufacturer</b>	BGI Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Game Identifier</b>	301945B	
<b>Technical Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11)	
<b>Submission Standards</b>	NSW CPTS 2.3; TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Variation Number</b>	<b>Min/Max P RTP%</b>
	99	88.14
	1	90.21
	2	91.93
<b>Platform/Cabinet</b>		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
<b>Specific Approval Conditions</b>		
<ol style="list-style-type: none"> <li>1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.</li> <li>2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.</li> <li>3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate.</li> <li>4. The Alpha Pro Topper must be installed for this game to operate.</li> <li>5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.</li> <li>6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.</li> <li>7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.</li> </ol>		
<b>Operational Conditions</b>		
The "Ticket In" and "Cashless" facilities are not approved in the ACT.		
<b>Application Reference No.</b>	42-A0053/S01	

New Gaming Machine			
<b>Game Name</b>	Jackpot Lanterns Aloha Delight (2 iSAP Levels)		
<b>Specification Number</b>	42.B0015		
<b>Manufacturer</b>	BGI Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Game Identifier</b>	301945BS		
<b>Technical Standards Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive levels supported</b>	iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min / Max Total PRTP%</b>
3	88.14	2.250000	90.39
4	90.21		92.46
5	91.93		94.18
<b>Platform/Cabinet</b>			
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)			
<b>Specific Approval Conditions</b>			
<ol style="list-style-type: none"> <li>1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.</li> <li>2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.</li> <li>3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate.</li> <li>4. The Alpha Pro Topper must be installed for this game to operate.</li> <li>5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.</li> <li>6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.</li> <li>7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.</li> </ol>			
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>	42-A0053/S01		

New Gaming Machine		
<b>Game Name</b>	Perfect 8	
<b>Specification Number</b>	42.A0036	
<b>Manufacturer</b>	BGI Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Game Identifier</b>	302105A	
<b>Technical Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11)	
<b>Submission Standards</b>	NSW CPTS 2.3; TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Variation Number</b>	<b>Min/Max PRTP%</b>
	99	88.15-88.30
	1	90.01-90.17
	2	91.73-91.85
<b>Platform/Cabinet</b>		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
<b>Specific Approval Conditions</b>		
<ol style="list-style-type: none"> <li>Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.</li> <li>The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate.</li> <li>Multi-denomination mode must be set to "disabled" when the gaming machine is configured.</li> <li>The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.</li> <li>Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.</li> <li>The optional Alpha Pro Topper must be used for this game to operate.</li> </ol>		
<b>Operational Conditions</b>		
The "Ticket In" and "Cashless" facilities are not approved in the ACT.		
<b>Application Reference No.</b>	42-A0046/S01	

<b>New Gaming Machine and Updated Supporting Software</b>			
<b>Game Name</b>	Roar’N Rumble		
<b>Specification Number</b>	42.B0012		
<b>Manufacturer</b>	BGI Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Game Identifier</b>	302109BS		
<b>Technical Standards Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive levels supported</b>	iSAP: Yes Type: Standard Levels: 3 Wins transferred to ‘Total Wins’ meter: Yes		
<b>Maximum Bet Value</b>	\$9.00		
<b>Base Credit Value</b>	50c, \$1.00		
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min / Max Total PRTP%</b>
99	71.31	18.687183	90.00
1	73.02	18.843411	91.86
2	75.07	19.262643	94.33
<b>Platform/Cabinet</b>			
ALPHA II – Alpha Pro Upright AP-1 (Standard Top Box with 32” Monitor & with/without ALPHA PRO TOPPER)			
<b>Specific Approval Conditions</b>			
<ol style="list-style-type: none"> <li>1. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with the Standard Top Box with a 32” touch screen LCD monitor for this game to operate.</li> <li>2. The gaming machine must be configured with the I-Deck button panel for this game to operate.</li> <li>3. The Alpha Pro Topper must be installed for this game to operate.</li> <li>4. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.</li> <li>5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.</li> <li>6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.</li> </ol>			
<b>Operational Conditions</b>			
The “Ticket In” and “Cashless” facilities are not approved in the ACT.			



<b>Device details</b>	
<b>Device Name</b>	Alpha II Base Software (OS, BIOS etc)
<b>Category</b>	Supporting Function
<b>Category Type</b>	Base Software
<b>Technical Standards Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2
<b>Software Details</b>	
<ul style="list-style-type: none"> <li>• OS</li> <li>• Media Services</li> </ul>	<p>OS357E</p> <p>MS103A</p>
<b>Platform/Cabinet</b>	
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)	
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)	
<b>Application Reference No.</b>	42-A0050/S01